

3M Science.
Applied to Life.™

Go-To Products for
Specialty Vehicle
Manufacturing

**From standard build to
technical breakthrough,
it's all within reach.**





3M solutions for vehicles of every stripe:


4	Vehicle Applications	
	Buses	4
	Emergency Vehicles	5
	Recreational Vehicles	6
	Tractor Trailers	7
	Trains	8
10	Abrasives	
	Belts	10
	Handheld Abrasives	11
	Sheets and Rolls	12
	Discs	14
	Wheels	26
	Abrasive Tools	27
	Bonnets and Buffing Pads	31
33	Adhesives	
	Adhesion Promoters and Solvent-Based Adhesives	
	▸ Adhesion Promoters	33
	▸ Solvent-Based Adhesives	33
	Water-Based Adhesives	37
	Adhesive Sealants	38
	Structural Adhesives and Adhesive Applicators	
	▸ Structural Adhesives	41
	▸ Adhesive Applicators	44
47	Cleaning Supplies	
	Cleaning Chemicals	47
49	Coatings	
	Corrosion Protection and Lubricant	49
51	Communication and Organization	
	Post-it® Products	51
52	Compounds and Polishes	
54	Fillers and Glazes	
	Body Fillers and Filler Hardeners	54
	Putties and Glazes	55
56	Fire Protection	
57	Matting and Treads	
	Matting	57
	Treads	58
61	Paint Sprayer Systems	
	Sprayer Systems and Spray Guns	61
	Sprayer Parts and Accessories	62



65	Protective Covers and Masking	
	Wheel Masker and Surface Protection.....	65
	Masking Films, Masking Paper and Handheld Applicators.....	67
70	Reclosable Fasteners	
	Hook and Loop Fasteners.....	70
	3M™ Dual Lock™ Reclosable Fasteners.....	71
72	Safety	
	Eye, Head and Face Protection	
	▶ Eye Protection.....	72
	▶ Head and Face Protection.....	73
	Hearing Protection.....	74
	Respiratory Protection.....	78
	Welding Safety.....	89
	Safety Clothing.....	92
93	Sorbents	
	Chemical, Maintenance and Petroleum Sorbents	
	▶ Chemical Sorbents.....	93
	▶ Maintenance Sorbents.....	94
	▶ Petroleum Sorbents.....	95

98	Tapes	
	Adhesive Transfer Tapes.....	98
	Bonding, Duct and Foam Tapes	
	▶ Bonding Tapes.....	99
	▶ Duct Tapes.....	99
	▶ Foam Tapes.....	100
	Foil, High Strength and Masking Tapes	
	▶ Foil Tapes.....	103
	▶ High Strength Tapes.....	104
	▶ Masking Tapes.....	104
	Sealing Tapes.....	108
	Specialty Tapes.....	109
	Marking Tapes.....	110
	Photoluminescent Films.....	111
	Conspicuity Markings.....	112

You help people get where they need to be — all day, every day — with buses that are safe, comfortable, and built to last.



1 Exterior Assembly

Attach mirrors – Foam tapes	Pg 101
Attach composites and more without rivets or screws – Structural adhesives	Pg 42
Adhere plastic or foam to a variety of materials – Specialty tapes	Pg 109
UV resistant bonding for plastics, composites and metals – Bonding tapes	Pg 99
Seal windshields and other glass – Adhesive sealants	Pg 39
Employ a “third hand” assembly aid – Duct tapes	Pg 99
Create water tight seals over fasteners, seams, joints and more – Sealing tapes	Pg 108
Bond weatherstripping to metal – Solvent-based adhesives	Pg 33
Protect wheels during assembly – Wheel masker	Pg 65

2 Interior Mechanical

Suppress road noise – Acoustic insulation	Pg 50
Wrap wires – Hook and loop	Pg 70
Bundle wires temporarily – Duct tapes	Pg 99
Bond insulation – Water-based adhesives	Pg 37

3 Interior Assembly

Secure removable access panels – Reclosable fasteners	Pg 70
Seal joints and seams – Adhesive sealants	Pg 38
Adhere foam and fabric fast – Solvent-based adhesives	Pg 34
Attach seat cushions – 3M™ Dual Lock™	Pg 71
Add grip to steps and walkways – Treads	Pg 58
Reduce vibration while minimizing added weight – Foil tapes	Pg 103
Prevent the spread of fire, smoke and gases – Fire protection	Pg 56
Weld removal and finishing – Non-woven discs	Pg 25
Attach nameplates, emblems and signage – Adhesive transfer tapes	Pg 98

Keep surfaces blemish-free during assembly and transport – High strength tapes	Pg 104
Impact resistant door panel bonding – Structural adhesives	Pg 42

4 Painting/Exterior Markings

Clean and remove adhesives – Adhesive removers	Pg 47
Blend, scuff, prep and remove defects – Film discs	Pg 19
Protect leading edges – Specialty tapes	Pg 109
Remove scratches and surface defects – Rubbing compounds	Pg 52
Keep wheels free of paint – Wheel masker	Pg 65
Apply paint and other coatings – Paint sprayer systems	Pg 61
Help protect workers from overspray – Coveralls	Pg 92
Create clean tape lines – Masking tapes	Pg 104

5 Chassis

Seal for corrosion resistance – Undercoatings	Pg 49
---	-------


6 Maintenance Operations

Fill pinholes, scratches, and other minor blemishes – Putties and glazes	Pg 55
Lubricate parts – General purpose lubricant	Pg 50
Bundling, labeling, and facilities painting – Masking tapes	Pg 104
Blast away dirt, dust and brake fluid – Brake cleaners	Pg 47
General purpose tape for MRO – Duct tapes	Pg 99

7 Work Area

Help prevent workplace injuries – Safety	Pg 72
Keep shop floors and other surfaces clean – Surface protection	Pg 66
Leave notes and reminders – Post-it® products	Pg 51
Manage leaks and spills – Sorbents	Pg 93

Your attention to safety, reliability, and precision details means front line heroes can count on their ride when it matters most.



1 Exterior Assembly

Permanently bond panels – Foam tapes	Pg 101
Marking tape for easy labeling – Masking tapes	Pg 104
Attach nameplates, emblems and signage – Adhesive transfer tapes	Pg 98
Sanding and finishing:	
• Hand-held abrasives	Pg 11
• Discs	Pg 14
• Tools	Pg 29

2 Interior Mechanical

Secure internal components – Reclosable fasteners	Pg 70
Bond insulation – Water-based adhesives	Pg 37
Marking tape for easy labeling – Masking tapes	Pg 104
Prevent the spread of fire, smoke and gases – Fire protection	Pg 56
Apply self-healing corrosion protection – Corrosion protection	Pg 49

3 Interior Assembly

Attach removable access panels – 3M™ Dual Lock™	Pg 71
Lubricate parts – General purpose lubricant	Pg 50
Reduce impact wear/improve sliding sound dampening – Specialty tapes	Pg 109
Bond panels – Water-based adhesives	Pg 37
Power tools for weld removal and finishing – Power tools	Pg 29
Disinfect surfaces – Disinfectant	Pg 48
Attach removable fixtures – Reclosable fasteners	Pg 70
Employ a “third hand” assembly aid – Duct tapes	Pg 99
Attach composites and more without rivets or screws – Structural adhesives	Pg 42
Cutting and weld removal – Wheels	Pg 26

4 Painting/Exterior Markings

Capture particulates and prevent contamination – Matting	Pg 57
Blend, scuff, prep and remove defects – Film discs	Pg 19
Protect surfaces from UV damage – Surface protection	Pg 66
Achieve a polished finish – Polishes	Pg 52
Protect large areas from overspray – Masking films and paper	Pg 67
Achieve sharp paint lines – Masking tapes	Pg 105
Help protect workers from airborne contaminants – Respiratory protection	Pg 78
Increase visibility – Conspicuity tapes	Pg 113
Achieve your desired paint finish – Buffing pads	Pg 31
Final paint finish with power tools – Power tools	Pg 29
Apply paint and other coatings – Paint sprayer systems	Pg 61

5 Chassis

Clean and remove adhesives – Adhesive removers	Pg 47
--	-------

6 Maintenance Operations


Sanding, grinding and deburring:	
• Sanding blocks	Pg 11
• Flap discs	Pg 23
• Power tools	Pg 29
Repair dents, dings, and other cosmetic imperfections – Body fillers and filler hardeners	Pg 54
Disinfect surfaces – Disinfectant	Pg 48

7 Work Area

Help prevent workplace injuries – Safety	Pg 72
Reduce premature wear of flooring – Matting	Pg 57
Manage leaks and spills – Sorbents	Pg 93

Recreational Vehicles

You roll out quality, comfort, and practical innovation to create a home base for the experience of a lifetime.



1 Exterior Assembly

Seal windshields and other glass – Adhesive sealants	Pg 39
Create water tight seals over fasteners, seams, joints and more – Sealing tapes	Pg 108
Attach accessories – 3M™ Dual Lock™	Pg 71
UV resistant bonding for plastics, composites and metals – Bonding tapes	Pg 99
Bond weatherstripping to metal – Solvent-based adhesives	Pg 33
Adhere plastic or foam to a variety of materials – Specialty tapes	Pg 109
Attach composites and more without rivets or screws – Structural adhesives	Pg 42
Marking tape for easy labeling – Masking tapes	Pg 104
Attach mirrors – Foam tapes	Pg 101

2 Interior Mechanical

Secure internal components – Reclosable fasteners	Pg 70
Prevent the spread of fire, smoke and gases – Fire protection	Pg 56
Apply self-healing corrosion protection – Corrosion protection	Pg 49
Suppress road noise – Acoustic insulation	Pg 50
Bond insulation – Water-based adhesives	Pg 37

3 Interior Assembly

Attach cushions – Hook and loop	Pg 70
Keep surfaces blemish-free during assembly and transport – High strength tapes	Pg 104
Attach trim – 3M™ Dual Lock™	Pg 71
Adhere laminate to surfaces – Solvent-based adhesives	Pg 33
Create water tight seals over fasteners, seams, joints and more – Sealing tapes	Pg 108
Reduce impact wear/improve sliding sound dampening – Specialty tapes	Pg 109
Bond panels – Water-based adhesives	Pg 37

Reduce vibration while minimizing added weight – Foil tapes	Pg 103
Disinfect surfaces – Disinfectant	Pg 48
Attach nameplates, emblems and signage – Adhesive transfer tapes	Pg 98
Help prevent slips in the shower – Treads	Pg 58
Secure removable access panels – Reclosable fasteners	Pg 70
Lubricate general use parts – General purpose lubricant	Pg 50
Seal joints and seams – Adhesive sealants	Pg 38

4 Painting/Exterior Markings

Protect large areas from overspray – Masking films and paper	Pg 67
Blend, scuff, prep and remove defects – Film discs	Pg 19
Achieve sharp paint lines and color separation for curves and straight lines – Masking tapes	Pg 106
Protect surfaces from UV damage – Surface protection	Pg 66
Final paint finish with power tools – Power tools	Pg 29
Achieve your desired paint finish – Buffing pads	Pg 31
Help protect workers from airborne contaminants – Respiratory protection	Pg 78
Apply paint and other coatings – Paint sprayer systems	Pg 61
Achieve a polished finish – Polishes	Pg 52
Keep wheels free of paint – Wheel masker	Pg 65

5 Chassis

Seal for corrosion resistance – Undercoatings	Pg 49
---	-------

6 Maintenance Operations

Cleaning and deburring – Non-woven discs	Pg 25
Fill pinholes, scratches, and other minor blemishes – Putties and glazes	Pg 55

7 Work Area

Leave notes and reminders – Post-it® products	Pg 51
Manage leaks and spills – Sorbents	Pg 93

When it comes to building tractor trailers that withstand the challenges of life on the road, you really deliver.



1 Exterior Assembly

Attach nameplates, emblems and signage – Adhesive transfer tapes	Pg 98
Heat-resistant rubber and gasket bonding – Solvent-based adhesives	Pg 35
Seal joints and seams – Adhesive sealants	Pg 38
Permanently bond panels – Foam tapes	Pg 100
Lubricate general use parts – General purpose lubricant	Pg 50
Cutting, grinding, deburring and finishing	
• Handheld abrasives	Pg 11
• Sheets and rolls	Pg 12
• Non-woven discs	Pg 25
• Wheels	Pg 26
• Abrasives tools	Pg 27

2 Interior Mechanical

Bundle wires temporarily – Duct tapes	Pg 99
Marking tape for easy labeling – Masking tapes	Pg 104

3 Interior Assembly

Attach accessories – 3M™ Dual Lock™	Pg 71
Employ a “third hand” assembly aid – Duct tapes	Pg 99
Help prevent slips at access points and steps – Treads	Pg 58
Weld removal and finishing	
• Belts	Pg 10
• Flap discs	Pg 23
Attach removable fixtures – Reclosable fasteners	Pg 70
Wrap wires – Hook and loop	Pg 70

4 Painting/Exterior Markings

Apply paint and other coatings – Paint sprayer systems	Pg 61
Blend, scuff, paint prep and remove paint defects – Sheets and rolls	Pg 12
Protect large areas from overspray – Masking films and paper	Pg 67

Capture particulates and prevent contamination – Matting	Pg 57
Create clean tape lines – Masking tapes	Pg 105
Help protect workers from overspray – Coveralls	Pg 92
Increase visibility – Conspicuity tapes	Pg 112
Protect leading edges – Specialty tapes	Pg 109
Remove scratches and surface defects – Rubbing compounds	Pg 52

5 Chassis

Clean and remove adhesives – Adhesive removers	Pg 47
--	-------


6 Maintenance Operations

Blast away dirt, dust and brake fluid – Brake cleaners	Pg 47
Bundling, labeling, and facilities painting – Masking tapes	Pg 104
General purpose tape for MRO – Duct tapes	Pg 99
Grinding and deburring	
• Sanding blocks	Pg 11
• Flap discs	Pg 23
• Power tools	Pg 29
Repair dents, dings, and other cosmetic imperfections – Body fillers and filler hardeners	Pg 54

7 Work Area

Help prevent workplace injuries – Safety	Pg 72
Improve workspace safety and organization – Marking tapes	Pg 110
Keep shop floors and other surfaces clean – Surface protection	Pg 65
Reduce premature wear of flooring – Matting	Pg 57
Track projects – Whiteboards	Pg 51

You're on the fast track to high performance, flexible, forward-thinking design.



1 Exterior Assembly

Permanently bond panels – Foam tapes	Pg 101
Create water tight seals – Adhesive sealants	Pg 38
Weld removal, cutting and finishing	
• Non-woven discs	Pg 25
• Wheels	Pg 26
• Abrasives tools	Pg 27
Create water tight seals over fasteners, seams, joints and more – Sealing tapes	Pg 108

2 Interior Mechanical

Wrap wires – Hook and loop	Pg 70
Seal for corrosion resistance – Undercoatings	Pg 49
Bond insulation – Water-based adhesives	Pg 37
Prevent the spread of fire, smoke and gases – Fire protection	Pg 56
Secure internal components – Reclosable fasteners	Pg 70

3 Interior Assembly

Attach nameplates, emblems and signage – Adhesive transfer tapes	Pg 98
Reduce impact wear/improve sliding sound dampening – Specialty tapes	Pg 109
Reduce vibration while minimizing added weight – Foil tapes	Pg 103
Weld removal and finishing – Belts	Pg 10
Bond flooring – Structural adhesives	Pg 41
Attach interior trim panels – Reclosable fasteners	Pg 70
Secure removable access panels – Reclosable fasteners	Pg 70
Adhere foam and fabric fast – Solvent-based adhesives	Pg 34
Add grip to steps and walkways – Treads	Pg 58
Apply self-healing corrosion protection – Corrosion protection	Pg 49
Suppress road noise – Acoustic insulation	Pg 50
Keep surfaces blemish-free during assembly and transport – High strength tapes	Pg 104

4 Painting/Exterior Markings

Help protect workers from airborne contaminants – Respiratory protection	Pg 78
Achieve a polished finish – Polishes	Pg 52
Help protect workers from overspray – Coveralls	Pg 92
Protect surfaces from UV damage – Surface protection	Pg 66
Apply paint and other coatings – Paint sprayer systems	Pg 61
Achieve your desired paint finish – Buffing pads	Pg 31
Protect leading edges – Specialty tapes	Pg 109
Increase visibility – Conspicuity tapes	Pg 112
Achieve sharp paint lines and color separation for curves and straight lines – Masking tapes	Pg 106
Blend, scuff, prep and remove defects – Film discs	Pg 19

5 Chassis

Clean and remove adhesives – Adhesive removers	Pg 47
--	-------

6 Maintenance Operations

Grinding, sanding and deburring	
• Sanding blocks	Pg 11
• Flap discs	Pg 23
• Power tools	Pg 29
Fill pinholes, scratches, and other minor blemishes – Putties and glazes	Pg 55
Repair dents, dings, and other cosmetic imperfections – Body fillers and filler hardeners	Pg 54

7 Work Area

Manage leaks and spills – Sorbents	Pg 93
Leave notes and reminders – Post-it® products	Pg 51
Improve workspace safety and organization – Marking tapes	Pg 110
Reduce premature wear of flooring – Matting	Pg 57
Help prevent workplace injuries – Safety	Pg 72
Keep shop floors and other surfaces clean – Surface protection	Pg 65

Introducing the new

3M™ Performance Industrial Spray Gun

Engineered for the industrial painter.

The 3M™ Performance Spray Gun is the industrial coating solution that can help reduce variability in your process and boost productivity by giving technicians a smarter way to spray.



Lightweight and Durable

One of the lightest spray guns in the industry, the impact-resistant composite body is built to withstand demanding industrial environments.



Low Maintenance and Easy

Simple, intuitive design means fewer parts to maintain or rebuild and can help achieve more consistent performance whether you're a beginner or a pro.



Replaceable Nozzles


With quick-change replaceable atomizing heads ranging from 1.1 to 2.0, it's like getting a brand new spray gun with every new nozzle.



Built for Versatility

Sprays a wide range of coatings, including stains, primers, basecoats, topcoats, clearcoats, and adhesives – from either a pressure-fed system or with 3M™ PPS™ Series 2.0 Spray Cup System.

See page 61



Cloth Belts

**3M™ Cloth Belt 202DZ**

3M™ Cloth Belt 202DZ is an aluminum oxide belt with open coat construction on a flexible backing that conforms well for pump sleeve sanding applications on wood.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51144-82074-0	-	9 in x 10 ³ / ₄ in	P150	50 Each
0-00-51144-77405-0	10 per inner	9 in x 20 in	P120	20 Each
0-00-51144-14887-5	10 per inner	9 in x 20 in	P100	20 Each
0-00-51144-14888-2	10 per inner	9 in x 26 ⁵ / ₁₆ in	P100	20 Each

**3M™ Cubitron™ II File Belt Kit 87149**

3M™ Cubitron™ II File Belt Kit includes an assortment of file belts made with 3M Precision-Shaped Grain on durable cloth backings. These high performing belts are ideal for medium to high pressure applications on carbon steel, stainless steel and other exotic alloys. This pack features two 984F belts and three 947A belts in various grades.

UPC	Size	Grade	Case Qty/Units
0-00-51125-87149-5	½ in x 18 in	Various	25 Each

**3M™ Cubitron™ II Cloth Belt 947A**

3M™ Cubitron™ II Abrasive Belt 947A built with 3M Precision-Shaped Grain cuts metal dramatically faster and cooler, and stays sharp longer than conventional ceramic belts. Its X weight poly cotton backing is flexible. This belt is optimized for low and medium pressure applications on stainless steel, mild steels, and aluminum.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51125-94700-8	50 per inner	¼ in x 24 in	60+	200 Each
0-00-51125-94703-9	50 per inner	½ in x 18 in	60+	200 Each
0-00-51125-94706-0	50 per inner	½ in x 24 in	60+	200 Each
0-00-51125-94709-1	50 per inner	¾ in x 18 in	60+	200 Each
0-00-51125-94721-3	25 per inner	2 in x 60 in	60+	50 Each
0-00-51125-94724-4	25 per inner	2 in x 72 in	60+	50 Each
0-00-51125-94730-5	-	3 in x 132 in	60+	25 Each
0-00-51125-94736-7	-	6 in x 48 in	60+	20 Each
0-00-51125-94704-6	50 per inner	½ in x 18 in	80+	200 Each
0-00-51125-94707-7	50 per inner	½ in x 24 in	80+	200 Each
0-00-51125-94710-7	50 per inner	¾ in x 18 in	80+	200 Each
0-00-51125-94713-8	50 per inner	¾ in x 20 ½ in	80+	200 Each
0-00-51125-94715-2	50 per inner	1 in x 11 in	80+	200 Each
0-00-51125-94717-6	50 per inner	1 in x 30 in	80+	200 Each
0-00-51125-94719-0	25 per inner	1 in x 42 in	80+	200 Each
0-00-51125-94725-1	25 per inner	2 in x 72 in	80+	50 Each
0-00-51125-94728-2	25 per inner	2 in x 132 in	80+	50 Each
0-00-51125-94731-2	-	3 in x 132 in	80+	25 Each
0-00-51125-94734-3	10 per inner	3 ½ in x 15 ½ in	80+	50 Each
0-00-51125-94737-4	-	6 in x 48 in	80+	20 Each
0-00-51125-94702-2	50 per inner	¼ in x 24 in	120+	200 Each
0-00-51125-94705-3	50 per inner	½ in x 18 in	120+	200 Each
0-00-51125-94708-4	50 per inner	½ in x 24 in	120+	200 Each
0-00-51125-94711-4	50 per inner	¾ in x 18 in	120+	200 Each
0-00-51125-94716-9	50 per inner	1 in x 11 in	120+	200 Each
0-00-51125-94718-3	50 per inner	1 in x 30 in	120+	200 Each
0-00-51125-94723-7	25 per inner	2 in x 60 in	120+	50 Each
0-00-51125-94726-8	25 per inner	2 in x 72 in	120+	50 Each
0-00-51125-94729-9	25 per inner	2 in x 132 in	120+	50 Each
0-00-51125-94732-9	-	3 in x 132 in	120+	25 Each
0-00-51125-94738-1	-	6 in x 48 in	120+	20 Each

Sanding Blocks



3M™ Hookit™ Sanding Blocks

3M™ Hookit™ Sanding Block helps make sanding easier in difficult locations. Use this accessory item with Hookit™ abrasive products to achieve more consistent, uniform sanding results. These sanding blocks when used in combination with Hookit™ abrasives are ideal for sanding filler, primer and other substrates.

UPC	Size	Shape	Attachment	Case Qty/Units
0-00-51131-05684-8	Various	Various	Hookit™	6 Per Case
0-00-51131-05689-3	1 ¼ in x 10 ¾ in	Round	Hookit™	24 Per Case
0-00-51131-05685-5	¾ in x 1 ¾ in	Rectangle	Hookit™	24 Per Case
0-00-51131-05686-2	1 ½ in x 2 ¾ in x 5 ¼ in	Rectangle	Hookit™	24 Per Case
0-00-51131-05687-9	1 ½ in x 2 ¾ in x 10 ¾ in	Rectangle	Hookit™	12 Per Case
0-00-51131-05688-6	1 ½ in x 2 ¾ in x 16 in	Rectangle	Hookit™	8 Per Case
0-00-51131-05690-9	¾ in x 2 ¾ in x 5 ¾ in	Rectangle	Hookit™	24 Per Case
0-00-51131-05207-9	2 ¾ in x 5 in	Rectangle	Hookit™	5 Per Case
0-00-51131-05208-6	2 ¾ in x 7 ½ in	Rectangle	Hookit™	5 Per Case
0-00-51131-05209-3	2 ¾ in x 16 in	Rectangle	Hookit™	1 Per Case
0-00-51131-05216-1	4 ½ in x 11 ½ in	Rectangle	Hookit™	3 Per Case



3M™ Stikit™ Sanding Blocks

The 3M™ Stikit™ Sanding Block makes everyday sanding jobs easier. Comfortable to grip, it distributes pressure evenly. Sharpen corners with the flat edge, sand contours with the rounded end. 3M™ Stikit™ abrasives adhere to the backup pad, feeds from a roll and shears off when used.

UPC	Size	Shape	Attachment	Case Qty/Units
0-00-51131-05692-3	Various	Various	Stikit™	6 Per Case
0-00-51131-05694-7	2 ¾ in x 5 ¼ in	Rectangle	Stikit™	24 Per Case
0-00-51131-05696-1	2 ¾ in x 16 in	Rectangle	Stikit™	8 Per Case



3M™ Rubber Sanding Block

The 3M™ Rubber Sanding Block is a professional grade tool that helps you achieve your best, fastest sanding work in auto body and other jobs. The pliable rubber block is designed to comfortably fit your hand and to keep sandpaper flat against automotive surfaces, helping ensure uniform sanding performance. Sanding blocks feature internal attachment pins to hold sandpaper firmly in place on the block.

UPC	Size	Shape	Attachment	Case Qty/Units
0-00-51144-05519-7	2 ¾ in x 5 in	Rectangle	Stikit™	10 Per Case



3M™ Wetordry™ Sponge Pad 20

3M™ Wetordry™ Sponge Pads are excellent for making hand sanding easier and more efficient in collision repair. The soft hand sanding pads provide flexible and long-lasting support for 3M™ sanding sheets such as a 3-fold wrap of 3M™ Silicon Carbide Paper Sheets, Wetordry™ Color Sanding Paper Sheets or Production™ Paper Sheets during wet sanding or dry sanding.

UPC	Size	Shape	Attachment	Case Qty/Units
0-00-51131-05526-1	2 ¾ in x 5 ¼ in	Rectangle	Stikit™	50 Per Case

Sandpaper Sheets and Rolls



3M™ Hookit™ Flexible Abrasive Hand Sheets

The 3M™ Hookit™ Flexible Abrasive Hand Sheet 270J features a very thin, extremely flexible film backing that conforms effortlessly to tools and contoured surfaces. A softer, closer “feel” helps you minimize burn-through for longer sheet life and to achieve more refined finishes. And Hookit™ sheets can be quickly wrapped around accessory pads or attached to tools for total versatility.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51131-34337-5	25 sheets per box	5 ½ in x 6 ¾ in	P400	5 Boxes
0-00-51131-34339-9	25 sheets per box	5 ½ in x 6 ¾ in	P600	5 Boxes
0-00-51131-34340-5	25 sheets per box	5 ½ in x 6 ¾ in	P800	5 Boxes
0-00-51131-34341-2	25 sheets per box	5 ½ in x 6 ¾ in	P1000	5 Boxes
0-00-51131-34342-9	25 sheets per box	5 ½ in x 6 ¾ in	P1200	5 Boxes
0-00-51131-34343-6	25 sheets per box	5 ½ in x 6 ¾ in	P1500	5 Boxes




3M™ Wetordry™ Abrasive Sheets

3M™ Wetordry™ Abrasive Sheet 213Q is an abrasive sanding paper constructed on a light, A weight paper backing and features a waterproof resin bonding to help prevent heat buildup. The aluminum oxide abrasive and waterproof backing make this paper an ideal product for sanding applications such as paint prep, sanding, sealer sanding, and solid surface finishing.

UPC	Product ID	Packaging	Size	Grade	Case Qty/Units
0-00-51131-02043-6	213Q	50 sheets per box	9 in x 11 in	P220	5 Boxes
0-00-51131-02042-9	213Q	50 sheets per box	9 in x 11 in	P240	5 Boxes
0-00-51131-02040-5	213Q	50 sheets per box	9 in x 11 in	P320	5 Boxes
0-00-51131-02038-2	213Q	50 sheets per box	9 in x 11 in	P400	5 Boxes
0-00-51131-02037-5	213Q	50 sheets per box	9 in x 11 in	P500	5 Boxes
0-00-51131-02036-8	213Q	50 sheets per box	9 in x 11 in	P600	5 Boxes
0-00-51131-02035-1	213Q	50 sheets per box	9 in x 11 in	P800	5 Boxes
0-00-51131-02034-4	401Q	50 sheets per box	9 in x 11 in	1000	5 Boxes
0-00-51131-02033-7	401Q	50 sheets per box	9 in x 11 in	1200	5 Boxes
0-00-51131-02032-0	401Q	50 sheets per box	9 in x 11 in	1500	5 Boxes
0-00-51131-02020-7	401Q	50 sheets per box	9 in x 11 in	2000	5 Boxes
0-00-51131-02019-1	401Q	50 sheets per box	9 in x 11 in	2500	5 Boxes
0-00-51131-01999-7	401Q	50 sheets per box	9 in x 11 in	3000	5 Boxes
0-00-51144-02021-8	401Q	50 sheets per box	5 ½ in x 9 in	1000	5 Boxes
0-00-51131-02022-1	401Q	50 sheets per box	5 ½ in x 9 in	1200	5 Boxes
0-00-51131-02023-8	401Q	50 sheets per box	5 ½ in x 9 in	1500	5 Boxes
0-00-51131-02044-3	401Q	50 sheets per box	5 ½ in x 9 in	2000	5 Boxes
0-00-51131-02045-0	401Q	50 sheets per box	5 ½ in x 9 in	2500	5 Boxes
0-00-51131-01998-0	401Q	50 sheets per box	5 ½ in x 9 in	3000	5 Boxes
0-00-51131-02621-6	434Q	50 sheets per box	5 ½ in x 9 in	1000	5 Boxes
0-00-51131-02622-3	434Q	50 sheets per box	5 ½ in x 9 in	1200	5 Boxes
0-00-51131-02623-0	434Q	50 sheets per box	5 ½ in x 9 in	1500	5 Boxes
0-00-51131-02624-7	434Q	50 sheets per box	5 ½ in x 9 in	2000	5 Boxes
0-00-51131-02625-4	434Q	50 sheets per box	5 ½ in x 9 in	2500	5 Boxes

Sandpaper Sheets and Rolls (cont.)



3M™ Blue Abrasives Sheet Rolls

The 3M™ Blue Abrasive Sheet Rolls deliver best-in-class performance at every stage of paint preparation and body repair. Premium aluminum oxide mineral is blended with ceramic grain for a full range of automotive sanding applications. Anti-loading coating reduces loading from dust and extends sheet life. Roll easily tears to make sizing the sheets fast and easy for reduced product waste.

UPC	Attachment	Size	Grade	Hole-Pattern	Case Qty/Units
0-00-51131-36187-4	Hookit™	2 ¾ in x 13 yd	80	Multi-Hole	4 Rolls
0-00-51131-36189-8	Hookit™	2 ¾ in x 13 yd	120	Multi-Hole	4 Rolls
0-00-51131-36190-4	Hookit™	2 ¾ in x 13 yd	150	Multi-Hole	4 Rolls
0-00-51131-36191-1	Hookit™	2 ¾ in x 13 yd	180	Multi-Hole	4 Rolls
0-00-51131-36192-8	Hookit™	2 ¾ in x 13 yd	220	Multi-Hole	4 Rolls
0-00-51131-36193-5	Hookit™	2 ¾ in x 13 yd	240	Multi-Hole	4 Rolls
0-00-51131-36195-9	Hookit™	2 ¾ in x 13 yd	320	Multi-Hole	4 Rolls
0-00-51131-36196-6	Hookit™	2 ¾ in x 13 yd	400	Multi-Hole	4 Rolls
0-00-51131-36197-3	Hookit™	2 ¾ in x 13 yd	500	Multi-Hole	4 Rolls
0-00-51131-36198-0	Hookit™	2 ¾ in x 13 yd	600	Multi-Hole	4 Rolls
0-00-51131-36215-4	Stikit™	2 ¾ in x 10 yd	40	No-Hole	5 Rolls
0-00-51131-36217-8	Stikit™	2 ¾ in x 20 yd	80	No-Hole	5 Rolls
0-00-51131-36219-2	Stikit™	2 ¾ in x 30 yd	120	No-Hole	5 Rolls
0-00-51131-36220-8	Stikit™	2 ¾ in x 30 yd	150	No-Hole	5 Rolls
0-00-51131-36221-5	Stikit™	2 ¾ in x 30 yd	180	No-Hole	5 Rolls
0-00-51131-36222-2	Stikit™	2 ¾ in x 30 yd	220	No-Hole	5 Rolls
0-00-51131-36223-9	Stikit™	2 ¾ in x 30 yd	240	No-Hole	5 Rolls
0-00-51131-36225-3	Stikit™	2 ¾ in x 45 yd	320	No-Hole	5 Rolls
0-00-51131-36226-0	Stikit™	2 ¾ in x 45 yd	400	No-Hole	5 Rolls
0-00-51131-36227-7	Stikit™	2 ¾ in x 45 yd	500	No-Hole	5 Rolls
0-00-51131-36228-4	Stikit™	2 ¾ in x 45 yd	600	No-Hole	5 Rolls



Paper Discs

**3M™ Hookit™ Blue Abrasive Disc 321U**

The 3M™ Hookit™ Blue Abrasive Disc 321U delivers a complete offering of middle tier abrasives that can be used from body to paint prep. Engineered ceramic mineral blend is balanced for maximum abrasive performance and the anti-loading coating prevents dust and debris from clogging the surface. Hookit™ attachment makes disc changes easy and reduces waste.

UPC	Packaging	Size	Grade	Hole-Pattern	Case Qty/Units
0-00-51131-36157-7	50 discs per box	5 in	80	Multi-Hole	4 Boxes
0-00-51131-36159-1	50 discs per box	5 in	120	Multi-Hole	4 Boxes
0-00-51131-36160-7	50 discs per box	5 in	150	Multi-Hole	4 Boxes
0-00-51131-36161-4	50 discs per box	5 in	180	Multi-Hole	4 Boxes
0-00-51131-36162-1	50 discs per box	5 in	220	Multi-Hole	4 Boxes
0-00-51131-36163-8	50 discs per box	5 in	240	Multi-Hole	4 Boxes
0-00-51131-36165-2	50 discs per box	5 in	320	Multi-Hole	4 Boxes
0-00-51131-36166-9	50 discs per box	5 in	400	Multi-Hole	4 Boxes
0-00-51131-36167-6	50 discs per box	5 in	500	Multi-Hole	4 Boxes
0-00-51131-36168-3	50 discs per box	5 in	600	Multi-Hole	4 Boxes
0-00-51131-36169-0	50 discs per box	5 in	800	Multi-Hole	4 Boxes
0-00-51131-36170-6	50 discs per box	6 in	40	Multi-Hole	4 Boxes
0-00-51131-36172-0	50 discs per box	6 in	80	Multi-Hole	4 Boxes
0-00-51131-36174-4	50 discs per box	6 in	120	Multi-Hole	4 Boxes
0-00-51131-36175-1	50 discs per box	6 in	150	Multi-Hole	4 Boxes
0-00-51131-36176-8	50 discs per box	6 in	180	Multi-Hole	4 Boxes
0-00-51131-36177-5	50 discs per box	6 in	220	Multi-Hole	4 Boxes
0-00-51131-36178-2	50 discs per box	6 in	240	Multi-Hole	4 Boxes
0-00-51131-36180-5	50 discs per box	6 in	320	Multi-Hole	4 Boxes
0-00-51131-36181-2	50 discs per box	6 in	400	Multi-Hole	4 Boxes
0-00-51131-36182-9	50 discs per box	6 in	500	Multi-Hole	4 Boxes
0-00-51131-36183-6	50 discs per box	6 in	600	Multi-Hole	4 Boxes
0-00-51131-36184-3	50 discs per box	6 in	800	Multi-Hole	4 Boxes
0-00-51131-36253-6	50 discs per box	5 in	80	No-Hole	4 Boxes
0-00-51131-36254-3	50 discs per box	5 in	120	No-Hole	4 Boxes
0-00-51131-36255-0	50 discs per box	5 in	150	No-Hole	4 Boxes
0-00-51131-36256-7	50 discs per box	5 in	180	No-Hole	4 Boxes
0-00-51131-36257-4	50 discs per box	5 in	220	No-Hole	4 Boxes
0-00-51131-36258-1	50 discs per box	5 in	240	No-Hole	4 Boxes
0-00-51131-36259-8	50 discs per box	5 in	320	No-Hole	4 Boxes
0-00-51131-36260-4	50 discs per box	5 in	400	No-Hole	4 Boxes
0-00-51131-36261-1	50 discs per box	5 in	500	No-Hole	4 Boxes
0-00-51131-36262-8	50 discs per box	5 in	600	No-Hole	4 Boxes
0-00-51131-36263-5	50 discs per box	5 in	800	No-Hole	4 Boxes
0-00-51131-36241-3	50 discs per box	6 in	80	No-Hole	4 Boxes
0-00-51131-36242-0	50 discs per box	6 in	120	No-Hole	4 Boxes
0-00-51131-36243-7	50 discs per box	6 in	150	No-Hole	4 Boxes
0-00-51131-36244-4	50 discs per box	6 in	180	No-Hole	4 Boxes
0-00-51131-36245-1	50 discs per box	6 in	220	No-Hole	4 Boxes
0-00-51131-36246-8	50 discs per box	6 in	240	No-Hole	4 Boxes
0-00-51131-36247-5	50 discs per box	6 in	320	No-Hole	4 Boxes
0-00-51131-36248-2	50 discs per box	6 in	400	No-Hole	4 Boxes
0-00-51131-36249-9	50 discs per box	6 in	500	No-Hole	4 Boxes
0-00-51131-36250-5	50 discs per box	6 in	600	No-Hole	4 Boxes
0-00-51131-36251-2	50 discs per box	6 in	800	No-Hole	4 Boxes

Paper Discs (cont.)

**3M™ Stikit™ Blue Abrasives Discs 321U**

The 3M™ Stikit™ Blue Abrasive Disc 321U delivers a complete offering of middle tier abrasives that can be used from body to paint prep. Engineered ceramic mineral blend is balanced for maximum abrasive performance and the anti-loading coating prevents dust and debris from clogging the surface. Adhesive-backed Stikit™ discs are easy to attach and remove.

UPC	Packaging	Size	Grade	Hole-Pattern	Case Qty/Units
0-00-51131-36265-9	50 discs per roll	5 in	80	No-Hole	5 Rolls
0-00-51131-36266-6	100 discs per roll	5 in	120	No-Hole	5 Rolls
0-00-51131-36267-3	100 discs per roll	5 in	150	No-Hole	5 Rolls
0-00-51131-36268-0	100 discs per roll	5 in	180	No-Hole	5 Rolls
0-00-51131-36269-7	100 discs per roll	5 in	220	No-Hole	5 Rolls
0-00-51131-36270-3	100 discs per roll	5 in	240	No-Hole	5 Rolls
0-00-51131-36271-0	100 discs per roll	5 in	320	No-Hole	5 Rolls
0-00-51131-36272-7	100 discs per roll	5 in	400	No-Hole	5 Rolls
0-00-51131-36273-4	100 discs per roll	5 in	500	No-Hole	5 Rolls
0-00-51131-36274-1	100 discs per roll	5 in	600	No-Hole	5 Rolls
0-00-51131-36275-8	100 discs per roll	5 in	800	No-Hole	5 Rolls
0-00-51131-36200-0	25 discs per roll	6 in	40	No-Hole	5 Rolls
0-00-51131-36202-4	50 discs per roll	6 in	80	No-Hole	5 Rolls
0-00-51131-36204-8	100 discs per roll	6 in	120	No-Hole	5 Rolls
0-00-51131-36205-5	100 discs per roll	6 in	150	No-Hole	5 Rolls
0-00-51131-36206-2	100 discs per roll	6 in	180	No-Hole	5 Rolls
0-00-51131-36207-9	100 discs per roll	6 in	220	No-Hole	5 Rolls
0-00-51131-36208-6	100 discs per roll	6 in	240	No-Hole	5 Rolls
0-00-51131-36210-9	100 discs per roll	6 in	320	No-Hole	5 Rolls
0-00-51131-36211-6	100 discs per roll	6 in	400	No-Hole	5 Rolls
0-00-51131-36212-3	100 discs per roll	6 in	500	No-Hole	5 Rolls
0-00-51131-36213-0	100 discs per roll	6 in	600	No-Hole	5 Rolls
0-00-51131-36214-7	100 discs per roll	6 in	800	No-Hole	5 Rolls

**3M™ Stikit™ Paper Disc Roll 236U**

3M™ Stikit™ Paper Disc Roll 236U offers a versatile disc with a convenient adhesive backing ready for quick and easy attachment to a 3M™ Stikit™ backup pad (sold separately). The roll offers quick access to a disc and eliminates disc liners. The disc features a strong, C-weight paper backing that resists wear during aggressive sanding. C wt backing.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51141-55540-9	100 discs per roll	5 in	P80	4 Rolls
0-00-51141-55541-6	100 discs per roll	5 in	P100	4 Rolls
0-00-51141-55542-3	100 discs per roll	5 in	P120	4 Rolls
0-00-51141-55543-0	100 discs per roll	5 in	P150	4 Rolls
0-00-51141-55544-7	100 discs per roll	5 in	P180	4 Rolls
0-00-51141-55545-4	100 discs per roll	5 in	P220	4 Rolls
0-00-51141-55560-7	100 discs per roll	6 in	P80	4 Rolls
0-00-51141-55561-4	100 discs per roll	6 in	P100	4 Rolls
0-00-51141-55562-1	100 discs per roll	6 in	P120	4 Rolls
0-00-51141-55563-8	100 discs per roll	6 in	P150	4 Rolls
0-00-51141-55564-5	100 discs per roll	6 in	P180	4 Rolls
0-00-51141-55565-2	100 discs per roll	6 in	P220	4 Rolls

Cloth Discs

**3M™ Cubitron™ II Hookit™ Cloth Disc 947A**

3M™ Cubitron™ II Hookit™ Cloth Disc 947A offers revolutionary performance with 3M Precision-Shaped Grain on an X weight polyester cotton cloth backing. This high performing disc contains a grinding aid, making it ideal for medium to high pressure applications on stainless steel and other exotic alloys, along with carbon steel, cobalt chrome, and nickel alloys.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-76308-45699-3	25 per inner	3 in x NH	40+	200 Each
0-00-76308-45700-6	25 per inner	3 in x NH	60+	200 Each
0-00-76308-45701-3	25 per inner	3 in x NH	80+	200 Each
0-00-76308-45703-7	25 per inner	5 in x NH	40+	200 Each
0-00-76308-45704-4	25 per inner	5 in x NH	60+	200 Each
0-00-76308-45705-1	25 per inner	5 in x NH	80+	200 Each
0-00-76308-45706-8	25 per inner	5 in x NH	120+	200 Each
0-00-51125-87342-0	8 discs per pack, Variety Pack	5 in x NH	40+ to 120+	20 Packs
0-00-76308-45715-0	25 per inner	5 in x NH, D/F 5HL	40+	200 Each
0-00-76308-45716-7	25 per inner	5 in x NH, D/F 5HL	60+	200 Each
0-00-76308-45717-4	25 per inner	5 in x NH, D/F 5HL	80+	200 Each
0-00-76308-45707-5	25 per inner	6 in x NH	40+	200 Each
0-00-76308-45708-2	25 per inner	6 in x NH	60+	200 Each
0-00-76308-45709-9	25 per inner	6 in x NH	80+	200 Each
0-00-76308-45710-5	25 per inner	6 in x NH	120+	200 Each
0-00-76308-45719-8	25 per inner	6 in x NH, D/F 6HL	40+	200 Each
0-00-76308-45722-8	25 per inner	6 in x NH, D/F 6HL	120+	200 Each

3M™ Hookit™ Clean Sanding Disc 900DZ

Get a fast cut and long disc life with the 3M™ Hookit™ Clean Sanding Disc 900DZ. Resin bonded to a light and flexible J weight cloth backing, 900DZ's premium ceramic grain slices through steel and resists loading on soft woods and metals. An anti-static treatment and proprietary clean sanding design help to provide exceptional dust management tools, backed up by the clean sanding accessories.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51141-28120-9	50 per inner	5 in	60	250 Each
0-00-51141-28126-1	50 per inner	5 in	80	250 Each
0-00-51141-28129-2	50 per inner	5 in	P100	250 Each
0-00-51141-28121-6	50 per inner	5 in	P120	250 Each
0-00-51141-28130-8	50 per inner	5 in	P150	250 Each
0-00-51141-28131-5	50 per inner	5 in	P180	250 Each
0-00-51141-28132-2	50 per inner	5 in	P220	250 Each
0-00-51141-28133-9	50 per inner	6 in	60	250 Each
0-00-51141-28134-6	50 per inner	6 in	80	250 Each
0-00-51141-28135-3	50 per inner	6 in	P100	250 Each
0-00-51141-28136-0	50 per inner	6 in	P120	250 Each
0-00-51141-28137-7	50 per inner	6 in	P150	250 Each
0-00-51141-28138-4	50 per inner	6 in	P180	250 Each
0-00-51141-28139-1	50 per inner	6 in	P220	250 Each

Cloth Discs (cont.)



3M™ Hookit™ Cloth Disc 900DZ

3M™ Hookit™ Cloth Disc 900DZ cuts fast with 3M Ceramic Abrasive Grain resin bonded to a light and flexible J weight cloth backing. Available in 7 grades, this 5 inch disc features an open coat design and anti-static properties, making it exceptionally well-suited for materials that tend to load. The Hookit™ system makes for quick disc change out and easy reuse.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51141-28140-7	50 per inner	5 in x NH	60	250 Each
0-00-51141-28141-4	50 per inner	5 in x NH	80	250 Each
0-00-51141-28142-1	50 per inner	5 in x NH	P100	250 Each
0-00-51141-28143-8	50 per inner	5 in x NH	P120	250 Each
0-00-51141-28144-5	50 per inner	5 in x NH	P150	250 Each
0-00-51141-28145-2	50 per inner	5 in x NH	P180	250 Each
0-00-51141-28146-9	50 per inner	5 in x NH	P220	250 Each



3M™ Stikit™ Cloth Disc 202DZ

3M™ Stikit™ Cloth Disc 202DZ offers the convenience of a Stikit™ attachment combined with the durability of aluminum oxide on a flexible cloth backing, along with static resistant coating and other load resistant features for applications where dust is a concern. The 3M™ Stikit™ pressure sensitive adhesive provides ease of attachment to a random orbital sander and a clean removal.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51111-50452-9	50 per inner	5 in x NH	P120	250 Each
0-00-51111-50460-4	50 per inner	6 in x NH	P100	250 Each
0-00-51111-50461-1	50 per inner	6 in x NH	P120	250 Each
0-00-51111-50462-8	50 per inner	6 in x NH	P150	250 Each
0-00-51111-50463-5	50 per inner	6 in x NH	P180	250 Each



3M™ Stikit™ Cloth Disc Roll 202DZ

3M™ Stikit™ Cloth Disc Roll 202DZ offers the convenience of a Stikit™ attachment combined with the durability of aluminum oxide on a flexible cloth backing, along with static resistant coating and other anti loading features for applications where dust is a concern.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51111-61135-7	100 discs per roll	5 in x NH	80	4 Rolls
0-00-51111-61136-4	100 discs per roll	5 in x NH	P100	4 Rolls
0-00-51111-61137-1	100 discs per roll	5 in x NH	P120	4 Rolls
0-00-51111-61138-8	100 discs per roll	5 in x NH	P150	4 Rolls
0-00-51111-61163-0	100 discs per roll	5 in x NH	P180	4 Rolls



3M™ Stikit™ Cloth Disc 900DZ

3M™ Stikit™ Cloth Disc 900DZ features high performing 3M Ceramic Abrasive Grain with a static resistant, open coat on a flexible adhesive backing for exceptional sanding performance on both contoured and flat surfaces. The open coat abrasive provides a more aggressive cut than a comparable closed coat abrasive of the same grade and is well suited when loading is a problem, prolonging disc life.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51141-28099-8	50 per inner	5 in x NH	60	250 Each
0-00-51111-49643-5	50 per inner	5 in x NH	P150	250 Each
0-00-51141-28098-1	50 per inner	5 in x NH, D/F 5HL	60	250 Each
0-00-51141-28092-9	50 per inner	5 in x NH, D/F 5HL	80	250 Each
0-00-51141-28093-6	50 per inner	5 in x NH, D/F 5HL	P100	250 Each
0-00-51141-28094-3	50 per inner	5 in x NH, D/F 5HL	P120	250 Each
0-00-51141-28096-7	50 per inner	5 in x NH, D/F 5HL	P150	250 Each
0-00-51141-28095-0	50 per inner	5 in x NH, D/F 5HL	P180	250 Each
0-00-51141-28097-4	50 per inner	5 in x NH, D/F 5HL	P220	250 Each

Fibre Grinding Discs



3M™ Fibre Disc 782C

Engineered for fast cut on carbon steel, 3M™ Fibre Disc 782C features 3M Precision-Shaped Grain. With its outstanding cut and durability, this disc offers a major step up in performance over conventional fibre discs. Advanced abrasive technology makes it an excellent choice for tough applications including weld removal, beveling and deburring.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-76308-89589-1	25 per box	4 ½ in x ⅞ in	13,300	36+	4 Boxes
0-00-76308-89598-3	25 per box	4 ½ in x ⅞ in	13,300	60+	4 Boxes
0-00-76308-89607-2	25 per box	4 ½ in x ⅞ in	13,300	80+	4 Boxes
0-00-76308-89590-7	25 per box	5 in x ⅞ in	12,000	36+	4 Boxes
0-00-76308-89599-0	25 per box	5 in x ⅞ in	12,000	60+	4 Boxes
0-00-76308-89608-9	25 per box	5 in x ⅞ in	12,000	80+	4 Boxes
0-00-76308-89591-4	25 per box	7 in x ⅞ in	8,600	36+	4 Boxes
0-00-76308-89600-3	25 per box	7 in x ⅞ in	8,600	60+	4 Boxes
0-00-76308-89609-6	25 per box	7 in x ⅞ in	8,600	80+	4 Boxes



3M™ Roloc™ Fibre Disc 782C TR

Engineered for fast cut on carbon steel, 3M™ Roloc™ Fibre Disc 782C features 3M Precision-Shaped Grain. With its outstanding cut and durability, this disc offers a major step up in performance over conventional fibre discs. Advanced abrasive technology makes it an excellent choice for tough applications including weld removal, beveling and deburring. Fibre backing material. Roloc™ quick-change attachment.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-76308-89665-2	50 per box	2 in	30,000	36+	4 Boxes
0-00-76308-89670-6	50 per box	2 in	30,000	60+	4 Boxes
0-00-76308-89675-1	50 per box	2 in	30,000	80+	4 Boxes
0-00-76308-89666-9	50 per box	3 in	20,000	36+	4 Boxes
0-00-76308-89671-3	50 per box	3 in	20,000	60+	4 Boxes
0-00-76308-89676-8	50 per box	3 in	20,000	80+	4 Boxes



3M™ Fibre Disc 787C

Engineered for fast cut, 3M™ Fibre Disc 787C features 3M Precision-Shaped Grain. With its outstanding cut and durability, this disc offers a step up in performance over conventional fibre discs. Constructed with a grinding aid, it is an excellent choice for weld removal, beveling and deburring on stainless steel and high nickel alloys.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-76308-89627-0	25 per box	4 ½ in x ⅞ in	13,300	36+	4 Boxes
0-00-76308-89636-2	25 per box	4 ½ in x ⅞ in	13,300	60+	4 Boxes
0-00-76308-89645-4	25 per box	4 ½ in x ⅞ in	13,300	80+	4 Boxes
0-00-76308-89654-6	25 per box	4 ½ in x ⅞ in	13,300	120+	4 Boxes
0-00-76308-89628-7	25 per box	5 in x ⅞ in	12,000	36+	4 Boxes
0-00-76308-89637-9	25 per box	5 in x ⅞ in	12,000	60+	4 Boxes
0-00-76308-89646-1	25 per box	5 in x ⅞ in	12,000	80+	4 Boxes
0-00-76308-89655-3	25 per box	5 in x ⅞ in	12,000	120+	4 Boxes
0-00-76308-89629-4	25 per box	7 in x ⅞ in	8,600	36+	4 Boxes
0-00-76308-89638-6	25 per box	7 in x ⅞ in	8,600	60+	4 Boxes
0-00-76308-89647-8	25 per box	7 in x ⅞ in	8,600	80+	4 Boxes
0-00-76308-89656-0	25 per box	7 in x ⅞ in	8,600	120+	4 Boxes

Film Discs

**3M™ Hookit™ Purple Finishing Film Disc 260L**

The 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L features an updated coating that levels surface defects on clear coat and greatly reduces pigtales. Aluminum oxide abrasive cuts fast, lasts a long time, resists loading with or without hole pattern designs and leaves a consistent, easy-to-polish finish. The 3M™ Hookit™ attachment system makes disc change-outs fast and easy.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51131-30369-0	50 discs per carton	3 in	P1000	4 Cartons
0-00-51131-30368-3	50 discs per carton	3 in	P1200	4 Cartons
0-00-51131-30367-6	50 discs per carton	3 in	P1500	4 Cartons
0-00-51131-30366-9	50 discs per carton	3 in	P2000	4 Cartons
0-00-51131-30569-4	50 discs per carton	5 in	P1000	4 Cartons
0-00-51131-30568-7	50 discs per carton	5 in	P1200	4 Cartons
0-00-51131-30567-0	50 discs per carton	5 in	P1500	4 Cartons
0-00-51131-30566-3	50 discs per carton	5 in	P2000	4 Cartons
0-00-51131-30669-1	50 discs per carton	6 in	P1000	4 Cartons
0-00-51131-30668-4	50 discs per carton	6 in	P1200	4 Cartons
0-00-51131-30667-7	50 discs per carton	6 in	P1500	4 Cartons
0-00-51131-30666-0	50 discs per carton	6 in	P2000	4 Cartons
0-00-51131-30769-8	50 discs per carton	6 in, 7-hole	P1000	4 Cartons
0-00-51131-30768-1	50 discs per carton	6 in, 7-hole	P1200	4 Cartons
0-00-51131-30767-4	50 discs per carton	6 in, 7-hole	P1500	4 Cartons
0-00-51131-30766-7	50 discs per carton	6 in, 7-hole	P2000	4 Cartons

**3M™ Hookit™ Finishing Film Abrasive Disc 260L**

The 3M™ Hookit™ Finishing Film Abrasive Disc 260L is ideal for auto body applications including blending, scuffing, paint prep and removing paint defects. Choose aluminum oxide mineral cutting surfaces from P600 to P1500, all on durable film backing. Several versions of the disc feature 5 or 6 hole design to help keep dust away from the disc surface. Hookit™ attachment makes it easy to change and reuse discs.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51131-00911-0	50 discs per carton	3 in	P600	4 Cartons
0-00-51131-00910-3	50 discs per carton	3 in	P800	4 Cartons
0-00-51131-00908-0	50 discs per carton	3 in	P1200	4 Cartons
0-00-51131-00907-3	50 discs per carton	3 in	P1500	4 Cartons
0-00-51131-00951-6	100 discs per carton	5 in	P1500	4 Cartons
0-00-51131-00971-4	100 discs per carton	6 in	P600	4 Cartons
0-00-51131-00969-1	100 discs per carton	6 in	P1000	4 Cartons
0-00-51131-00968-4	100 discs per carton	6 in	P1200	4 Cartons
0-00-51131-00950-9	100 discs per carton	6 in	P1500	4 Cartons

**3M™ Stikit™ Finishing Film Abrasive Disc 260L**

The 3M™ Stikit™ Finishing Film Abrasive Disc 260L features tear resistant film — a tough, consistent backing ideal for close tolerance finishing work including paint preparation and removing paint defects. Aluminum oxide mineral abrasive stays sharp longer and resists loading for extended disc life for standard collision repair applications. Stikit™ attachment features adhesive backing for fast, easy change outs.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51131-01319-3	100 discs per carton	6 in	P1000	4 Cartons
0-00-51131-01318-6	100 discs per carton	6 in	P1200	4 Cartons

Film Discs (cont.)



3M™ Trizact™ Finesse-it™ Film Disc Roll 468LA

3M™ Trizact™ Finesse-it™ Film Disc Roll 468LA contains all the benefits operators have come to expect from Trizact™ Finesse-it™ products: sharp, consistent cutting action balanced by uniform finishing. These discs help remove surface imperfections from automotive paint without changing the surface topography, and the microreplication design provides consistent finishes and longer life.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51125-87192-1	500 discs per roll	1 ¼ in	A7	4 Rolls



3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA

The 3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA is ideal for spot repairs, including leveling dust nibs and orange peel, before sand scratch removal. Microreplicated 3-D mineral abrasive structures are distributed uniformly across the disc surface and wear evenly for consistent repair and longer disc life. Film backed discs are part of the 3M™ Perfect-It™ Paint Finishing System.

UPC	Packaging	Size	Grade	Case Qty/Units
0-40-46719-90743-4	25 discs per carton	3 in	P1500	4 Cartons



3M™ Trizact™ Hookit™ Foam Disc

The 3M™ Trizact™ Hookit™ Foam Abrasive Disc removes fine sand scratches on painted surfaces to reduce the amount of time spent compounding. Three-dimensional mineral abrasive structures are distributed uniformly across the disc surface and wear evenly for consistent finishes, longer disc life and reduced material costs. Foam backed discs are part of the 3M™ Perfect-It™ Paint Finishing System.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51131-02087-0	15 discs per carton	3 in	P3000	4 Cartons
0-00-51131-02096-2	15 discs per carton	5 in	P3000	4 Cartons
0-00-51131-02085-6	15 discs per carton	6 in	P3000	4 Cartons
0-00-51131-30662-2	15 discs per carton	6 in	P5000	4 Cartons
0-00-51131-30809-1	10 discs per carton	6 in	P8000	4 Cartons



3M™ Cubitron™ II Hookit™ Clean Sanding Film Disc 775L

3M™ Cubitron™ II Hookit™ Clean Sanding Film Disc 775L features 3M Precision-Shaped Ceramic Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or "plowing" like conventional abrasives.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51125-86822-8	50 discs per box	5 in	12,000	80+	5 Boxes
0-00-51125-86823-5	50 discs per box	5 in	12,000	120+	5 Boxes
0-00-76308-64258-7	50 discs per box	5 in	12,000	150+	5 Boxes
0-00-76308-64264-8	50 discs per box	5 in	12,000	180+	5 Boxes
0-00-76308-64270-9	50 discs per box	5 in	12,000	220+	5 Boxes
0-00-76308-47097-5	50 discs per box	5 in	12,000	240+	5 Boxes
0-00-76308-47081-4	50 discs per box	5 in	12,000	320+	5 Boxes
0-06-38060-05058-3	50 discs per box	5 in	12,000	400+	5 Boxes
0-00-51125-87338-3	15 discs per box, Variety Pack	5 in	12,000	80+ to 220+	20 Packs
0-00-51125-87435-9	15 discs per box, Variety Pack	5 in	12,000	240+ to 400+	20 Packs
0-00-51125-86824-2	50 discs per box	6 in	12,000	80+	5 Boxes
0-00-51125-86825-9	50 discs per box	6 in	12,000	120+	5 Boxes
0-00-76308-64259-4	50 discs per box	6 in	12,000	150+	5 Boxes
0-00-76308-64265-5	50 discs per box	6 in	12,000	180+	5 Boxes
0-00-76308-64271-6	50 discs per box	6 in	12,000	220+	5 Boxes
0-00-76308-47098-2	50 discs per box	6 in	12,000	240+	5 Boxes
0-00-76308-47082-1	50 discs per box	6 in	12,000	320+	5 Boxes
0-06-38060-05059-0	50 discs per box	6 in	12,000	400+	5 Boxes

Film Discs (cont.)

**3M™ Cubitron™ II Hookit™ Film Disc 775L**

3M™ Cubitron™ II Hookit™ Film Disc 775L features 3M Precision-Shaped Ceramic Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “plowing” like conventional abrasives, resulting in a disc that cuts faster and lasts longer than conventional abrasives.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51125-87266-9	50 discs per box	3 in	15,000	80+	5 Boxes
0-00-51125-87267-6	50 discs per box	3 in	15,000	120+	5 Boxes
0-00-51125-87274-4	50 discs per box	3 in	15,000	180+	5 Boxes
0-00-51125-87269-0	50 discs per box	3 in	15,000	220+	5 Boxes
0-00-76308-47109-5	50 discs per box	3 in	15,000	320+	5 Boxes
0-00-51125-87270-6	50 discs per box	3 in	15,000	80+	5 Boxes
0-00-51125-87271-3	50 discs per box	3 in	15,000	120+	5 Boxes
0-00-51125-86818-1	50 discs per box	5 in	12,000	80+	5 Boxes
0-00-51125-86819-8	50 discs per box	5 in	12,000	120+	5 Boxes
0-00-51125-87026-9	50 discs per box	5 in	12,000	150+	5 Boxes
0-00-76308-64263-1	50 discs per box	5 in	12,000	180+	5 Boxes
0-00-76308-47095-1	50 discs per box	5 in	12,000	240+	5 Boxes
0-00-76308-47080-7	50 discs per box	5 in	12,000	320+	5 Boxes
0-06-38060-05055-2	50 discs per box	5 in	12,000	400+	5 Boxes
0-00-51125-86814-3	50 discs per box	5 in	12,000	80+	5 Boxes
0-00-51125-86815-0	50 discs per box	5 in	12,000	120+	5 Boxes
0-00-51125-87042-9	50 discs per box	5 in	12,000	180+	5 Boxes
0-00-76308-64269-3	50 discs per box	5 in	12,000	220+	5 Boxes
0-00-51125-86820-4	50 discs per box	6 in	10,000	80+	5 Boxes
0-00-51125-86821-1	50 discs per box	6 in	10,000	120+	5 Boxes
0-00-51125-87041-2	50 discs per box	6 in	12,000	150+	5 Boxes
0-00-51125-87040-5	50 discs per box	6 in	12,000	180+	5 Boxes
0-00-51125-87089-4	50 discs per box	6 in	10,000	220+	5 Boxes
0-00-51125-86816-7	50 discs per box	6 in, 6-holes	10,000	80+	5 Boxes
0-00-51125-86817-4	50 discs per box	6 in, 6-holes	10,000	120+	5 Boxes
0-00-76308-47096-8	50 discs per box	6 in	12,000	240+	5 Boxes
0-00-76308-47099-9	50 discs per box	6 in	12,000	320+	5 Boxes
0-06-38060-05056-9	50 discs per box	6 in	12,000	400+	5 Boxes



Film Discs (cont.)

**3M™ Cubitron™ II Stikit™ Film Disc 775L**

3M™ Cubitron™ II Stikit™ Film Disc 775L features 3M Precision-Shaped Ceramic Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “plowing” like conventional abrasives, resulting in a disc that cuts faster and lasts longer than conventional abrasives.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51125-86798-6	50 discs per box	5 in	12,000	80+	5 Boxes
0-00-51125-86799-3	50 discs per box	5 in	12,000	120+	5 Boxes
0-00-51125-87054-2	50 discs per box	5 in	12,000	180+	5 Boxes
0-06-38060-05070-5	50 discs per box	5 in	12,000	400+	5 Boxes
0-00-51125-86802-0	50 discs per box	5 in	12,000	80+	5 Boxes
0-00-51125-86803-7	50 discs per box	5 in	12,000	120+	5 Boxes
0-00-76308-64275-4	50 discs per box	5 in	12,000	150+	5 Boxes
0-00-76308-64279-2	50 discs per box	5 in	12,000	180+	5 Boxes
0-00-76308-64283-9	50 discs per box	5 in	12,000	220+	5 Boxes
0-00-76308-47087-6	50 discs per box	5 in	12,000	240+	5 Boxes
0-00-76308-47083-8	50 discs per box	5 in	12,000	320+	5 Boxes
0-06-38060-05068-2	50 discs per box	5 in	12,000	400+	5 Boxes
0-00-51125-87337-6	15 discs per pack, Variety Pack	5 in	12,000	80+ to 220+	20 Packs
0-00-51125-87430-4	15 discs per pack, Variety Pack	5 in	12,000	240+ to 400+	20 Packs
0-00-51125-86804-4	50 discs per box	6 in	10,000	80+	5 Boxes
0-00-51125-86805-1	50 discs per box	6 in	10,000	120+	5 Boxes
0-00-51125-87053-5	50 discs per box	6 in	10,000	150+	5 Boxes
0-00-51125-87052-8	50 discs per box	6 in	10,000	180+	5 Boxes
0-00-51125-87105-1	50 discs per box	6 in	10,000	220+	5 Boxes
0-00-76308-47105-7	50 discs per box	6 in	12,000	320+	5 Boxes
0-06-38060-05067-5	50 discs per box	6 in	12,000	400+	5 Boxes
0-00-51125-86800-6	50 discs per box	6 in, 6-holes	10,000	80+	5 Boxes
0-00-51125-86801-3	50 discs per box	6 in, 6-holes	10,000	120+	5 Boxes



Film Discs (cont.)



3M™ Cubitron™ II Stikit™ Film Disc Roll 775L

3M™ Cubitron™ II Stikit™ Film Disc 775L features 3M Precision-Shaped Ceramic Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “plowing” like conventional abrasives, resulting in a disc that cuts faster and lasts longer than conventional abrasives.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51125-86806-8	100 discs per roll	5 in, 5-holes	12,000	80+	4 Rolls
3-00-76308-64276-2	100 discs per roll	5 in	12,000	150+	4 Rolls
0-00-76308-64280-8	100 discs per roll	5 in	12,000	180+	4 Rolls
3-00-76308-64284-7	100 discs per roll	5 in	12,000	220+	4 Rolls
0-00-51125-86810-5	100 discs per roll	5 in	12,000	80+	4 Rolls
0-00-51125-86811-2	125 discs per roll	5 in	12,000	120+	4 Rolls
0-00-76308-47091-3	100 discs per roll	5 in	12,000	240+	4 Rolls
0-00-76308-47084-5	100 discs per roll	5 in	12,000	320+	4 Rolls
0-06-38060-05063-7	100 discs per roll	5 in	12,000	400+	4 Rolls
0-00-51125-86808-2	100 discs per roll	6 in, 6-holes	10,000	80+	4 Rolls
0-00-51125-86809-9	125 discs per roll	6 in, 6-holes	10,000	120+	4 Rolls
0-00-51125-87104-4	100 discs per roll	6 in, 6-holes	10,000	220+	4 Rolls
0-00-51125-86812-9	100 discs per roll	6 in	10,000	80+	4 Rolls
0-00-51125-86813-6	125 discs per roll	6 in	10,000	120+	4 Rolls
0-00-76308-47092-0	100 discs per roll	6 in	12,000	240+	4 Rolls
0-00-76308-47103-3	100 discs per roll	6 in	12,000	320+	4 Rolls
0-06-38060-05065-1	100 discs per roll	6 in	12,000	400+	4 Rolls
0-00-51125-87049-8	100 discs per roll	6 in	12,000	150+	4 Rolls
0-00-51125-87048-1	100 discs per roll	6 in	12,000	180+	4 Rolls
0-00-51125-87103-7	100 discs per roll	6 in	12,000	220+	4 Rolls

Flap Discs



3M™ Flap Disc 769F

3M™ Flap Disc 769F is a high-performance abrasive disc built for versatility and value. Powered by 3M Precision-Shaped Grain, it lasts longer and cuts faster than conventional aluminum oxide and alumina zirconia flap discs — and it's priced for affordability and everyday use. This unbeatable combination of performance and value can increase productivity while also lowering your abrasive spend.

UPC	Type	Size	Max RPM	Grade	Case Qty/Units
0-06-38060-05903-6	T27	4 ½ in x ⅞ in	13,300	40+	10 Each
0-06-38060-05904-3	T27	4 ½ in x ⅞ in	13,300	60+	10 Each
0-06-38060-05905-0	T27	4 ½ in x ⅞ in	13,300	80+	10 Each
0-06-38060-05924-1	T27	4 ½ in x ⅞ in	13,300	120+	10 Each
0-06-38060-05909-8	T27	7 in x ⅞ in	8,600	40+	5 Each
0-06-38060-05910-4	T27	7 in x ⅞ in	8,600	60+	5 Each
0-06-38060-05911-1	T27	7 in x ⅞ in	8,600	80+	5 Each
0-06-38060-05926-5	T27	7 in x ⅞ in	8,600	120+	5 Each
0-06-38060-05906-7	T29	4 ½ in x ⅞ in	13,300	40+	10 Each
0-06-38060-05907-4	T29	4 ½ in x ⅞ in	13,300	60+	10 Each
0-06-38060-05908-1	T29	4 ½ in x ⅞ in	13,300	80+	10 Each
0-06-38060-05925-8	T29	4 ½ in x ⅞ in	13,300	120+	10 Each
0-06-38060-05912-8	T29	7 in x ⅞ in	8,600	40+	5 Each
0-06-38060-05913-5	T29	7 in x ⅞ in	8,600	60+	5 Each
0-06-38060-05914-2	T29	7 in x ⅞ in	8,600	80+	5 Each
0-06-38060-05927-2	T29	7 in x ⅞ in	8,600	120+	5 Each

Quick Change Discs

**3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A**

3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A has a name that precedes it. This disc reflects the benefits of Cubitron™ II and Roloc™ products — coupling the sharp, consistent cutting action of Cubitron™ II discs with an easy to use Roloc™ attachment. Built for durability and strength, it's great for edge work, because it stands up to edges without tattering or fraying.

UPC	Packaging	Size	Attachment			
			Type	Max RPM	Grade	Case Qty/Units
0-00-51141-54239-3	50 discs per box	1½ in	TR	30,000	40+	4 Boxes
0-00-51141-54247-8	50 discs per box	1½ in	TR	30,000	60+	4 Boxes
0-00-51141-54255-3	50 discs per box	1½ in	TR	30,000	80+	4 Boxes
0-00-51141-54263-8	50 discs per box	1½ in	TR	30,000	120+	4 Boxes
0-00-51141-54240-9	50 discs per box	2 in	TR	25,000	40+	4 Boxes
0-00-51141-54248-5	50 discs per box	2 in	TR	25,000	60+	4 Boxes
0-00-51141-54256-0	50 discs per box	2 in	TR	25,000	80+	4 Boxes
0-00-51141-54264-5	50 discs per box	2 in	TR	25,000	120+	4 Boxes
0-00-51125-87184-6	8 discs + 1 disc pad per pack, Variety Pack	2 in	TR	25,000	40+ to 120+	5 Packs
0-00-51141-54241-6	50 discs per box	3 in	TR	20,000	40+	4 Boxes
0-00-51141-54249-2	50 discs per box	3 in	TR	20,000	60+	4 Boxes
0-00-51141-54257-7	50 discs per box	3 in	TR	20,000	80+	4 Boxes
0-00-51141-54265-2	50 discs per box	3 in	TR	20,000	120+	4 Boxes
0-00-51125-87185-3	8 discs + 1 disc pad per pack, Variety Pack	3 in	TR	20,000	40+ to 120+	5 Packs
0-00-51141-54250-8	25 discs per box	4 in	TR	12,000	60+	4 Boxes
0-00-51141-54266-9	25 discs per box	4 in	TR	12,000	120+	4 Boxes
0-00-51141-54243-0	50 discs per box	1½ in	TSM	30,000	40+	4 Boxes
0-00-51141-54251-5	50 discs per box	1½ in	TSM	30,000	60+	4 Boxes
0-00-51141-54259-1	50 discs per box	1½ in	TSM	30,000	80+	4 Boxes
0-00-51141-54267-6	50 discs per box	1½ in	TSM	30,000	120+	4 Boxes
0-00-51141-54244-7	50 discs per box	2 in	TSM	25,000	40+	4 Boxes
0-00-51141-54252-2	50 discs per box	2 in	TSM	25,000	60+	4 Boxes
0-00-51141-54260-7	50 discs per box	2 in	TSM	25,000	80+	4 Boxes
0-00-51141-54268-3	50 discs per box	2 in	TSM	25,000	120+	4 Boxes
0-00-51141-54245-4	50 discs per box	3 in	TSM	20,000	40+	4 Boxes
0-00-51141-54253-9	50 discs per box	3 in	TSM	20,000	60+	4 Boxes
0-00-51141-54261-4	50 discs per box	3 in	TSM	20,000	80+	4 Boxes
0-00-51141-54269-0	50 discs per box	3 in	TSM	20,000	120+	4 Boxes
0-00-51141-54262-1	25 discs per box	4 in	TSM	12,000	80+	4 Boxes
0-00-51141-54270-6	25 discs per box	4 in	TSM	12,000	120+	4 Boxes

Scotch-Brite™ Clean and Strip XT Pro Disc

Scotch-Brite™ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. It effectively removes rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material. The high-strength fibers are highly conformable, resist chunking and loading, and perform well on the edges of a workpiece. Color: Purple.

UPC	Size	Attachment Type	Max RPM	Grade	Case Qty/Units
0-06-38060-05574-8	4 ½ in x ¾ in-11	T27 Quick Change	13,300	S XCS	10 Each
0-00-76308-45481-4	7 in x ¾ in-11	T27 Quick Change	8,600	S XCS	5 Each
0-06-38060-05586-1	4 ½ in x ¾ in	T27	13,300	S XCS	10 Each
0-06-38060-05587-8	7 in x ¾ in	T27	8,600	S XCS	5 Each
0-06-38060-05588-5	4 ½ in x ¾ in-11	TN Quick Change	13,300	S XCS	10 Each
0-06-38060-05589-2	7 in x ¾ in-11	TN Quick Change	6,000	S XCS	5 Each

Non-Woven Discs



Scotch-Brite™ 7447 PRO Disc

The Scotch-Brite™ 7447 PRO Disc combines flexible fibers with outstanding cut to help you accomplish tough cleaning jobs or produce fine finishing results, use after use. It is a superior alternative to steel wool, wire brushes, sandpaper, and other non-woven products for cleaning or finishing tasks.

UPC	Size	Max RPM	Grade	Color	Case Qty/Units
0-00-48011-64959-7	5 in	12,000	Very Fine	Maroon	100 Each
0-00-48011-64960-3	6 in	12,000	Very Fine	Maroon	100 Each



Scotch-Brite™ Hookit™ 7447 PRO Disc

The Scotch-Brite™ Hookit™ 7447 PRO Disc combines flexible fibers with outstanding cut to help you accomplish tough cleaning jobs or produce fine finishing results, use after use. It is an excellent alternative to steel wool, wire brushes, sandpaper, and other non-woven products for cleaning or finishing tasks. The Hookit™ backing enables convenient attachment on a random orbital sander.


UPC	Size	Max RPM	Grade	Color	Case Qty/Units
0-00-48011-65071-5	5 in	12,000	A VFN	Maroon	40 Each
0-00-76308-77142-3	5 in	12,000	A VFN	Maroon	40 Each
0-00-48011-65070-8	6 in	12,000	A VFN	Maroon	40 Each
0-00-76308-77143-0	6 in	12,000	A VFN	Maroon	40 Each



Scotch-Brite™ Clean and Finish Disc

Scotch-Brite™ Clean and Finish Discs combine conformable material and abrasive mineral to effectively blend, clean, and polish surfaces on a wide variety materials such as aluminum, stainless steel, plastics, wood, and fiberglass; producing a clean, consistent finish without undercutting or damaging the base material.

UPC	Size	Max RPM	Grade	Color	Case Qty/Units
0-06-38060-21964-5	5 in	12,000	A VFN	Maroon	100 Each



Scotch-Brite™ Light Grinding and Blending Disc

Scotch-Brite™ Light Grinding and Blending Disc uses a ceramic abrasive grain blend to achieve a high cut-rate for optimal weld grinding and blending in mild-steel applications. In these instances, Light Grinding and Blending discs are designed to effectively blend and refine a grade 36 scratch or finer. Hook and Loop attachment.

UPC	Size	Max RPM	Grade	Color	Case Qty/Units
0-00-48011-60363-6	4 ½ in x NH	10,000	A CRS	Blue	50 Each
0-00-48011-60343-8	5 in x NH	10,000	A CRS	Blue	50 Each
0-00-48011-60341-4	5 in x ¾ in	10,000	A CRS	Blue	50 Each
0-00-48011-60346-9	7 in x NH	6,000	A CRS	Blue	25 Each
0-00-48011-60344-5	7 in x ¾ in	6,000	A CRS	Blue	25 Each

Cut-Off and Grinding Wheels



3M™ Cubitron™ II Cut-Off Wheel

The 3M™ Cubitron™ II Cut-Off Wheels with Precision-Shaped Grain are engineered to cut faster than competitive ceramic products offering significant productivity gains. Technicians value its fast cutting action on heat sensitive metals and its cutting efficiency, yielding 2 to 7x more cuts than conventional cut-off wheels in many cases.

UPC	Packaging	Size	Max RPM	Case Qty/Units
0-00-51131-33455-7	5 per box	3 in x 0.06 in	25,465	6 Boxes
0-00-51131-33456-4	5 per box	3 in x 0.04 in	25,465	6 Boxes
0-00-51131-33460-1	5 per box	4 in x 0.04 in	19,100	6 Boxes
0-00-51131-33467-0	5 per box	4 ½ in x 0.04 in	13,300	6 Boxes



3M™ Silver Cut-Off Wheel

The 3M™ Silver Cut-Off Wheel is designed to deliver an unbeatable combination of performance and value in metal cutting applications. This long-lasting wheel uses 3M Precision-Shaped Grains to deliver a fast and consistent cut through pipes, tubes or flat sheets of stainless steel, mild steel, aerospace alloys and more. DO NOT USE ON TOOLS WITHOUT GUARDS.

UPC	Packaging	Size	Max RPM	Type	Case Qty/Units
0-00-51125-87457-1	25 per box	3 in x 0.035 in x ¼ in	25,465	T1	2 Boxes
0-00-51125-87458-8	25 per box	3 in x 0.035 in x ⅜ in	25,465	T1	2 Boxes
0-00-51125-87459-5	25 per box	3 in x 0.06 in x ⅜ in	25,465	T1	2 Boxes
0-00-51125-87460-1	25 per box	4 in x 0.035 in x ¼ in	19,100	T1	2 Boxes
0-00-51125-87461-8	25 per box	4 in x 0.035 in x ⅜ in	19,100	T1	2 Boxes
0-00-51125-87462-5	25 per box	4 in x 0.06 in x ⅜ in	19,100	T1	2 Boxes
0-00-51125-87657-5	25 per box	4 in x ⅝ in x ⅜ in	19,100	T1	2 Boxes
0-00-51125-87465-6	25 per box	4 ½ in x 0.045 in x ⅝ in	13,300	T1	2 Boxes
0-00-51125-87464-9	25 per box	4 ½ in x 0.4 in x ⅝ in	13,300	T1	2 Boxes
0-00-51125-87467-0	25 per box	5 in x 0.45 in x ⅝ in	12,250	T1	2 Boxes
0-00-51125-87469-4	25 per box	6 in x 0.045 in x ⅝ in	10,200	T1	2 Boxes
0-00-51125-87471-7	25 per box	7 in x 0.045 in x ⅝ in	8,500	T1	2 Boxes
0-00-51125-87466-3	25 per box	4 ½ in x 0.45 in x ⅝ in	13,300	T27	2 Boxes
0-00-51125-87659-9	25 per box	4 ½ in x ⅜ in x ⅝ in	13,300	T27	2 Boxes
0-00-51125-87468-7	25 per box	5 in x 0.45 in x ⅝ in	12,250	T27	2 Boxes
0-00-51125-87470-0	25 per box	6 in x 0.045 in x ⅝ in	10,200	T27	2 Boxes



3M™ Silver Depressed Center Grinding Wheel

The 3M™ Silver Depressed Center Grinding Wheel is a type 27 wheel designed to deliver an unbeatable combination of performance and value. This long lasting wheel uses 3M Precision-Shaped Grains to deliver a fast and consistent cut during grinding and heavy stock removal on stainless steel, mild steel, aerospace alloys and more.

UPC	Packaging	Size	Max RPM	Type	Case Qty/Units
0-00-51125-87455-7	10 per box	4 in x ¼ in x ⅝ in	15,300	T27	2 Boxes
0-00-51125-87456-4	10 per box	4 in x ¼ in x ⅝ in	15,300	T27	2 Boxes
0-00-51125-87397-0	10 per box	4 ½ in x ¼ in x ⅝-11 in	13,300	T27	2 Boxes
0-00-51125-87446-5	10 per box	5 x ¼ x ⅝-11 in	12,250	T27	2 Boxes
0-00-51125-87447-2	10 per box	6 x ¼ x ⅝-11 in	10,200	T27	2 Boxes
0-00-51125-87448-9	10 per box	7 in x ¼ in x ⅝-11 in	8,500	T27	2 Boxes
0-00-51125-87449-6	10 per box	9 in x ¼ in x ⅝-11 in	6,650	T27	2 Boxes
0-00-51125-87453-3	10 per box	4 ½ in x ¼ in x ⅝ in	13,300	T27	2 Boxes
0-00-51125-87454-0	10 per box	5 in x ¼ in x ⅝ in	12,250	T27	2 Boxes
0-00-51125-87450-2	10 per box	6 in x ¼ in x ⅝ in	10,200	T27	2 Boxes
0-00-51125-87451-9	10 per box	7 in x ¼ in x ⅝ in	8,500	T27	2 Boxes

Holders and Back-up Pads



3M™ Disc Pad Face Plate

3M™ Disc Pad Face Plate backs a same size fibre disc (sold separately) to provide firm support and the force required for grinding applications. It is used in conjunction with a disc pad hub (sold separately), which attaches to the power tool, and is held into place along with the appropriate disc using a retainer nut (sold separately).

UPC	Product ID	Size	Description	Color	Den. Rating	Max RPM	Case Qty/Units
0-00-51144-13325-3	13325	4 ½ in	Smooth	Gray	Medium	13,300	10 Each
0-00-51144-14270-5	14270	4 ½ in	Smooth	Black	Hard	13,300	10 Each
0-00-51141-28443-9	28443	4 ½ in	Ribbed	Red	Extra Hard	13,300	10 Each
0-00-51144-81734-4	81734	5 in	Ribbed	Gray	Medium	12,000	10 Each
0-00-51144-81733-7	81733	5 in	Ribbed	Black	Hard	12,000	10 Each
0-00-51144-81732-0	81732	5 in	Ribbed	Red	Extra Hard	12,000	10 Each
0-00-51144-80516-7	80516	7 in	Ribbed	Gray	Medium	8,600	10 Each
0-00-51144-80515-0	80515	7 in	Ribbed	Black	Hard	8,600	10 Each
0-00-51144-80514-3	80514	7 in	Ribbed	Red	Extra Hard	8,600	10 Each



3M™ Disc Pad Hub

3M™ Disc Pad Hub has an internal threaded metal insert that threads onto the shaft of a sander and grinder to hold a disc pad face plate and fibre disc in place.

UPC	Product ID	Size	For Use With	Case Qty/Units
0-00-51141-28442-2	28442	2 ½ in x ⅝"-24 INT	Short shaft tools	10 Each
0-00-51144-45205-7	45205	2 ½ in x ⅝"-11 INT	3M™ Disc Pad Face Plates (all sizes)	10 Each
0-00-51144-88743-9	88743	2 ½ in x ⅝"-11 INT	3M™ Disc Pad Face Plates (all sizes, tool shaft length ½" or less)	10 Each
0-00-51144-11824-3	11824	2 ½ in x ⅝"-11 INT	3M™ Disc Pad Face Plates (4"-9")	10 Each
0-00-51144-11823-6	11823	4 ½ in x ⅝"-11 INT	3M™ Disc Pad Face Plates (7"-9")	10 Each
0-00-51144-45190-6	45190	4 ½ in x ⅝"-11 INT	3M™ Disc Pad Face Plates (7"-9")	10 Each
0-00-51141-28476-7	28476	2 ½ in x ⅝"-11 INT, Low Profile	3M™ Disc Pad Face Plates (all sizes, tool shaft length ½" or less; ⅝" or more)	10 Each



3M™ Disc Retainer Nut

3M™ Disc Retainer Nut securely fastens a fibre disc to a disc pad hub or face plate for use with a rotary power tool. This nut is made to fit 3M disc hubs and face plates, but also fits fibre disc holders from other manufacturers.

UPC	Product ID	Size	Case Qty/Units
0-00-51111-51047-6	2618	⅝ in x ⅝"-11 Thread	10 Each
0-00-51144-05620-0	05620	⅝ in ⅝"-11 INT	10 Each
0-00-51144-05621-7	05621	½ in ⅝"-11 INT	10 Each
0-00-51144-05622-4	5622	⅝ in x ⅝"-11 Thread	10 Each



3M™ Fibre Disc Back-up Pad

3M™ Fibre Disc Back-up Pad is made to drive and support fibre backed discs during sanding, grinding or finishing processes. This essential pad is designed to fit right angle sanders equipped for TN Quick Change style attachments.

UPC	Product ID	Size	For Use With	Case Qty/Units
0-00-51111-56573-5	02140	4 ½ in x ⅝"-11 INT	3M™ Fibre Backed Discs	5 Each

Holders and Back-up Pads (cont.)



3M™ Hook and Loop Disc Pad Holder

3M™ Hook and Loop Disc Pad Holder is designed for metalworking projects and LGB discs. The disc pad holder provides firm support so that heavy-duty and super-duty LGB discs can weld grind and blend with faster and more efficient productivity. 3M™ Disc Pad Holders allow you to quickly and easily change abrasive discs during multi-step projects.

UPC	Product ID	Size	Max RPM	Case Qty/Units
0-00-51141-20245-7	20245	7 in x 7/8 in x 5/16-11 INT	8,500	1 Each
0-00-48011-14111-4	9145	4 1/2 in x 5/8-11 INT	13,000	1 Each
0-00-48011-05680-7	915	5 in x 5/8-11 INT	13,000	1 Each
0-00-48011-09450-2	917	7 in x 5/8-11 INT	6,000	1 Each
0-00-51141-20279-2	947TH	7 in x 1 in x 5/8-11 INT	6,000	1 Each
0-00-51141-28888-8	917CP	7 in x 7/8 in x 5/8-11 INT	8,600	10 Each
0-00-51141-28890-1	915CP	5 in x 7/8 in x 5/8-11 INT	12,000	10 Each
0-00-51141-28892-5	914CP	4 in x 5/8 in x 5/8-11 INT	15,000	10 Each
0-00-51141-28891-8	9145CP	4 1/2 in x 7/8 in x 5/8-11 INT	12,000	10 Each



3M™ Hookit™ Back-up Pad, 05717

3M™ Hookit™ Back-up Pad is available in soft, medium and hard foam densities for support during jobs from paint removal to fine finishing. Center hole pads feature flat rigid centers and softer edges, providing added control. The 6 and 7 inch pads feature several hole patterns to promote dust extraction. The Hookit™ attachment system makes changing discs fast and easy.

UPC	Product ID	Size	Max RPM	Case Qty/Units
0-00-51131-05717-3	05717	7 in x 3/4 in 5/8-11	3,000	1 Each



3M™ Perfect-It™ Back-up Pad

3M™ Perfect It™ Back-up Pad allows for easy attachment, quick removal and accurate centering of compounding or polishing pads. The 3M™ Hookit™ attachment system for these pads enhances convenience and boosts productivity with quick change of abrasive discs.

UPC	Product ID	Size	Max RPM	Case Qty/Units
0-00-51131-05718-0	05718	7 in x 3/4 in x 5/8-11	3,000	1 Each



Power Tools

Power Grinders



3M™ Cut-Off Wheel Tools

The 3M™ Cut-Off Wheel Tools deliver the performance you need when working with tough automotive substrates. When paired with 3M™ Cubitron™ II Cut-Off Wheels, technicians can even slice through high-strength steel and aluminum with clean, straight lines and minimal effort. Power with a 3M™ Cubitron™ II Cut-Off Wheel for a cleaner cut that runs cooler. Compact design with built-in safety features for easy handling. Featuring a light-weight composite body for greater user comfort. Available in 3" and 4" sizes.

UPC	Size	Motor (HP)	Max RPM	Air Inlet Thread	Case Qty/Units
0-00-51131-33579-0	3 in	0.7	20,000	¼ in	1 Each
0-00-51131-33581-3	4 in	0.7	20,000	¼ in	1 Each



3M™ Mini File Belt Sander and File Belt Sander

3M™ File Belt Sanders allow technicians to access hard-to-reach areas and are great for spot weld removal, deburring, cleaning, and finishing. Remove spot welds cleanly and quickly with 3M™ Cubitron™ II File Belts — replacing the need for expensive drills and bits. Adjustable arm for user comfort and multiple applications. Available in 13" and 18" sizes.

UPC	Size	Motor (HP)	Max RPM	Air Inlet Thread	Case Qty/Units
0-00-51131-33573-8	¾ in x 13 in	0.65	17,000	¼ in	1 Each
0-00-51131-33575-2	½ in x 18 in	0.65	17,000	¼ in	1 Each



3M™ Pistol Grip Disc Sander

The 3M™ Pistol Grip Disc Sander is a light-weight tool with the power to grind welds. Conveniently sized to access small and hard-to-reach areas. Perfect for grinding and sanding applications with 3M™ Cubitron™ II Fibre Roloc™ Discs. Variable speed adjustment for optimal finish.

UPC	Size	Motor (HP)	Max RPM	Air Inlet Thread	Case Qty/Units
0-00-51131-33577-6	3 in	0.45	18,000	¼ in	1 Each



3M™ Grinder

Having the right tool system for the job is an essential part of any application. 3M™ Grinders were made to power abrasives and accessories — making your cutting, grinding, blending or finishing jobs fast, easy and efficient.

UPC	Tool Dia.	Motor (HP)	Max RPM	Noise Level dBA (power)	Airflow Rate SCFM	Air Inlet Thread	Case Qty/Units
0-00-51141-28403-3	4 in x ¾-24 EXT	1	12,000	86 (98)	37	¾ in NPT	1 Each
0-00-51141-28405-7	4 ½ in x ¾-11 EXT	1	12,000	85 (99)	37	¾ in NPT	1 Each

Power Tools (cont.)

Power Sanders



3M™ Elite Series Mini Orbital Sander

The 3M™ Elite Series Mini Orbital Sander 28737 packs the performance of 3M air-powered orbital hand sanders into a small tool that's ideal for sanding small defects in painted surfaces. Added features for durability, comfort and control, plus a twist-on, twist-off 3M™ Roloc™ disc attachment, give this mini sander big benefits — now, you can sand small areas instead of entire panels, saving time and cost.

UPC	Tool Dia.	Max RPM	Orbit Dia.	Case Qty/Units
0-00-51141-28737-9	1 1/8 in	8,000	3/8 in	1 Each



3M™ Elite Self-Generated Vacuum Random Orbital Sander

3M™ Elite Self-Generated Vacuum Random Orbital Sanders feature a self-generated vacuum (SGV) and deliver professional, dust-free performance and a swirl-free finish, hour after hour in high-production industrial environments where dust extraction is required.

UPC	Tool Dia.	Motor (HP)	Max RPM	Noise Level dBA (power)	Airflow Rate SCFM (LPM)	Orbit Dia.	Case Qty/Units
0-00-51141-28514-6	5 in	0.28	12,000	86 (97)	17 (481)	3/8 in	1 Each
0-00-51141-28516-0	6 in	0.28	12,000	89 (100)	17 (481)	3/8 in	1 Each

Adapters



3M™ Perfect-It™ Quick Connect Adapter

3M™ Perfect-It™ Quick Connect Adapter makes it easy to connect or disconnect double-sided buffing pads on rotary polishers. This heavy-duty adapter saves both time and effort in an automotive body shop by making pad changes so quick and simple. 5/8" thread.

UPC	Size	Case Qty/Units
0-00-51131-05752-4	5/8 in	10 Each




Bonnets and Buffing Pads



3M™ Finesse-it™ Buffing Pad

The 3M™ Finesse-it™ Buffing Pad — Gray Foam is a moderately aggressive foam pad, designed to be used in conjunction with specially developed 3M™ Finesse-it™ polishes to achieve satin, semi-gloss or high gloss finishes on wood, automotive, marine, and aerospace coatings.

UPC	Product ID	Packaging	Size	Description	Color	Case Qty/Units
0-00-51141-28878-9	28878	10 pads per bag	3 ¼ in	Waffle Face	Gray	5 Bags
0-00-51141-28879-6	28879	10 pads per bag	3 ¼ in	Waffle Face	Gray	5 Bags
0-00-51141-28873-4	28873	10 pads per bag	3 ½ in	Flat Face	Gray	5 Bags



3M™ Perfect-It™ Foam Compounding Pad

The 3M™ Perfect-It™ Foam Compounding Pads are 3M's highest-performing foam compounding pads for refining sand scratches, slow-speed polishing, denibbing and more. Foam face pattern provides more surface contact, holds compound better and reduces slinging. Doubled-sided pads work with 3M™ Quick Connect Adaptors on rotary polishers; double-sided pads work with the 3M™ Hookit™ system for easy change-outs.

UPC	Product ID	Size	Color	Case Qty/Units
0-00-51131-05706-7	05706	8 in	White	6 Each
0-00-51131-05737-1	05737	8 in	White	6 Each



3M™ Perfect-It™ Low Linting Wool Compounding Pad

3M™ Perfect-It™ Low Linting Wool Compounding Pad aggressively removes P1200 or finer sand scratches from clearcoat and leaves a finer finish than most 100% wool pads without the linting mess. This high performance wool pad is crucial in Step 1 of the Perfect-It™ Paint Finishing System to produce showroom grade finishes with deep color and rich gloss.

UPC	Size	Color	Case Qty/Units
0-00-51131-33279-9	9 in	White	6 Each



3M™ Perfect-It™ Wool Compound Pad

The 3M™ Perfect-It™ Wool Compound Pad is 3M's highest performing wool compounding pad. This 100% wool product aggressively removes clearcoat scratches with smooth, controlled rotary action. Run the pad on a rotary buffer/polisher and use it in combination with 3M™ Perfect-It™ EX Rubbing Compounds for a complete system that excels at sand scratch removal and correction.


UPC	Product ID	Size	Color	Case Qty/Units
0-00-51131-05719-7	05719	9 in	White	6 Each
0-00-51131-05753-1	05753	9 in	White	6 Each



3M™ Perfect-It™ Foam Polishing Pad

3M™ Perfect-It™ Foam Polishing Pad is a soft foam buffing pad used to buff out fine scratches created from compounding steps. The waffle face gives you greater surface contact area than flat surface pads over contoured surfaces, minimizes heat buildup during buffing and helps eliminate swirl marks. It also helps the pad hold the polish and reduce slinging.

UPC	Product ID	Size	Color	Case Qty/Units
0-00-51131-05707-4	05707	8 in	Black	6 Each
0-00-51131-05738-8	05738	8 in	Black	6 Each




3M™ Perfect-It™ Ultrafine Polishing Pad

The 3M™ Perfect-It™ Ultrafine Polishing Pad helps to eliminate swirl marks on painted surfaces, even on difficult dark colored cars. Featuring a unique waffle face design that holds liquid polish, this pad applies polish evenly without releasing excess polish that may cause ripples in the finish.

UPC	Size	Color	Case Qty/Units
0-00-51131-05708-1	8 in	Blue	6 Each

Bonnets and Buffing Pads



3M™ Perfect-It™ 1-Step Foam Finishing Pad

The 3M™ Perfect-It™ 1-Step Foam Finishing Pad eliminates compounding when used as part of the 3M™ Perfect-It™ 1-Step Paint Finishing system. This product combines the cut of a compounding pad and the finish of a polishing pad. Its tapered edge protects backing pad edge, reduces damage to finish.

UPC	Product ID	Size	Color	Case Qty/Units
0-00-51131-33035-1	33035	8 in	Purple	6 Each



3M™ Foam Compounding Pad

3M™ Foam Compounding Pad is a great, fast cutting foam pad designed for refining and removing sanding scratches and swirls. The convolute foam face conforms to curves and body lines to reduce chatter for improved finishes. It also holds compound to help reduce slinging and the hook and loop attachment makes for fast, easy attachment to rotary polishers.

UPC	Product ID	Packaging	Size	Color	Case Qty/Units
0-00-51131-05723-4	05723	2 pads per bag	8 in	White	12 Bags



3M™ Wool Compounding Pad

3M™ Wool Compounding Pads are built to deliver an aggressive cut for a smooth finish, ideal when compounding on paints, clears and composite surfaces. The double-sided screw on pads feature 100 percent untwisted wool yarn on a stiff central hub for a full cut and broader surface contact. Single-sided pads feature a finer 60/40 wool blend and the Hookit™ attachment for quick change-outs.

UPC	Product ID	Size	Color	Case Qty/Units
0-00-51131-05704-3	05704	8 in	White	6 Each
0-00-51131-33280-5	33280	9 in	White	6 Each



3M™ Polishing Pad

3M™ Wool Polishing Pads combine the fast, sharp cut of wool with fine blended fibers for attaining high gloss on composite surfaces during auto body repair. The double-sided pad features a soft edge to protect body lines, and firm, lightweight center support for consistent contact with the surface. This single-sided pad has hook and loop attachment for fast change-outs on multi-stage applications.

UPC	Size	Color	Case Qty/Units
0-00-51131-05713-5	9 in	Yellow	6 Each



Adhesion Promoters and Solvent-Based Adhesives

Adhesion Promoters



3M™ Adhesion Promoter 111

The 3M™ Adhesion Promoter 111 is a fast acting, isopropyl alcohol based solution designed to promote better and faster adhesion of 3M™ VHB™ Tapes. This product works particularly well for adhering 3M™ VHB™ Tapes to high surface energy substrates like galvanized steel, bare metals, and painted surfaces.

UPC	Product ID	Volume	Full Cure Time	Color	Case Qty/Units
0-00-48011-58526-0	AP111	1 Gallon	1 Minute	Transparent	4 Gallons



3M™ Polyolefin Adhesion Promoter

3M™ Polyolefin Adhesion Promoter is a specially formulated adhesion promoter for use when repairing low surface energy plastics such as thermoplastic polyolefin (TPO). Use this adhesion promoter with 3M brand adhesives. 3M™ Polyolefin Adhesion Promoter is designed specifically for polyolefin and ethylene propylene plastic identified by the marks PP, EP, TPO or EPDM on the back of the part.

UPC	Product ID	Volume	Color	Case Qty/Units
0-00-51131-05907-8	05907	12 oz	Clear	6 Cans



3M™ Polyurethane Adhesive Sealant Accelerator AC63

3M™ Polyurethane Adhesive Sealant Accelerator AC63 is a liquid additive that, when combined as a part of a two component adhesive system, accelerates the curing of the adhesive. It is capable of drastically reducing the handling time of adhesives used in highly productive construction settings.

UPC	Product ID	Volume	Container	Color	Case Qty/Units
0-00-51128-99129-9	AC63	45 mL	Sausage Pack	Transparent	12 Each



3M™ Tape Primer 94

3M™ Tape Primer 94 can be used to improve the overall adhesion of tape, film and vinyl graphics to polyethylene, polypropylene, ABS, PET/PBT blends, concrete, wood, glass, metal and painted metal surfaces.

UPC	Product ID	Volume	Full Cure Time	Color	Case Qty/Units
0-00-21200-23930-4	94	1 Gallon	2 Minute	Yellow	4 Gallons
0-00-21200-23929-8	94	1 Quart	2 Minute	Yellow	12 Cans
0-00-21200-23926-7	94	1.5 Pint	2 Minute	Yellow	12 Cans
0-00-21200-46201-6	94	5 Gallon	2 Minute	Yellow	1 Pail

Solvent-Based Adhesives



3M™ Black Super Weatherstrip and Gasket Adhesive

3M™ Black Super Weatherstrip Adhesive is designed specifically to bond rubber gaskets and weatherstripping to metal surfaces. This flexible, high strength adhesive helps ensure a tight waterproof seal on car doors, trunks, sun roofs and more. It cures fast and works right out of the tube, holding rubber weatherstripping in place and resisting heat, vibration, oils and detergents.

UPC	Size	Color	Case Qty/Units
0-00-51135-08008-5	5 fl oz	Black	12 Each



3M™ Black Weatherstrip Adhesive

3M™ Black Weatherstrip Adhesive is designed specifically to bond EPDM rubber, excellent for the rubber seals on car doors, trunks and sun roofs. This flexible, high strength adhesive helps ensure a tight waterproof seal, and delivers fast strength build up. It works right out of the tube, holding rubber parts such as weatherstripping in place and resisting oil, grease and solvents.

UPC	Size	Color	Case Qty/Units
0-00-51135-08011-5	5 fl oz	Black	6 Each

Adhesion Promoters and Solvent-Based Adhesives

Solvent-Based Adhesives (cont.)



3M™ Yellow Super Weatherstrip and Gasket Adhesive

3M™ Yellow Super Weatherstrip and Gasket Adhesive securely bonds rubber gaskets and weatherstripping to metal surfaces. This flexible, high strength adhesive helps ensure a tight, waterproof seal on car doors, trunks, sun roofs and more. It cures fast and works right out of the tube, holding rubber weatherstripping in place and resisting heat, vibration, oils and detergents.

UPC	Size	Color	Case Qty/Units
0-00-51135-08001-6	5 oz	Yellow	6 Each



3M™ Fast 'N Firm™ Seam Sealer

3M™ Fast 'N Firm™ Seam Sealer is a fast setting seam sealer designed for sealing exterior joints and seams. This sealer adheres well to clean primed or painted metal. This product comes in a 1/10 gallon cartridge. If saving time and boosting productivity are important, this seam sealer is an ideal choice. It is paintable in only 45 minutes.

UPC	Size	Color	Case Qty/Units
0-00-51135-08505-9	10 fl oz	Beige	12 Each



3M™ General Trim Adhesive

3M™ General Trim Adhesive bonds automotive materials such as carpeting, vinyl, fabrics, and plastics to metal and other hard, impervious surfaces. This high strength adhesive offers good heat and water resistance.

UPC	Net Wt.	Color	Case Qty/Units
0-00-51135-08088-7	18.1 oz	Clear	4 Each

Not for Retail/Consumer sale or use in CA and other states. Consult local air quality rules before use.



3M™ HoldFast 70 Adhesive

3M™ HoldFast 70 Cylinder Spray Adhesive is an extremely versatile, fast tacking industrial grade spray adhesive with a unique wide web spray pattern well-suited for bonding a variety of construction materials. It requires a short dry time yet provides long open time to perfectly position your materials. It is an effective adhesive for waterproofing and protecting from moisture.

UPC	Size	Net Wt.	Color	Case Qty/Units
0-00-51115-63935-7	5 Gallon	-	Clear	1 Pail
0-00-48011-61690-2	27.3 lb	27.3 lb	Clear	1 Cylinder



3M™ Foam Fast 74 Cylinder Spray Adhesive

3M™ Foam Fast 74 Spray Adhesive is a fast drying spray adhesive that bonds foam and fabric to a wide range of substrates. Its permanent bond provides fast results to keep projects moving ahead. The non yellowing formula dispenses easily in a lace spray pattern and applies directly onto surfaces and materials where needed.

UPC	Net Wt.	Color	Case Qty/Units
0-00-21200-49919-7	28.8 lb	Clear	1 Cylinder
0-00-21200-49158-0	28.8 lb	Orange	1 Cylinder
0-00-51111-18853-8	148.5 lb	Orange	1 Cylinder

Not for Retail/Consumer sale or use in CA and other states. Consult local air quality rules before use.



3M™ Super 77™ Multipurpose Spray Adhesive

3M™ Super 77™ Multipurpose Spray Adhesive is an extremely versatile, fast drying spray adhesive that bonds a wide range of lightweight materials. The permanent bond provides fast results to keep projects moving ahead. The photo safe spray formula is easy to dispense and apply directly onto surfaces and materials where needed, with no soak in or yellowing over time.

UPC	Size	Net Wt.	Color	Case Qty/Units
0-00-21200-21210-9	24 fl oz	16.5 oz	Clear	12 Cans

Not for Retail/Consumer sale or use in CA and other states. Consult local air quality rules before use.

Adhesion Promoters and Solvent-Based Adhesives

Solvent-Based Adhesives (cont.)



3M™ Polystyrene Insulation 78 Spray Adhesive

3M™ Insulation and Polystyrene 78 Spray Adhesive is a high strength, industrial grade spray adhesive. It is effective for bonding most types of insulation such as fiberglass and expanded polystyrene foam (EPS) onto numerous kinds of materials.

UPC	Size	Net Wt.	Color	Case Qty/Units
0-00-21200-41593-7	24 fl oz	17.9 oz	Clear	12 Cans
0-00-51111-07279-0	24 fl oz	17.9 oz Inverted	Clear	12 Cans
0-00-51111-07571-5	5 Gallon	-	Blue	1 Pail
0-00-48011-61693-3	29.3 lb	29.3 lb	Clear	1 Cylinder

Not for Retail/Consumer sale or use in CA and other states. Consult local air quality rules before use.



3M™ Hi-Strength 90 Spray Adhesive

3M™ Hi-Strength 90 Spray Adhesive is an extremely versatile, fast-drying spray adhesive that bonds strongly to a wide range of materials. The permanent bond provides fast results to keep projects moving ahead. The spray formula is easy to dispense, offering a variable-width spray pattern, and applies directly onto surfaces and materials where needed.

UPC	Size	Net Wt.	Color	Case Qty/Units
0-00-76308-86235-0	16 fl oz	12.23 oz	Clear	12 Cans
0-00-21200-30023-3	24 fl oz	17.6 oz	Clear	12 Cans
0-00-51111-07278-3	24 fl oz	17.6 oz Inverted Aerosol	Clear	12 Cans
0-00-21200-41554-8	-	28.8 lb	Clear	1 Cylinder
0-00-51115-25774-2	-	141.6 lb	Clear	1 Cylinder

Not for Retail/Consumer sale or use in CA and other states. Consult local air quality rules before use.



3M™ Hi-Strength Postforming 94 CA Adhesive

3M™ Hi-Strength Postforming 94 CA Adhesive is a strong adhesive that bonds a range of large surfaces and is perfect for large scale laminations. This adhesive's formula is easy to dispense and apply directly onto surfaces, with no soak in or yellowing over time.

UPC	Size	Net Wt.	Color	Case Qty/Units
0-00-48011-61667-4	55 Gallon	-	Red	1 Drum
0-00-48011-61704-6	128 lb	128 lb	Clear	1 Cylinder
0-00-48011-61703-9	26.2 lb	26.2 lb	Clear	1 Cylinder



3M™ Hi-Strength Non-Flammable 98 NF

3M™ Hi-Strength Non-Flammable 98 NF creates a strong bond for attaching decorative laminate, headliners and soft foams. This high strength adhesive is typically used in construction, woodworking, RV, manufactured housing and specialty vehicle applications. The adhesive can be sprayed, rolled or brushed onto surfaces to reduce overspray and adhesive waste.

UPC	Size	Color	Case Qty/Units
0-00-51111-18852-1	55 Gallon	Clear	1 Drum



3M™ Neoprene High Performance Rubber and Gasket Adhesive 1300

3M™ Neoprene High Performance Rubber and Gasket Adhesive 1300 is a versatile, solvent-based adhesive. It offers high immediate strength and good heat resistance, and is commonly used for bonding most rubber and gasket materials. It is also suitable for large area rubber sheeting applications, bumpers and more.

UPC	Size	Color	Case Qty/Units
0-00-21200-19871-7	1 Quart	Yellow	12 Cans
0-00-21200-19868-7	5 oz	Yellow	36 Tubes

Adhesion Promoters and Solvent-Based Adhesives

Solvent-Based Adhesives (cont.)



3M™ Nitrile High Performance Rubber and Gasket Adhesive 847

3M™ Nitrile High Performance Rubber and Gasket Adhesive 847 is a versatile, solvent-based, high performance adhesive with comparatively low viscosity for easy application. It offers both good oil resistance and good heat resistance, and is commonly used for bonding most rubber and gasket materials.

UPC	Size	Color	Case Qty/Units
0-00-21200-19725-3	5 Gallon	Brown	1 Pail



3M™ Nitrile Industrial Adhesive 4491

3M™ Nitrile Industrial Adhesive 4491 is a sprayable, fast drying adhesive that provides strong, flexible bonds with excellent environmental resistance. We also formulated this spray adhesive to offer good resistance to plasticizer migration. In addition, 3M™ Nitrile Industrial Adhesive 4491 has the ability to be heat cured to obtain superior physical properties. This versatile plastic adhesive can be heat cured to obtain superior physical properties and bonds vinyl extrusions and sheeting, fabrics, leather, foams and many plastics where high strength and resistance to weathering, water, oil and many other solvents are required.

UPC	Size	Color	Case Qty/Units
0-00-21200-50046-6	5 Gallon	Light Tan	1 Pail



3M™ Neoprene High Performance Contact Adhesive 1357

3M™ Neoprene High Performance Contact Adhesive 1357 is a versatile, solvent-based adhesive. It offers high immediate handling strength and good heat resistance, and is commonly used for bonding most metals and plastics. It is also suitable for large surface panel or composite lamination.

UPC	Size	Color	Case Qty/Units
0-00-21200-19897-7	5 Gallon	Light Yellow	1 Pail
0-00-21200-19899-1	55 Gallon	Gray	1 Drum



Water-Based Adhesives



3M™ Fastbond™ Contact Adhesive 30NF

3M™ Fastbond™ Contact Adhesive 30NF is a low-odor, water-based adhesive designed to have high strength, high coverage, long bonding range and good heat resistance. This classic adhesive has proven to bond combinations of most foamed plastics, plastic laminate, wood, plywood, wood veneer and canvas.

UPC	Size	Color	Case Qty/Units
0-00-21200-21185-0	1 dry qt (US)	Green	12 Quarts
0-00-21200-21186-7	1 gal	Green	4 Gallons
0-00-21200-21187-4	5 gal	Green	5 Gallons
0-00-21200-21188-1	55 Gallon	Green	1 Drum
0-00-21200-21180-5	1 dry qt (US)	Neutral	12 Quarts
0-00-21200-21181-2	1 gal	Neutral	4 Gallons
0-00-21200-21182-9	5 gal	Neutral	5 Gallons



3M™ Fastbond™ Insulation Adhesive 49

3M™ Fastbond™ Insulation Adhesive 49 is a fast drying adhesive that bonds a range of fabrics and insulation materials to a range of substrates. The permanent bond provides fast results to keep projects moving ahead. This adhesive's formula is easy to dispense and apply directly onto surfaces and materials where needed, with no soak-in or yellowing over time.

UPC	Size	Color	Case Qty/Units
0-00-21200-45163-8	5 Gallon	Clear	1 Pail
0-00-21200-45164-5	55 Gallon	Clear	1 Drum



3M™ Fastbond™ Foam Adhesive 100NF

3M™ Fastbond™ Foam Adhesive 100NF was designed to be an extremely versatile, heat-resistant adhesive that bonds a wide range of lightweight materials. Its postforming, permanent bond provides fast results. The spray formula has a pebble spray pattern, is fire resistant in its wet state, is easy to dispense and, when not being sprayed, can be applied directly by using a brush or roller.

UPC	Size	Color	Case Qty/Units
0-00-21200-41542-5	5 Gallon	Lavender	1 Pail
0-00-21200-41543-2	55 Gallon	Lavender	1 Drum



3M™ Low Mist Contact Adhesive 30

3M™ Low Mist Contact Adhesive 30 is a water-dispersed, high strength adhesive that provides high coverage and immediate bond strength. It features a long bonding range and good heat resistance. The low mist formula helps reduce waste, providing an economical solution that maximizes coverage when sprayed.

UPC	Size	Color	Case Qty/Units
0-00-21200-25332-4	5 Gallon	Green	1 Pail

Adhesive Sealants



3M™ Adhesive Sealant 740 UV and 760 UV

3M™ Adhesive Sealant 740 UV and 760 UV are single component, moisture curing, elastomeric, isocyanate-free sealants. These cosmetic sealants offer exceptional UV resistance and long-term flexibility.

UPC	Product ID	Size	Tack-free Time	Color	Case Qty/Units
0-00-48011-62812-7	740UV	290 mL cartridge	40 Minute	White	12 Each
0-00-48011-62813-4	740UV	290 mL cartridge	40 Minute	Gray	12 Each
0-00-51111-08024-5	740UV	290 mL cartridge	40 Minute	Black	12 Each
0-00-51111-08025-2	740UV	600 mL sausage pack	40 Minute	Black	12 Each
0-00-51111-08022-1	740UV	600 mL sausage pack	40 Minute	Gray	12 Each
0-00-51111-08023-8	740UV	600 mL sausage pack	40 Minute	White	12 Each
0-00-48011-62817-2	760UV	290 mL cartridge	20 Minute	Black	12 Each
0-00-48011-62819-6	760UV	290 mL cartridge	20 Minute	Gray	12 Each
0-00-48011-62815-8	760UV	290 mL cartridge	20 Minute	White	12 Each
0-00-48011-62818-9	760UV	600 mL sausage pack	20 Minute	Black	12 Each
0-00-48011-62820-2	760UV	600 mL sausage pack	20 Minute	Gray	12 Each
0-00-48011-62816-5	760UV	600 mL sausage pack	20 Minute	White	12 Each



3M™ All-Around Autobody Sealant

3M™ All-Around Autobody Sealant creates a quick drying seal on most interior and exterior automotive body joints and seams. This medium bodied, water-based seam sealer applies easily and adheres well to properly prepared primer and paint. It may also be smoothed to a featheredge with a wet finger to a smooth, clean appearance.

UPC	Volume	Color	Case Qty/Units
0-00-51135-08500-4	½ gal cartridge	White	12 Each



3M™ MSP Seam Sealer

3M™ MSP Seam Sealer is a high quality, heavy bodied, general purpose, moisture curing seam sealer for interior and exterior body joints. This sealer adheres well to properly prepared primer, paint, and bare metal surfaces.

UPC	Volume	Color	Case Qty/Units
0-00-51135-08369-7	310 mL flexpack	White	6 Each
0-00-51135-08370-3	310 mL flexpack	Gray	6 Each



3M™ Polyurethane Sealant 540

3M™ Polyurethane Sealant 540 is an all purpose, single component, moisture curing, gap filling polyurethane that creates permanently elastic seals and bonds in a wide variety of service environments.

UPC	Size	Color	Case Qty/Units
0-00-21200-96272-1	600 mL sausage pack	Black	12 Each



3M™ Polyurethane Adhesive Sealant 550FC Fast Cure

3M™ Polyurethane Adhesive Sealant 550FC Fast Cure is a low viscosity adhesive that has a fast set time and creates a permanently elastic bond. It is ideal for bonding a variety of similar and dissimilar materials. This one component polyurethane adhesive provides fast cure time. The low viscosity formula is ideal for creating very thin bond lines.

UPC	Size	Color	Case Qty/Units
0-00-48011-62796-0	400 mL sausage pack	Black	12 Each



3M™ Polyurethane Adhesive Sealant 560

3M™ Polyurethane Adhesive Sealant 560 is a high strength, single component, moisture curing, gap filling polyurethane adhesive that creates high strength bonds on a wide variety of materials including plastics, metals, fiberglass and wood.

UPC	Size	Color	Case Qty/Units
0-00-21200-49056-9	300 mL cartridge	White	12 Each



3M™ All Purpose Sealant Primer P591

3M™ All Purpose Sealant Primer P591 is a black, one-part formulation that helps to improve adhesion of polyurethane and hybrid adhesive sealants. This versatile black primer is an Isocyanate- and solvent-based primer developed initially for acrylics, polycarbonate and polyester bonding applications. Meets FMVSS212 crash test standard.

UPC	Size	Color	Case Qty/Units
0-00-48011-62807-3	250 mL	Black	12 Each



3M™ Polyurethane Glass Adhesive Sealant 590

3M™ Polyurethane Glass Adhesive Sealant 590 is a one-part, high viscosity polyurethane sealant for bonding windshields and other glass, acrylic, polycarbonate and many other materials. This high strength adhesive stays flexible after cure, resulting in a durable, long-lasting bond that helps joints or bonded areas resist vibration fatigue.

UPC	Size	Tack-free Time	Color	Case Qty/Units
0-00-51135-05612-7	600 mL sausage pack	25–40 Minute	Black	12 Each



3M™ Single Step Primer

3M™ Single Step Primer is designed specifically to promote the adhesion of urethane adhesive/sealants to windshields and other automotive glass applications. This one-part primer is ideal for touching up minor pinchweld scratches and can be used to prime encapsulated glass. It is also suitable as a blackout primer to help protect against UV rays.

UPC	Size	Color	Case Qty/Units
0-00-51135-08681-0	125 mL	Black	6 Each



3M™ Windo-Weld™ Super Fast Urethane

3M™ Windo-Weld™ Super Fast Urethane securely bonds replacement auto glass to car bodies, including windshields, backlites and sidelites. Formulated for convenience, this medium viscosity adhesive is a single component, moisture curing product that requires no mixing, which is an advantage because many windshield replacements are done at the customer's location away from the shop.

UPC	Size	Color	Case Qty/Units
0-00-51135-08609-4	10.5 oz cartridge	Black	12 Each



3M™ Bare-Metal Seam Sealer

3M™ Bare-Metal Seam Sealer is a tough, flexible sealing material formulated for sealing bare metal joints, such as steel or aluminum, as well as primed or painted metal in collision repair. Two-part, self-mixing epoxy sealer can be easily caulked, tooled or brushed into seams and cures in as little as 15 minutes. It features a neutral beige color.

UPC	Size	Color	Case Qty/Units
0-00-51135-08310-9	200 mL cartridge	Beige	6 Each
0-00-76308-58310-1	600 mL DMS cartridge	Beige	4 Each



3M™ Ultrapro™ Autobody Sealant

3M™ Ultrapro™ Autobody Sealant is a heavy-bodied, solvent-based, seam sealer that adheres to painted metal, glass and aluminum. We formulated this autobody sealant to be quick skinning, fast curing and rapid drying, making it ideal for applications that require speed and timeliness. In addition, this high solids adhesive provides low shrinkage and remains flexible over time.

UPC	Size	Color	Case Qty/Units
0-00-51135-08300-0	¼ gal cartridge	Tan	12 Each

Adhesive Sealants



3M™ Heavy Drip-Chek™ Sealer

3M™ Heavy Drip-Chek™ Sealer is a heavy-based sealer specifically designed for filling exterior auto body definition seams including roof drip rails on older vehicles. Weather-resistant sealer is non-sagging — ideal for vertical seams — and adheres to metal, rubber, glass and painted surfaces. It can be applied up to 1/8" wide. Controlled shrinkage provides excellent visual definition seams.

UPC	Size	Dry Time	Color	Case Qty/Units
0-00-51135-08531-8	5 fl oz	48 hours	Light Gray	6 Each



3M™ Urethane Seam Sealer

3M™ Urethane Seam Sealer is a high solids seam sealer ideal for sealing automotive and RV seams and joints. It adheres well to bare metal, primed metal and painted surfaces, and if desired can be smoothed to a featheredge and/or brushed. Tack-free and paintable after 30 minutes, this urethane formula is permanently flexible and offers superior performance to solvent-based sealers.

UPC	Size	Color	Case Qty/Units
0-00-51131-16830-5	310 mL foil pack	White	6 Each
0-00-51135-08368-0	310 mL cartridge	White	12 Each
0-00-51131-16831-2	310 mL foil pack	Gray	6 Each
0-00-51135-08362-8	310 mL cartridge	Gray	12 Each
0-00-51135-08364-2	310 mL foil pack	Beige	6 Each
0-00-51135-08365-9	310 mL cartridge	Beige	12 Each
0-00-51135-08367-3	310 mL cartridge	Black	12 Each



3M™ Heavy-Bodied Seam Sealer

The 3M™ Heavy-Bodied Seam Sealer is a two-part epoxy seam sealer for all general purpose automotive sealing. It cures quickly to a tough, strong bead for lasting seam sealing protection and is used on door skins, floor pans, trunk floors, roof seams, and many other applications. The self-mixing system ensures a proper mix ratio every time — delivering a consistent cure rate and strength.

UPC	Size	Color	Case Qty/Units
0-00-51131-16808-4	200 mL	Black	6 Each
0-00-76308-58308-8	600 mL	Black	4 Each



Two-Part Structural Adhesives



3M™ Panel Bonding Adhesive

3M™ Panel Bonding Adhesive is a cost-effective two-part epoxy adhesive for bonding replacement body panels. From its fast, convenient cartridge system the adhesive seals and bonds steel, aluminum, SMC, and FRP securely in a single operation.

UPC	Volume	Description	Color	Case Qty/Units
0-00-51135-08115-0	200 mL cartridge	-	Black	6 Each
0-00-51135-08116-7	200mL	-	Black	6 Each
0-00-76308-58115-2	450 mL	-	Black	4 Each
0-00-51131-08193-2	-	200 mL Mixing Nozzle	-	36 Each



3M™ Impact Resistant Structural Adhesive

3M™ Impact Resistant Structural Adhesive (IRSA) is formulated for true automotive OEM-specified structural bonding applications, excellent for collision absorption in steel structures and advanced lightweight aluminum alloys. This two-part epoxy adhesive delivers extended worktimes — up to 1 hour — and can be rapidly heat-cured. The adhesive changes from silver to purple as the adhesive cures.

UPC	Size	Color	Case Qty/Units
0-00-51131-07333-3	200 mL	Purple	3 Each



3M™ Scotch-Weld™ Epoxy Adhesive DP105

3M™ Scotch-Weld™ Epoxy Adhesive DP105 is a very flexible, fast setting, two-part epoxy adhesive that cures clear for invisible bond lines.

UPC	Size	Mix Ratio	Mixing Nozzles	Case Qty/Units
0-00-21200-87203-7	48.5 mL	1:1	48.5/50 mL Square Green or Helical White	12 Each
0-00-21200-87270-9	200 mL	1:1	200 mL Square Gold or Helical White	12 Each
0-00-21200-87271-6	400 mL	1:1	400 mL Square Gold or Helical White	6 Each



3M™ Scotch-Weld™ Epoxy Adhesive DP420

3M™ Scotch-Weld™ Epoxy Adhesive DP420 is a toughened, two-part epoxy adhesive with a 2:1 mix ratio, 20 minute work life and handling strength in approximately four hours. This product provides a strong, durable bond to many surfaces.

UPC	Size	Mix Ratio	Mixing Nozzles	Case Qty/Units
0-06-38060-08978-1	50 mL	2:1	48.5/50 mL Square Green or Helical White	12 Each
0-00-21200-87832-9	200 mL	2:1	200 mL Square Gold or Helical White	12 Each
0-00-21200-87833-6	400 mL	2:1	400 mL Square Gold or Helical White	6 Each
0-00-21200-82239-1	5 Gallon - Part A	2:1	-	1 Each
0-00-21200-82238-4	5 Gallon - Part B	2:1	-	1 Each



3M™ Scotch-Weld™ Epoxy Adhesive DP460

3M™ Scotch-Weld™ Epoxy Adhesive DP460 is a toughened, two-part epoxy adhesive with a 2:1 mix ratio, 60 minute work life and handling strength in approximately four hours. This product provides a strong, durable bond to many surfaces.

UPC	Size	Mix Ratio	Mixing Nozzles	Case Qty/Units
0-06-38060-08998-9	50 mL	2:1	48.5/50 mL Square Green or Helical White	12 Each
0-00-21200-87830-5	200 mL	2:1	200 mL Square Gold or Helical White	12 Each
0-00-21200-87831-2	400 mL	2:1	400 mL Square Gold or Helical White	6 Each
0-00-21200-82228-5	5 Gallon - Part A	2:1	-	1 Each
0-00-21200-82227-8	5 Gallon - Part B	2:1	-	1 Each

Two-Part Structural Adhesives (cont.)



3M™ Scotch-Weld™ Multi-Material Composite Urethane Adhesive DP6310NS

3M™ Scotch-Weld™ Multi-Material Composite Urethane Adhesive DP6310NS is a multi-purpose urethane adhesive for bonding a variety of composites, plastics, metals and wood. It is a high-strength bonder with some flexibility to accommodate thermal expansion and contraction differences with dissimilar material bonding. It can replace rivets and screws in attaching composites to other substrates, providing a more aesthetically-pleasing, fatigue-resistant bond line. It also bonds well to most metals without requiring priming. Mixed work life at 72°F is approximately 9 minutes.

UPC	Size	Mix Ratio	Description	Case Qty/Units
0-00-76308-86407-1	48.5 mL	1:1	-	12 Each
0-00-76308-86398-2	400 mL	1:1	-	6 Each
0-00-76308-86782-9	5 gal	1:1	Part A	1 Each
0-00-76308-86748-5	5 gal	1:1	Part B	1 Each
0-00-76308-86783-6	50 gal	1:1	Part A	1 Each
0-00-76308-86749-2	50 gal	1:1	Part B	1 Each



3M™ Scotch-Weld™ Structural Plastic Adhesive DP8010

3M™ Scotch-Weld™ Structural Plastic Adhesive DP8010 is a two-part acrylic adhesive specially formulated to bond many low surface energy plastics, including many grades of polypropylene, polyethylene, and thermoplastic elastomers (TPEs) without special surface preparation.

UPC	Size	Mix Ratio	Mixing Nozzles	Case Qty/Units
0-00-51115-71600-3	45 mL	10:1	45 mL Square Orange	12 Each



3M™ Scotch-Weld™ Acrylic Adhesive DP8405NS

3M™ Scotch-Weld™ Acrylic Adhesive DP8405NS is a non-sag, tough, two-part acrylic adhesive. This toughened product provides improved adhesion to many plastics and metals, including those with slightly oily surfaces. It is a durable product that features a fast rate of strength build to provide structural strength in just minutes.

UPC	Size	Mix Ratio	Mixing Nozzles	Case Qty/Units
0-00-51115-68964-2	490 mL	10:1	490 mL Square Green or Helical Orange	6 Each



3M™ Scotch-Weld™ Metal Bonder Acrylic Adhesive DP8407NS

3M™ Scotch-Weld™ Metal Bonder Acrylic Adhesive DP8407NS is a gray structural adhesive with high overlap shear and peel strength with good impact resistance and durability. This adhesive was designed to bond permanently to bare metals with minimal surface preparation, but also bonds well to a wide variety of other materials, including most plastics.

UPC	Size	Mix Ratio	Mixing Nozzles	Case Qty/Units
0-06-38060-14631-6	45 mL	10:1	45 mL Square Orange	12 Each



3M™ Scotch-Weld™ Acrylic Adhesive DP8410NS

This non-sag, toughened, two-part acrylic adhesive provides improved adhesion to many plastics and metals, including those with slightly oily surfaces. It is a durable product that features a fast rate of strength build to provide structural strength in just minutes. Green. Mixed work life at 75°F is approximately 10 minutes.

UPC	Size	Mix Ratio	Mixing Nozzles	Case Qty/Units
0-00-51115-70994-4	45 mL	10:1	45 mL Square Orange	12 Each
0-00-51115-70995-1	490 mL	10:1	490 mL Square Green or Helical Orange	6 Each



3M™ Scotch-Weld™ Low Odor Acrylic Adhesive DP8805NS

The standard low-odor, non-sag, toughened, two-part acrylic adhesive. This adhesive is an ideal choice for a wide variety of industrial and commercial applications since it reaches structural strength twice as fast as most other competitive acrylic adhesives with a comparable open time. Bonds difficult surfaces such as powder coats and oily surfaces. Green. Mixed work life at 75°F is approximately 5 minutes.

UPC	Size	Mix Ratio	Mixing Nozzles	Case Qty/Units
0-00-76308-98433-5	45 mL	10:1	45 mL Square Orange	12 Each
0-00-76308-98439-7	490 mL	10:1	490 mL Square Green or Helical Orange	6 Each

Two-Part Structural Adhesives (cont.)



3M™ Scotch-Weld™ Low Odor Acrylic Adhesive DP8810NS

3M™ Scotch-Weld™ Low Odor Acrylic Adhesive DP8810NS is a low-odor, non-sag, toughened, two-part acrylic adhesive. This adhesive is an ideal choice for a wide variety of industrial and commercial applications since it reaches structural strength twice as fast as most other competitive acrylic adhesives with a comparable open time.

UPC	Size	Mix Ratio	Mixing Nozzles	Color	Case Qty/Units
0-00-76308-86152-0	45 mL	10:1	45 mL Square Orange	Gray	12 Each
0-00-51128-99432-0	45 mL	10:1	45 mL Square Orange	Green	12 Each
0-00-76308-98485-4	490 mL	10:1	490 mL Square Green or Helical Orange	Gray	6 Each
0-00-51128-99431-3	490 mL	10:1	490 mL Square Green or Helical Orange	Green	6 Each



3M™ Scotch-Weld™ Toughened Epoxy Adhesive LSB60

3M™ Scotch-Weld™ Toughened Epoxy Adhesive LSB60 is a high performance, two-part toughened epoxy adhesive that offers outstanding shear adhesion and very high durability. With a 90 minute work life and easy 1:1 mix ratio by weight or volume, this epoxy is often used for bulk application through meter mix dispensing equipment and the manufacture of large panel products including honeycomb panels.

UPC	Size	Mix Ratio	Color	Case Qty/Units
0-00-51115-63418-5	55 Gallon - Part A	1:1	Gray	1 Drum
0-00-51115-63417-8	55 Gallon - Part B	1:1	Gray	1 Drum



3M™ Scotch-Weld™ Toughened Epoxy Adhesive LSB360NS

3M™ Scotch-Weld™ Toughened Epoxy Adhesive LSB360NS is a high performance, non-sag, two-part toughened epoxy adhesive that offers outstanding shear adhesion and very high durability. With a 10 hour work life and 1:1 mix ratio, this epoxy adhesive is often used for bulk application through meter mix dispensing equipment and the manufacture of large panel products including honeycomb panels.

UPC	Size	Mix Ratio	Color	Case Qty/Units
0-00-51115-64360-6	55 Gallon - Part A	1:1	Green	1 Drum
0-00-51115-64391-0	55 Gallon - Part B	1:1	Green	1 Drum



3M™ Universal Adhesive Clear

3M™ Universal Adhesive is a two-part, urethane adhesive designed to bond metal, glass and plastic substrates to each other and themselves. This high viscosity adhesive provides exceptional gap filling and works on many substrates. It delivers a fast work time for shop efficiency.

UPC	Volume	Color	Case Qty/Units
0-00-51135-08217-1	200 mL cartridge	Clear	6 Each

Applicators



3M™ Flexible Package Applicator

The 3M™ Flexible Package Applicator Gun is used to accurately dispense materials during the repair of interior and exterior seams and joints. It provides steady application of 3M Windshield Urethanes, Urethane and MSP Seam Sealers from 310 mL packages at a 12:1 ratio.

UPC	Size	Color	Case Qty/Units
0-00-51135-08398-7	310 mL	Metallic/Black	12 Each



3M™ Performance Manual Applicator

The 3M™ Performance Manual Applicator provides fully portable application of two-part adhesives for auto maintenance and repair jobs. Designed for use with 3M cartridges as small as 37.5 mL, these applicators dispense correctly mixed two-part bonding agents with no measuring — maximum efficiency on individual repair orders or where very little space or equipment is available.

UPC	Size	Color	Case Qty/Units
0-00-51135-08117-4	200 mL	Metallic/Black	1 Each



3M™ Professional Caulking Gun

The 3M™ Professional Caulking Gun is a high performance rod driven applicator gun for dispensing single component 3M caulks, sealants and adhesives in collision repair. Its cast steel construction holds up under challenging conditions, and its friction feed operation helps ensure smooth beads and professional results. Added features include a hanging hook and thumb activated pressure release.

UPC	Size	Color	Case Qty/Units
0-00-51135-08993-4	310 mL	Orange/Black	1 Each



3M™ Scotch-Weld™ EPX™ Manual Applicators

3M™ Scotch-Weld™ EPX™ (Exact Proportioning and mixing) Manual Applicators make dispensing two-component 3M™ Scotch-Weld™ Structural Adhesives clean, easy and with minimal waste. Manual hand motion drives the dual pistons directly into the Duo-Pak cartridge, applying equal pressure and feeding the two components of the adhesive directly into the mixing nozzle (sold separately). These manual applicators offer take-it-to-the-job convenience: no air hoses or electrical cords necessary.

UPC	Size*	Color	Case Qty/Units
0-00-76308-86383-8	EPX Plus II (37 mL, 45 mL, 48.5 mL, and 50 mL)	Gray	10 Each
0-00-51111-98073-6	200, 400, 490 mL	Green	1 Each
0-00-51115-71115-2	490 mL	Black	1 Each

*Use with Duo-Pak cartridges of corresponding size.



3M™ Performance Pneumatic Applicator

The 3M™ Performance Pneumatic Applicator is designed for dispensing 3M two-part adhesives and sealers. Ideal for large volume jobs, it dispenses a range of two-component repair epoxies quickly and smoothly, saving time and reducing rework. The snap-in cartridge system eliminates premixing and maximizes material use.

UPC	Size	Color	Case Qty/Units
0-00-51131-09930-2	200 mL	Black	1 Each



3M™ Dynamic Mixing Applicator

The 3M™ Dynamic Mixing System increases job productivity while ensuring the body repair quality you've come to expect from 3M. By mixing a wide-range of two-component products directly in the nozzle, the applicator quickly delivers the perfect ratio of product every time. Maximize productivity, reduce waste and increase profits with this innovative system — now a comprehensive solution including fillers, glazes, adhesives, sealers and plastic repair products.

UPC	Color	Case Qty/Units
0-00-51131-05846-0	Red/Black	1 Each

Applicators (cont.)



3M™ Scotch-Weld™ EPX™ Pneumatic Applicator

The 3M™ Scotch-Weld™ EPX™ (Exact Proportioning and mixing) Pneumatic Applicators make dispensing two-component 3M™ Scotch-Weld™ Structural Adhesives clean, easy and with minimal waste. Air pressure drives the dual pistons directly into the Duo-Pak (DP) cartridge, applying equal pressure and feeding the two components of the adhesive directly into the mixing nozzle (sold separately). The ergonomically designed pistol grip provides comfortable handling and precise control.

UPC	Size*	Color	Case Qty/Units
0-00-51115-69041-9	490 mL	Black	1 Each

*Use with Duo-Pak cartridges of corresponding size.



3M™ Scotch-Weld™ EPX™ Plungers

3M™ Scotch-Weld™ EPX™ Plungers for Manual Applicators drive a precise mix and smooth flow for 1:1, 2:1 and 10:1 3M™ Scotch-Weld™ Duo-Pak Cartridges in 43 mL, 45 mL and 200 mL sizes.

UPC	Size	Mix Ratio	Case Qty/Units
0-00-63806-01000-0	50 mL	1:1/2:1	10 Each
0-00-76308-86391-3	45 mL	10:1	10 Each

Nozzles and Tips



3M™ Dynamic Mixing System Nozzles

The 3M™ Dynamic Mixing System Nozzle is integral to fast, accurate mixing of two-part body repair products. Nozzles are specially designed for low waste mixing that thoroughly blends material to specific ratios. Choose the purple nozzles for DMS 1.5 adhesives and sealers. Nozzle extensions are available for adhesives and sealants to reduce bead size.

UPC	Packaging	Color	Case Qty/Units
0-00-76308-55847-5	50 nozzles per box	Purple	6 Boxes
0-00-76308-58207-4	12 nozzles per bag	Opaque	6 Bags



3M™ Scotch-Weld™ EPX™ Mixing Nozzles

Choose 3M™ Scotch-Weld™ EPX™ Mixing Nozzles for efficient application of 3M™ Scotch-Weld™ Structural Adhesives in Duo-Pak (DP) cartridges. Each nozzle provides thorough mixing and precise placement of two-part adhesives and potting compounds.

UPC	Shape	Size*	Color	Case Qty/Units
0-00-51115-69043-3	Square	45 mL	Orange	36 Each
0-00-76308-86434-7	Square	48.5/50 mL	Green	36 Each
0-00-63806-01003-1	Square	48.5/50 mL	Green	1200 Each
0-00-63806-01004-8	Helical	48.5/50 mL	White	72 Each
0-00-63806-01005-5	Helical	48.5/50 mL	White	2000 Each
0-00-21200-97331-4	Square	200 mL and 400 mL	Gold	36 Each
0-00-21200-87982-1	Helical	200 mL and 400 mL	White	36 Each
0-00-51115-69042-6	Helical High Throughput	490 mL	Orange	36 Each
0-00-51115-81619-2	Square Low Waste	490 mL	Green	36 Each

*Use with Duo-Pak cartridges of corresponding size.

Adhesive Applicators

Spreaders



3M™ Spreaders

The 3M™ Spreaders are specifically designed for spreading body and fiberglass fillers, finishing putties and resins. This spreading tool is flexible, yet rigid enough to be easily grasped even through protective gloves. Its sharp edge makes for precise application. And cured body filler pops off the non-absorbent spreader with a simple twist, saving cleanup time and making for long product life.

UPC	Size	Color	Case Qty/Units
0-00-51131-05842-2	4 in	Yellow	50 Each



Dynatron™ Yellow Spreader

Dynatron™ Yellow Spreader helps smooth body fillers, putties and glazes being used in the automotive repair process. The spreader smooths out auto body repair products so they are flush with the repair area.

UPC	Size	Color	Case Qty/Units
0-00-76308-00354-8	5 in	Yellow	144 Each

Applicator Accessories



3M™ Disposable Paper Mixing Board

The 3M™ Disposable Paper Mixing Board is a clean, cost-effective solution for auto body professionals who regularly mix filler. Unlike cardboard, these 10 inch x 13 inch paper sheets are non-porous and won't react with solvents common in many body fillers. This means no contamination of the filler. When mixing is done, simply tear the sheet off for a fresh mixing surface to save cleanup time.

UPC	Product ID	Size	Color	Case Qty/Units
0-00-51593-20382-8	20382	10 in x 13 in	White	12 Each



General Purpose Cleaners



3M™ Adhesive Remover

3M™ Adhesive Removers are excellent for removing adhesive residue, or for cleaning surfaces prior to bonding. It cleans and removes heavy oils, grease, silicone, tar, paraffinic materials and wax, labels, stickers, dirt, marker graffiti, gum and other soil and contaminants from a variety of substrates. Not for Retail/Consumer sale or use in CA and other states. Consult local air quality rules before use.

UPC	Size	Description	Color	Case Qty/Units
0-00-21200-49142-9	1 gal	1 gal	Pale Yellow	4 Each
0-00-21200-49048-4	18.5 oz	24 fl oz	Pale Yellow	6 Each

Not for Retail/Consumer sale or use in CA and other states. Consult local air quality rules before use.



3M™ Industrial Cleaner Citrus Base

3M™ Industrial Cleaner Citrus Base is ideal for helping dissolve and remove dirt, grease, tar and many non-curing type adhesives. It is a citrus oil based cleaner and contains no petroleum distillates. Not for sale or use in California. Consult local air quality rules before use.

UPC	Size	Description	Color	Case Qty/Units
0-00-21200-76394-6	18.5 oz	24 fl oz	Transparent	12 Each

Not for Retail/Consumer sale or use in CA and other states. Consult local air quality rules before use.

Exterior Cleaners



3M™ General Purpose Adhesive Cleaner

3M™ General Purpose Adhesive Cleaner removes adhesive residue with ease. This special formula is tough on adhesive residue but gentle on paint, vinyl and fabric when used as directed. This adhesive cleaner is available as a spray on aerosol or in a 1 quart can for convenience.

UPC	Size	Color	Case Qty/Units
0-00-51135-08984-2	1 qt	Clear	6 Each
0-00-51135-08987-3	15 fl oz	Clear	12 Each

Not for Retail/Consumer sale or use in CA and other states. Consult local air quality rules before use.



3M™ Prep Solvent-70

3M™ Prep Solvent-70 effectively removes oils, wax, grease, and silicone from surfaces prior to coating. Use this water-based solvent to clean metal, primed metal and painted surfaces prior to the application of primer and paint.

UPC	Size	Case Qty/Units
0-00-51135-08983-5	1 gal	4 each



3M™ High Power Brake Cleaner

3M™ High Power Brake Cleaner blasts away loose friction material, dirt, dust, brake fluid, and other contaminants from all types of brake assemblies. Its fast cleaning action quickly softens and dissolves grease and oil. Its unique chemistry has a low odor, it dries quickly, leaves no residue, and helps eliminate brake noises due to surface contamination. It contains no Chlorinated Solvents.

UPC	Size	Description	VOC Content	Case Qty/Units
0-00-51135-08880-7	14 oz	3M High VOC Brake Cleaner	100%	12 Cans
0-00-51135-08180-8	14 oz	3M Medium VOC Brake Cleaner	Less than 45%	12 Cans
0-00-51135-08179-2	14 oz	3M Low VOC Brake Cleaner	Less than 10%	12 Cans

Not for Retail/Consumer sale or use in CA and other states. Consult local air quality rules before use.

Exterior Cleaners (cont.)



3M™ Glass Cleaner

3M™ Glass Cleaner restores clarity and puts the sparkle back into automotive glass. This special formula resists streaking on all glass surfaces, including windows, windshields, mirrors and side glass. It is also gentle and safe to use on plastic, chrome and metal. Aerosol can makes glass cleaner convenient to apply.

UPC	Size	Description	Case Qty/Units
0-00-51135-08888-3	19 oz	White foam	12 Cans

Detailing



3M™ Perfect-It™ Clean and Shine

3M™ Perfect-It™ Clean and Shine is designed for efficient cleanup following auto body panel paint finishing. The spray formula offers efficient cleaning of compound and polish residue with an easy spray-on, wipe-off application. It produces a high gloss shine for a flawless finish.

UPC	Size	Color	Case Qty/Units
0-00-51131-06084-5	1 pt	Off White	6 Each



3M™ Tack Cloth

3M™ Tack Cloth is ideal for critical cleanup and removal of dust, lint and other particles from auto body surfaces before painting. This cloth features a very light adhesive that draws dust and sanding particles into it, yet it does not leave drag marks on the surface or adhesive on the hands.

UPC	Product ID	Size	Color	Case Qty/Units
0-00-51144-03192-4	03192	17 in x 36 in	White	40 Each

Hand Cleaner



3M™ Paint Buster™ Hand Cleaner

3M™ Paint Buster™ Hand Cleaner is specifically formulated for cleaning the skin when soap and water may not be enough. This easily-dispensed, paste type shop hand cleaner is excellent for removing materials common in collision repair, such as auto paints and primers, putties and plastic fillers, adhesives and automotive sealants.

UPC	Size	Case Qty/Units
0-00-51131-05975-7	9.75 fl oz	12 Each

Disinfectant



3M™ Disinfectant Cleaner RCT Concentrate

EPA-registered, quaternary disinfectant cleaner for use in hospitals. Kills HIV-1, HBV, MRSA, VRE, KPC, Acinetobacter and other pathogens in 3 minutes at 1:256 dilution. Kills Norovirus in 5 minutes at 1:128 dilution. Fragrance-free and dye-free. 1 gallon bottle of concentrate yields 257 ready-to-use gallons at 1:256 dilution.

UPC	Size	Case Qty/Units
5-00-51125-85785-2	1 Gallon	4 Each

Corrosion Protection and Lubricant

Anti-Corrosion Sprays



3M™ Cavity Wax Plus

3M™ Cavity Wax Plus is a non-hardening, self-healing corrosion protection coating for internal auto body panels and structural enclosures, as well as new replacement parts. It is designed to cover and seal internal joints, hem flanges and other areas where OEM e-coat may be compromised. It will not chip, peel or crack. Use the 3M™ Cavity Wax Plus Wand Kit for 360° coverage.

UPC	Size	Description	Color	Case Qty/Units
0-00-51135-08822-7	18 fl oz	-	White	4 Each
0-00-51131-38854-3	18 fl oz	-	Amber	4 Each
0-00-51135-08851-7	8 in, 24 in and 34 in	Applicator Wand Kit	-	1 Kit



3M™ Weld-Thru Coating II

3M™ Weld-Thru II is a convenient aerosol coating designed to prevent corrosion between welded metal surfaces. Featuring a zinc base that draws corrosion away from bare metals, it helps prevent costly comebacks due to corrosion at welds. Spray coating applies fast, resists weld spatter common to some weldable primers and dries in as little as five minutes, increasing shop efficiency and productivity.

UPC	Size	Dry Time	Color	Case Qty/Units
0-00-51131-05917-7	12.75 fl oz	10 min	Gray	6 Each

Undercoatings



3M™ Dynatron™ Dyna-Pro™ Paintable Rubberized Undercoating

3M™ Dynatron™ Dyna-Pro™ Paintable Rubberized Undercoating forms a durable barrier against weather, chipping, salt spray and rust — almost like applying a layer of rubber to vulnerable auto undercarriages. Fast-drying, flexible coating combines easy brush or spray on application with superior sealing and corrosion resistance, and accepts standard refinish auto paint systems to help match any OEM color.

UPC	Size	Dry Time	Color	Case Qty/Units
0-00-76308-00544-3	1 gal	2 hrs	Black	4 Each
0-00-76308-06546-1	5 gal	2 hrs	Black	1 Pail



3M™ No Cleanup High Coverage Body Schutz™ Coating

3M™ No Cleanup High Coverage Body Schutz™ Coating delivers the corrosion resistance, abrasion resistance and sound deadening capabilities of a premium rubberized undercoating without the costly cleanup. This tough undercoat is formulated for excellent high-coverage spray patterns when used with 3M™ No Cleanup application equipment. Undercoat is high-build and dries in as little as 30 minutes.

UPC	Size	Dry Time	Color	Case Qty/Units
0-00-51135-08964-4	22.4 oz	30 min	Black	6 Each



3M™ Rubberized Undercoating

3M™ Rubberized Undercoating produces a textured finish which resists chipping, abrasion, exterior rusting and weathering. Provides one-coat build-up with no dripping, running or sagging.

UPC	Size	Dry Time	Color	Case Qty/Units
0-00-51131-08883-2	19.7 oz	30 min	Black	6 Each

Corrosion Protection and Lubricant

Undercoatings (cont.)



3M™ Undercoating

3M™ Undercoating protects vulnerable automotive metal parts from corrosion and abrasion. Specifically designed for automotive undercarriages, wheel wells and body panels — quarter panels, under hoods, trunks, undersides of floor pans — it's equally effective in many other automotive applications. Multi-purpose aerosol undercoating is available in a rubberized formula that can be painted.

UPC	Size	Dry Time	Color	Case Qty/Units
0-00-51135-08881-4	16 oz	30 min	Black	6 Each
0-00-51131-08882-5	17 oz	30 min	Black	6 Each



3M™ Rocker Panel Coating

3M™ Rocker Panel Coating is a resilient coating designed to protect vehicle surfaces where they are vulnerable — on rocker panels, and other lower auto body panels and parts exposed to impact from gravel and stones. Formulated to match coarser OEM textures, this coating forms an extra layer over primer and under paint. The light gray coating is compatible with many common automotive paints.

UPC	Size	Color	Case Qty/Units
0-00-51135-08889-0	23 oz	Gray	6 Each

Acoustic Insulation



3M™ Sound Deadening Pads

3M™ Sound Deadening Pads make riding in a vehicle more pleasant by suppressing road noise, sound system vibrations, rattles and other distracting noises. This sound deadening pad is a conformable, self-adhesive sheet that can be easily custom cut and applied to vehicle floor pans, engine compartments, hoods, deck lids, inside doors and on body panels.

UPC	Size	Case Qty/Units
0-31-34375-38543-5	500 mm x 500 mm	10 Each

General Purpose Lubricant



3M™ White Grease

3M™ White Grease is a heavy-bodied, lithium grease-based aerosol lubricant. It provides good performance under high-friction loads, rubbing, and wiping action. It is excellent for general applications on all metal moving parts.

UPC	Size	Color	Case Qty/Units
0-00-51135-08875-3	10.5 oz	White	12 Each



Post-it® Extreme Notes

When conditions make communication tough, Post-it® Extreme Notes make leaving notes and reminders simple, so you can get the work done. Made with Dura-Hold™ Paper and Adhesive, these notes will hold up in hot, cold and wet conditions. They stick to tough and textured surfaces like concrete, raw and painted wood, and tile. Make sure your message is seen with a note that sticks in tough conditions.

UPC	Packaging	Size	Colors	Case Qty/Units
0-06-38060-07572-2	3 Pads/Pack, 45 Sheets/Pad	3 in x 3 in	Orange, Green, Yellow	48 Packs
0-06-38060-07580-7	12 Pads/Pack, 45 Sheets/Pad	3 in x 3 in	Orange, Green, Yellow, Mint	12 Packs

Not recommended for use on paper or delicate surfaces. For best results, apply to dry surface to hold in wet conditions.



Post-it® Super Sticky Notes

Post-it® Super Sticky Notes in 3 in x 3 in feature 2x the sticking power. Use for notes or reminders on doors, windows or walls. Unique adhesive reliably sticks and resticks so your message can stay front and center. Move your notes with you throughout the day.

UPC	Packaging	Size	Colors	Case Qty/Units
0-00-51141-37489-5	24 Pads/Pack, 70 Sheets/Pad	3 in x 3 in	Marrakesh Collection	8 Packs
0-00-51141-37488-8	24 Pads/Pack, 70 Sheets/Pad	3 in x 3 in	Rio de Janeiro Collection	8 Packs



Post-it® Super Sticky Easel Pad

It's an amazing feeling when your team just clicks — everyone feels a shared drive toward success. But, how do you ignite that feeling on every team? Capture the spark at your next meeting with Post-it® Super Sticky Easel Pads. Adhesive backed sheets stick and restick to hold up to 2X longer* to most wall surfaces, unlike flip chart paper. The paper resists marker bleed through so you can capture input by writing directly on the sheet. Use with Post-it® Super Sticky Notes to organize ideas. Download the free Post-it® App to instantly capture and save your work so you can share notes with the team without recaps or delays.

UPC	Packaging	Size	Colors	Case Qty/Units
0-00-21200-70726-1	30 Sheets/Pad	25 in x 30 in	White	2 Pads
5-00-21200-46815-0	30 Sheets/Pad	25 in x 30 in	White	4 Pads
5-00-51131-97934-0	30 Sheets/Pad	25 in x 30 in	White	6 Pads

*versus other national brands.



Post-it® Flex Write Surface, The Permanent Marker Whiteboard Surface

Transform your space by resurfacing a blackboard, stained whiteboard or cover an entire wall. With the use of permanent markers, there is less chance of accidental smearing or erasing, and the permanent marker wipes away with just water. While only water is needed to wipe away permanent marker, Post-it® Flex Write Surface is also safe for use with common disinfectant sprays. It's been tested with common disinfectant sprays found in medical facilities, however, as always be sure to follow the manufacturer's instructions. Designed for one-time wall application for long-term use. Limit attempts to reposition the film as repositioning the film could result in permanent damage to the writing surface including permanent creases or imperfections to the writing surface and is not recommended usage.

UPC	Size	Colors	Case Qty/Units
0-06-38060-27662-4	3 ft x 2 ft	White	6 Rolls
0-06-38060-27661-7	4 ft x 3 ft	White	6 Rolls
0-06-38060-27660-0	6 ft x 4 ft	White	6 Rolls
0-06-38060-27659-4	8 ft x 4 ft	White	6 Rolls
0-06-38060-27666-2	50 ft x 4 ft	White	1 Roll

Compounds and Polishes



3M™ Perfect-It™ EX AC Rubbing Compound

3M™ Perfect-It™ EX AC Rubbing Compound is 3M's best-performing rubbing compound for removing P1200+ sand scratches and surface defects in auto surfaces before polishing, even on the latest clear coats. It is formulated to perform in all conditions, including high heat and humidity, without sticking to panels or leaving film residue. It delivers a longer working time, yet still reduces sling for easier cleanup.

UPC	Size	Color	Case Qty/Units
0-00-51131-36060-0	1 qt	White	6 Each
0-00-51131-36061-7	1 gal	White	4 Each



3M™ Perfect-It™ EX Machine Polish

3M™ Perfect-It™ EX Machine Polish is the highest-performing machine polish 3M has ever introduced for removing compound swirl marks in collision repair. It stays wet longer, letting you use less polish for the same refined finish. Yet it also holds better on the pad for reduced sling and easier cleanup. You get smooth, polished surfaces without compound swirl marks — faster, and at less cost.

UPC	Size	Color	Case Qty/Units
0-00-51131-06094-4	1 qt	Black	6 Each
0-00-51131-06095-1	1 gal	Black	4 Each



3M™ Perfect-It™ EX Ultrafine Machine Polish

3M™ Perfect-It™ EX Ultrafine Machine Polish quickly and completely removes ultrafine swirl marks, even on difficult dark-colored vehicles. It stays wet longer, letting you use less material for a refined finish. Yet it also holds better on the pad for reduced sling and faster cleanup. You get polished surfaces without machine polish swirl marks — all at lower material costs and process times.

UPC	Size	Color	Case Qty/Units
0-00-51131-06068-5	1 qt	Blue	6 Bottles



3M™ Perfect-It™ 1-Step Finishing Material

3M™ Perfect-It™ 1-Step Finishing Material essentially compounds and polishes in one step — eliminating the time and expense of compounding when used as part of the 3M™ Perfect-It™ 1-Step Paint Finishing System. Like all 3M™ Perfect-It™ compounds and polishes, it delivers a longer working time yet still reduces sling for easier cleanup.

UPC	Size	Color	Case Qty/Units
0-00-51131-33039-9	1 qt	Purple	6 Each
0-00-51131-33040-5	1 gal	Purple	4 Each



3M™ Rubbing Compound

3M™ Rubbing Compound quickly removes sand scratches, oxidation, coarse swirl marks and water spots. This liquid compound leaves minimal swirl marks and is safe for clear coats, lacquer and enamel paint finishes. This car rubbing compound makes dull and tired looking auto body finishes look new and glossy once again.

UPC	Size	Color	Case Qty/Units
0-00-51131-05974-0	1 gal	Tan	4 Each



3M™ Machine Polish

3M™ Machine Polish effectively removes compound swirl marks and minor surface defects to restore the beauty of automotive finishes. It leaves a swirl-free finish when applied with a 3M™ Foam Polishing Pad, PN 05725. 3M™ Machine Polish contains no waxes or silicones. This machine polish quickly removes compound swirl marks even on dark-colored vehicles.

UPC	Size	Color	Case Qty/Units
0-00-51131-05996-2	1 qt	Gray	6 Each

Compounds and Polishes



3M™ Hand Glaze

3M™ Hand Glaze provides a deep finish that restores the OEM appearance of a vehicle. The professional-quality formula creates a “show car shine” without the use of any wax or silicone. A gloss-optimized formula enhances the brilliance of the shine. This formula is both paint shop and clear coat safe.

UPC	Size	Color	Case Qty/Units
0-00-51131-05990-0	1 qt	Brown	6 Each



3M™ Super Duty Rubbing Compound

3M™ Super Duty Rubbing Compound is an aggressive compound that removes 1000 and finer sand scratches on all types of paint surfaces and gelcoats. This compound remains wet on the job with little or no mess, maintains high rate of cut with constant pressure and buffs to high gloss with minimum effort. It can be used by hand or machine.

UPC	Size	Color	Case Qty/Units
0-00-51131-05954-2	1 qt	Tan	6 Each
0-00-51131-05955-9	1 gal	Tan	4 Each



3M™ Extra Cut Rubbing Compound

3M™ Extra Cut Rubbing Compound provides a fast cut while leaving a fine swirl mark finish on all modern paint systems. Compound removes P1200 and finer sand scratches while providing excellent handling characteristics with easy cleanup.


UPC	Size	Color	Case Qty/Units
0-00-51131-06061-6	1 gal	White	4 Each



3M™ Finesse-it™ II Machine Polish

3M™ Finesse-it™ II Machine Polish removes microfine scratches, swirl marks, light oxidation and other minor or everyday surface imperfections and returns car surfaces to a flawless, wet-look shine. It is an excellent product to use following fine grade sanding and requires only light to medium pressure for immaculate results.

UPC	Size	Color	Case Qty/Units
0-00-51131-05928-3	1 qt	White	6 Each



Body Fillers and Filler Hardeners

Body Fillers



3M™ Lightweight Body Filler

3M™ Lightweight Body Filler repairs dents, dings, and other cosmetic imperfections on bare steel, aluminum and fiberglass reinforced polyester (FRP). This automotive body filler may also be used on many industrial and architectural surfaces needing cosmetic repairs.

UPC	Size	Description	Dry Time	Color	Case Qty/Units
0-00-51131-05800-2	1 qt	Can	20 min	Gray/Red	6 Cans
0-00-51131-05801-9	1 gal	Can	20 min	Gray/Red	4 Cans
0-00-51131-05804-0	5 gal	Mechanical Pail	20 min	Gray/Red	1 Pail



3M™ Milled Fiberglass Body Filler

3M™ Milled Fiberglass Body Filler features short strand chopped and milled fiberglass, making it an excellent reinforcement for repairing holes, cracks and tears in fiberglass as well as metal and SMC. Ideal for automotive and marine repair, this waterproof fiberglass body filler features a two-part high-resin formula that delivers smooth spreading, excellent sag resistance and bond gapping.

UPC	Size	Description	Dry Time	Color	Case Qty/Units
0-00-51131-05816-3	1 gal	Can	20 min	Red	4 Cans



3M™ Platinum™ Plus Filler

3M™ Platinum™ Plus Filler is a premium gold colored body filler that offers excellent surface adhesion to properly prepared steel, galvanized steel, aluminum, e-coat, SMC and FRP, concrete and wood substrates.

UPC	Size	Description	Dry Time	Color	Case Qty/Units
0-00-51131-05863-7	276 mL	Cartridge	4 min	Gold	6 Each
0-00-51593-01131-7	1 gal	Can	20 min	Gold	4 Cans
0-00-51131-31125-1	3 gal	Mechanical Pail	20 min	Gold	1 Pail
0-00-51131-31139-8	5 gal	Mechanical Pail	20 min	Gold	1 Pail



3M™ Dynamic Mixing System Nozzle for Fillers and Glazes

The 3M™ Dynamic Mixing System Nozzle is integral to fast, accurate mixing of two-part body repair products. Nozzles are specially designed for low waste mixing that thoroughly blends material to specific ratios. Choose the DMS 1.0 red nozzle for fillers and glazes. Nozzle extensions are available for adhesives and sealants to reduce bead size.

UPC	Packaging	Color	Case Qty/Units
0-00-51131-05847-7	50 nozzles per carton	Red	6 Cartons

Filler Hardeners



3M™ Cream Hardener

3M™ Cream Hardener mixes with two-part fillers, putties and glazes to create high-quality, long-lasting repairs. When filler and hardener are mixed, a chemical reaction occurs to create a mixture that will deliver a strong, lasting repair. This hardener is smooth and easy to mix in.

UPC	Size	Description	Color	Case Qty/Units
0-00-51131-05766-1	2.75 fl oz	Tube	Blue	12 Tubes
0-00-51131-05830-9	2.75 fl oz	Tube	Red	12 Tubes

Putties and Glazes

Putties



3M™ Acryl Putty

3M™ Acryl Putty restores smooth surfaces by filling small pinholes, scratches, stone chips and other minor blemishes in automotive and marine finishes. This acrylic putty offers easy sanding, smooth spreading and low shrinkage.

UPC	Size	Dry Time	Color	Case Qty/Units
0-00-51131-05095-2	14.5 fl oz	25 min	White	12 Tubes
0-00-51131-05096-9	14.5 fl oz	25 min	Green	12 Tubes
0-00-51131-05098-3	14.5 fl oz	20 min	Red	12 Tubes



3M™ Platinum™ Plus Putty

3M™ Platinum™ Plus Putty achieves extreme adhesion to a variety of substrates, including challenging materials such as galvanized steel, aluminum, e-coat, fiberglass, SMC, cured epoxy and urethane primers. This putty is vacuum-processed to be pinhole free.

UPC	Size	Dry Time	Color	Case Qty/Units
0-00-51131-33003-0	1 qt	15 min	White	6 Cans

Glazes



3M™ Advanced Finishing Glaze

3M™ Advanced Finishing Glaze is a two-component, self-leveling putty designed for use as a “skin coat” over body fillers to fill pinholes, sand scratches, low areas and other imperfections. This finishing glaze adheres well to steel, aluminum, SMC, fiberglass and OEM paint.

UPC	Size	Dry Time	Color	Case Qty/Units
0-00-51131-05821-7	24 oz	20 min	Off-White	6 Each



3M™ Flowable Finishing Glaze

3M™ Flowable Finishing Glaze fills pinholes, minor dents, gouges, scratches and stone chips in prepared body filler, steel, galvanized steel, aluminum, SMC, fiberglass and OEM paint. This two-component flowable polyester material helps collision repair shops restore the appearance of vehicles. It helps minimize staining that can occur with basecoats and clearcoats over economy body filler.

UPC	Size	Dry Time	Color	Case Qty/Units
0-00-51131-05824-8	24 oz	20 min	Red	6 Each



3M™ Platinum™ Plus Glaze

3M™ Platinum™ Plus Glaze is a two-part premium self-leveling finishing glaze that can repair minor imperfections on properly prepared substrates such as galvanized steel, steel, aluminum, fiberglass, wood, SMC, e-coat, OEM topcoats, cured/sanded epoxy and urethane primers. This finishing glaze cuts the sanding time to as little as 15 minutes.

UPC	Size	Description	Dry Time	Color	Case Qty/Units
0-00-51593-03180-3	24 oz	Squeeze-tube	20 min	Mint Green	6 Each
0-00-51131-31180-0	30 oz	Pump	20 min	Mint Green	6 Each



3M™ Dent Finishing Glaze for DMS

The 3M™ Dent Finishing Glaze is a two-part polyester glaze with excellent flow-ability, ideal for filling minor imperfections in sheet metal and as a “skin coat” over body fillers. This self-leveling formula creates a smooth “skin” coating over pinholes, sand scratches and low areas. Dent finishing glaze is part of the 3M™ Dynamic Mixing System.

UPC	Size	Dry Time	Case Qty/Units
0-00-51131-05857-6	276 mL	20 min	6 Each



3M™ Fire Barrier Sealant IC 15WB+

Engineered to form a monolithic seal after drying, 3M™ Fire Barrier Sealant IC 15WB+ is a yellow, one-part, gun-grade, intumescent firestop sealant that provides up to 3-hour fire protection in tested and listed systems. This helps prevent the spread of fire, smoke and noxious gas, while also acting as an acoustic barrier to help minimize noise transfer.

UPC	Size	Container	Color	Case Qty/Units
0-00-51115-16557-3	10.1 fl oz	Cartridge	Yellow	12 Cartridges
0-00-51115-16560-3	20 fl oz	Sausage Pack	Yellow	10 Each
0-00-51115-16558-0	4.5 gal	Pail	Yellow	1 Pail



3M™ Fire Barrier Sealant CP 25WB+

This fire sealant is formulated to dry and form a monolithic firestop seal that also acts as a barrier to airborne sound transmission. 3M™ Fire Barrier Sealant CP 25WB+ is a red, one-component, gun-grade, latex-based, intumescent firestop sealant. This fire barrier sealant helps control the spread of fire, smoke and noxious gases before, during and after exposure to a fire.

UPC	Size	Container	Color	Case Qty/Units
0-00-51115-11638-4	10.1 fl oz	Cartridge	Red	12 Cartridges
0-00-51115-11641-4	27 fl oz	Cartridge	Red	6 Cartridges
0-00-51115-11642-1	20 fl oz	Sausage Pack	Red	10 Each
0-00-51115-11639-1	2 gal	Pail	Red	1 Pail
0-00-51115-11640-7	5 gal	Pail	Red	1 Pail



3M™ Fire Barrier Sealant FD 150+

3M™ Fire Barrier Sealant FD 150+ is a gun-grade, latex-based, elastomeric sealant that cures upon exposure to the atmosphere to form a monolithic flexible firestop seal. When properly installed, this sealant helps control the spread of fire, smoke and noxious gases before, during and after exposure to a fire and exhibits excellent adhesion to a full range of construction substrates.

UPC	Size	Container	Color	Case Qty/Units
0-00-51115-18812-1	10.1 fl oz	Cartridge	Red	12 Cartridges
0-00-51115-18810-7	20 fl oz	Sausage Pack	Red	12 Each
0-00-51115-18811-4	28 fl oz	Cartridge	Red	6 Cartridges
0-00-51115-18813-8	4.5 gal	Pail	Red	1 Pail



3M™ Fire Barrier Silicone Sealant 2000+

3M™ Fire Barrier Silicone Sealant 2000+ is an elastomeric, ready-to-use, single-component, neutral-cure silicone sealant that cures upon exposure to atmospheric humidity. This sealant is designed to form a flexible firestop seal that also acts as a barrier to airborne sound transmission. This product is firestop tested up to three hours in accordance with ASTM E 814 (UL 1479) and CAN/ULC S115.

UPC	Size	Container	Color	Case Qty/Units
0-00-51115-11558-5	10.3 fl oz	Cartridge	Light Gray	12 Cartridges
5-00-51115-11559-7	4.5 gal	Pail	Light Gray	1 Pail



3M™ Fire Barrier Water Tight Sealant 3000 WT

3M™ Fire Barrier Water Tight Sealant 3000 WT is a gun-grade, intumescent, silicone, elastomeric sealant that cures upon exposure to the atmosphere to form a monolithic flexible firestop seal. Properly installed, this sealant helps control the spread of fire, smoke and noxious gases before, during and after exposure to fire and exhibits good adhesion to a full range of construction substrates.

UPC	Size	Container	Color	Case Qty/Units
0-00-51115-16593-1	10.1 fl oz	Cartridge	Gray with Dark Flecks	12 Cartridges
0-00-51115-18788-9	20 fl oz	Sausage Pack	Gray with Dark Flecks	12 Each
5-00-51115-16594-3	4.5 gal	Pail	Gray with Dark Flecks	1 Pail



3M™ Clean-Walk Framed Mat 5840

3M™ Clean-Walk Framed Mat 5840 is a pad with a multiple layer sticky mat with individually tabbed layers on a portable frame. To expose an adhesive surface, just peel the top sheet back. Contains antimicrobial properties that help inhibit fungal growth in the mat.

UPC	Size	Description	Color	Case Qty/Units
0-00-21200-55724-8	31.5 in x 25.5 in	60 sheets per mat	Black Frame, White Pad	1 Frame, 1 Pad
0-00-21200-55723-1	31.5 in x 25.5 in	60 sheets per mat	White Frame, White Pad	1 Frame, 1 Pad
0-00-21200-55722-4	30 in x 24 in	Replacement Mats, 60 sheets per mat	White	2 Mats




3M™ Clean-Walk Mat 5830 and 5836

These adhesive-coated mats remove dirt and other contaminants from the bottom of shoes, wheels or any passing objects. Removal of particulates prevents contamination in sensitive operations such as clean rooms or paint areas. Reduces maintenance and replacement costs due to premature wear of flooring surfaces. Unframed.

UPC	Product ID	Size	Description	Color	Case Qty/Units
0-00-21200-55730-9	5830	18 in x 36 in	30 sheets per mat	White	4 Mats
0-00-21200-96835-8	5830	18 in x 46 in	30 sheets per mat	White	4 Mats
0-00-21200-55728-6	5830	25 in x 45 in	30 sheets per mat	White	4 Mats
0-00-21200-55727-9	5836	18 in x 36 in	60 sheets per mat	White	4 Mats
0-00-21200-74244-6	5836	18 in x 46 in	60 sheets per mat	Gray	4 Mats
0-00-21200-96836-5	5836	18 in x 46 in	60 sheets per mat	White	4 Mats
0-00-21200-95740-6	5836	24 in x 36 in	60 sheets per mat	White	4 Mats
0-00-21200-99489-0	5836	25 in x 45 in	60 sheets per mat	Blue	4 Mats
0-00-21200-55725-5	5836	25 in x 45 in	60 sheets per mat	White	4 Mats
0-00-21200-95742-0	5836	36 in x 46 in	60 sheets per mat	White	4 Mats
0-00-21200-95745-1	5836	48 in x 60 in	60 sheets per mat	White	4 Mats






3M™ Safety-Walk™ Coarse Tapes and Treads 700 Series

Heavy duty industrial application slip-resistant tape. NFSI certified high-traction.

UPC	Product ID	Size	Description	Color	Case Qty/Units
0-00-48011-34729-5	710	6 in x 24 in	Tread	Black	25 Each
0-00-48011-34730-1	710	4 in x 30 ft	Roll	Black	1 Each
0-00-48011-34731-8	710	6 in x 30 ft	Roll	Black	1 Each
0-00-48011-34734-9	710	24 in x 30 ft	Roll	Black	1 Each
0-00-48011-59240-4	770	24 in x 30 ft	Roll	Gray	1 Each



3M™ Safety-Walk™ Slip-Resistant Medium Resilient Tapes and Treads 300 Series

A resilient, non-mineral, slip-resistant material. The medium-textured surface is comfortable for bare feet, yet holds up well under light shoe traffic. NFSI certified high-traction.


UPC	Product ID	Size	Description	Color	Case Qty/Units
5-00-48011-19292-0	310	6 in x 24 in	Tread	Black	50 Each
5-00-48011-19293-7	310	1 in x 60 ft	Roll	Black	4 Each
5-00-48011-19294-4	310	2 in x 60 ft	Roll	Black	2 Each
5-00-48011-19296-8	310	4 in x 60 ft	Roll	Black	1 Each
5-00-48011-19297-5	310	6 in x 60 ft	Roll	Black	1 Each
5-00-48011-19298-2	310	12 in x 60 ft	Roll	Black	1 Each
5-00-48011-19299-9	310	18 in x 60 ft	Roll	Black	1 Each
5-00-48011-19300-2	310	24 in x 60 ft	Roll	Black	1 Each
5-00-48011-19301-9	310	36 in x 60 ft	Roll	Black	1 Each
5-00-48011-19302-6	310	48 in x 60 ft	Roll	Black	1 Each
5-00-48011-19321-7	370	1 in x 60 ft	Roll	Gray	4 Each
5-00-48011-19323-1	370	2 in x 60 ft	Roll	Gray	2 Each
5-00-48011-19322-4	370	4 in x 60 ft	Roll	Gray	1 Each
5-00-48011-19324-8	370	6 in x 60 ft	Roll	Gray	2 Each
5-00-48011-19325-5	370	12 in x 60 ft	Roll	Gray	1 Each
5-00-48011-19326-2	370	18 in x 60 ft	Roll	Gray	1 Each
5-00-48011-19327-9	370	24 in x 60 ft	Roll	Gray	1 Each
5-00-48011-19328-6	370	36 in x 60 ft	Roll	Gray	1 Each
5-00-48011-09089-9	370	48 in x 60 ft	Roll	Gray	1 Each



3M™ Safety-Walk™ Slip-Resistant Tub and Shower Strips 7705

This fine-textured, slip-resistant material helps provide enhanced safety and comfort in light traffic, barefoot areas.

UPC	Product ID	Size	Description	Color	Case Qty/Units
5-00-48011-08216-0	7705	¾ in x 17 in	Strips	White	400 Each



3M™ Safety-Walk™ Slip-Resistant Conformable Tapes and Treads 500 Series

Ideal for use on diamond plating, riveted plates, ladder rungs and other irregular surfaces. Mineral-coated, slip-resistant material with aluminum foil backing. Conforms to irregular surfaces and around edges. NFSI certified high-traction.

UPC	Product ID	Size	Description	Color	Case Qty/Units
5-00-48011-19279-1	510	6 in x 24 in	Tread	Black	50 Each
5-00-48011-19280-7	510	2 in x 60 ft	Roll	Black	2 Each
5-00-48011-19281-4	510	4 in x 60 ft	Roll	Black	1 Each
5-00-48011-19282-1	510	6 in x 60 ft	Roll	Black	1 Each
5-00-48011-19283-8	510	12 in x 60 ft	Roll	Black	1 Each
5-00-48011-19284-5	510	18 in x 60 ft	Roll	Black	1 Each
5-00-48011-19285-2	510	24 in x 60 ft	Roll	Black	1 Each
5-00-48011-19288-3	530	2 in x 60 ft	Roll	Safety Yellow	2 Each
5-00-48011-19289-0	530	4 in x 60 ft	Roll	Safety Yellow	1 Each
5-00-48011-19290-6	530	6 in x 60 ft	Roll	Safety Yellow	1 Each




3M™ Safety-Walk™ Slip-Resistant Fine Resilient Tapes and Treads 200 Series

High-friction, finely-textured, slip-resistant material. Reverse side coated with pressure-sensitive adhesive protected by a removable liner. For wet, barefoot traffic areas. NFSI certified high-traction.

UPC	Product ID	Size	Description	Color	Case Qty/Units
5-00-48011-19303-3	220	1 in x 60 ft	Roll	Clear	4 Each
5-00-48011-19304-0	220	2 in x 60 ft	Roll	Clear	2 Each
5-00-48011-19305-7	220	12 in x 60 ft	Roll	Clear	1 Each
5-00-51125-86003-6	220	48 in x 60 ft	Roll	Clear	1 Each
5-00-48011-19315-6	280	1 in x 60 ft	Roll	White	4 Each
5-00-48011-19316-3	280	2 in x 60 ft	Roll	White	2 Each
5-00-48011-19317-0	280	4 in x 60 ft	Roll	White	1 Each
5-00-48011-19318-7	280	6 in x 60 ft	Roll	White	1 Each
5-00-48011-19319-4	280	12 in x 60 ft	Roll	White	1 Each





3M™ Safety-Walk™ Slip-Resistant General Purpose Tapes and Treads 600 Series

This mineral-coated, slip-resistant material features a highly durable surface. Low-profile design helps reduce trip hazards. NFSI certified high-traction. High visibility black and yellow stripe for easy identification of hazard areas. Photoluminescent stripe for glow-in-the-dark navigation during a power outage.

UPC	Product ID	Size	Description	Color	Case Qty/Units
5-00-48011-19216-6	610	5 ½ in x 5 ½ in	Tread	Black	50 Each
5-00-48011-19217-3	610	¾ in x 24 in	Tread	Black	50 Each
5-00-48011-19218-0	610	6 in x 24 in	Tread	Black	50 Each
5-00-48011-19219-7	610	¾ in x 60 ft	Roll	Black	4 Each
5-00-48011-19220-3	610	1 in x 60 ft	Roll	Black	4 Each
5-00-48011-19221-0	610	2 in x 60 ft	Roll	Black	2 Each
5-00-51125-86021-0	610	3 in x 60 ft	Roll	Black	1 Each
5-00-48011-19223-4	610	4 in x 60 ft	Roll	Black	1 Each
5-00-48011-19224-1	610	6 in x 60 ft	Roll	Black	1 Each
5-00-48011-19235-7	610	12 in x 60 ft	Roll	Black	1 Each
5-00-48011-19238-8	610	18 in x 60 ft	Roll	Black	1 Each
5-00-48011-19236-4	610	24 in x 60 ft	Roll	Black	1 Each
5-00-48011-19239-5	610	36 in x 60 ft	Roll	Black	1 Each
5-00-48011-19237-1	610	48 in x 60 ft	Roll	Black	1 Each
5-00-51125-85966-5	613	6 in x 24 in	Tread	Black/Yellow	50 Each
5-00-51125-85962-7	613	1 in x 60 ft	Roll	Black/Yellow	4 Each
5-00-51125-85963-4	613	2 in x 60 ft	Roll	Black/Yellow	2 Each
5-00-51125-85964-1	613	3 in x 60 ft	Roll	Black/Yellow	1 Each
5-00-51125-85965-8	613	4 in x 60 ft	Roll	Black/Yellow	1 Each
5-00-51125-85967-2	613	6 in x 60 ft	Roll	Black/Yellow	1 Each
5-00-51125-85968-9	613	12 in x 60 ft	Roll	Black/Yellow	1 Each
5-00-51125-85969-6	613	24 in x 60 ft	Roll	Black/Yellow	1 Each
5-00-51125-85970-2	613	48 in x 60 ft	Roll	Black/Yellow	1 Each
5-00-51125-85958-0	620	6 in x 24 ft	Roll	Clear	50 Each
5-00-48011-26417-7	620	1 in x 60 ft	Roll	Clear	4 Each
5-00-48011-26419-1	620	2 in x 60 ft	Roll	Clear	2 Each
5-00-48011-26418-4	620	4 in x 60 ft	Roll	Clear	1 Each
5-00-51125-85957-3	620	6 in x 60 ft	Roll	Clear	1 Each
5-00-51125-85959-7	620	12 in x 60 ft	Roll	Clear	1 Each
5-00-51125-85960-3	620	24 in x 60 ft	Roll	Clear	1 Each
5-00-51125-85961-0	620	48 in x 60 ft	Roll	Clear	1 Each
5-00-48011-26422-1	630	1 in x 60 ft	Roll	Safety Yellow	4 Each
5-00-48011-26421-4	630	2 in x 60 ft	Roll	Safety Yellow	2 Each
5-00-48011-26420-7	630	4 in x 60 ft	Roll	Safety Yellow	1 Each
5-00-51125-85975-7	690	6 in x 24 in	Tread	Black/Photoluminescent	10 Each
5-00-51125-85974-0	690	6 in x 30 ft	Roll	Black/Photoluminescent	1 Each

Sprayer Systems and Spray Guns



3M™ Performance Industrial Spray Gun System

Lightweight and easy to use, the 3M™ Performance Spray Gun was built for the industrial painter. Made from impact-resistant composite, it is one of the lightest spray guns in the industry, yet durable enough for demanding conditions. Its versatile design allows spraying from a pressurized source or a gravity cup. Replaceable nozzles from 1.1 to 2.0 allow you to spray a wide range of coatings.

UPC	Description	Components	Color	Case Qty/Units
0-00-51131-26878-4	System	Spray gun, air control valve, pressure whip, pressure and gravity atomizing heads, PPS™ Series 2.0	Black	2 Kits
0-00-51131-26832-6	Spray Gun	Spray gun and air control valve	Black	4 Each



3M™ Accuspray™ ONE Spray Gun

The 3M™ Accuspray™ ONE Spray Gun delivers fundamental improvements in the application of auto paint and other fluids. A lightweight, one-piece composite spray gun body contains no gaskets or seals, eliminating the need for maintenance kits. The gun accepts a range of 3M™ Accuspray™ replaceable atomizing heads for a system affording the performance of a new gun, on demand and at a fraction of the cost.

UPC	Description	Color	Case Qty/Units
0-00-51131-16579-3	Up to 12 inch vertical or horizontal spray pattern	Black	4 Kits



3M™ Accuspray™ ONE Spray Gun Kit for PPS™ 2.0

3M™ Accuspray™ ONE Spray Gun Kit for PPS™ 2.0 delivers the performance of a new spray gun, on demand and at a fraction of the cost. You'll find a full selection of Accuspray™ replaceable atomizing heads for a range of applications. A one-piece composite Accuspray™ ONE Spray Gun body eliminates the need for maintenance kits. Also includes an air control valve and spray gun hanger. This kit includes: (1) 3M™ Accuspray™ ONE Spray Gun, (1) Accuspray™ Replaceable Atomizing Head, 1.2 mm, (1) Accuspray™ Replaceable Atomizing Head, 1.3 mm, (1) Accuspray™ Replaceable Atomizing Head, 1.4 mm, (1) Accuspray™ Replaceable Atomizing Head, 1.8 mm, (1) Accuspray™ Replaceable Atomizing Head, 2.0 mm, (1) Air Control Valve, and (1) Accuspray™ Atomizing Head Placard.

UPC	Description	Color	Case Qty/Units
0-00-51131-26578-3	Up to 12 inch vertical or horizontal spray pattern	Black	4 Kits



3M™ Accuspray™ ONE Spray Gun System with PPS™ Series 2.0 Spray Cup System

The 3M™ Accuspray™ ONE Spray Gun System with Standard PPS™ Series 2.0 combines the simplicity and easy maintenance of the Accuspray™ spray gun with the material-saving, rapid cleanup convenience of PPS™ Series 2.0, the next generation, highest performing disposable spray cup system. Replaceable atomizing heads afford the performance of a new gun, on demand and at a fraction of the cost. This kit includes: (5) replaceable atomizing heads in 2.0 mm (red), 1.8 mm (clear), 1.4 mm (orange), 1.3 mm (green) and 1.2 mm (blue) for spraying of primer, sealer, base and clear coat, (1) Standard size (22 oz) PPS™ Series 2.0 Hard Cup, (5) Standard size (22 oz) PPS™ Series 2.0 Lids and Liners.

UPC	Description	Color	Case Qty/Units
0-00-51131-26580-6	Up to 12 inch vertical or horizontal spray pattern. Includes Accuspray™ ONE Spray Gun, atomizing heads, hard cup, lids, liners and more	Black	2 Kits

Sprayer Parts and Accessories

Spray Gun Cleaner



3M™ High Power Spray Gun Cleaner

3M™ High Power Spray Gun Cleaner is a low VOC aerosol specifically formulated for removing waterborne and solvent-based coatings from metals, plastic and composite surfaces. This spray gun cleaner meets SCAQMD Rule 1171 requirements.

UPC	Size	Description	Case Qty/Units
0-00-51131-26689-6	15 oz (Aerosol)	Extension tube included with each can	6 Cans

Color Match Lighting



3M™ PPS™ SUN GUN™ II Light Kit

3M™ PPS™ SUN GUN™ II Light Kit provides a light source that replicates natural sunlight, allowing technicians to better match paint colors. The 3M™ PPS™ SUN GUN™ II can also help identify pre-painting defects such as pin holes and scratches as well as post-painting defects such as swirl marks, burn through, sand scratches and dirt nibs.

UPC	Case Qty/Units
0-00-51131-16550-2	1 Kit

Adapters



3M™ PPS™ Adapter

3M™ PPS™ Adapter converts paint spray guns for use with the 3M™ PPS™. Specifically designed adapters allow painters to use PPS™ with virtually any spray gun model. To use this adapter, remove the existing spray gun cup. Then simply thread the correct PPS™ Adapter into the spray gun. 3M makes adapters to convert virtually any spray gun to PPS™. Search a complete listing at: 3Mcollision.com/PPSadapters

UPC	Size	Adapter	Spray Gun Model	Case Qty/Units
0-00-51131-16135-1	Trapezoida	40 (Legacy PPS™)	SATA QCC	4 Each
0-00-51131-26135-8	Trapezoida	S40 (PPS™ 2.0)	SATA QCC	4 Each

Cups and Collars



3M™ PPS™ Cup and Collar

3M™ PPS™ Cup and Collar is a hard cup and collar set that supports the 3M™ PPS™ flexible liner used in the 3M™ PPS™ (Legacy) paint preparation system. Sets are available in a variety of sizes including Mini 6 oz., Standard 22 oz. and Large 28 oz. 3M™ PPS™ is a complete painting system that allows the painter to measure, mix, filter, and spray paint materials.

UPC	Size	Packaging	Case Qty/Units
0-00-51131-16115-3	Mini	2 Per Carton	4 Cartons
0-00-51131-16001-9	Standard	2 Per Carton	4 Cartons
0-00-51131-16023-1	Large	1 Per Carton	4 Cartons



3M™ PPS™ Series 2.0 Cup

3M™ PPS™ Series 2.0 Cups are hard, reusable plastic cups designed for use with the PPS™ Series 2.0 Spray Cup System. Mixing ratios are built into each cup, eliminating the need for separate inserts. Cups are designed to work with PPS™ Series 2.0 Lids, featuring a quarter turn locking system without the need for separate collars. A new hard cup is included in each PPS™ Series 2.0 Lid and Liner Kit.

UPC	Size	Packaging	Case Qty/Units
0-00-51131-26001-6	Standard – 22 fl oz	2 Per Carton	4 Cartons

Sprayer Parts and Accessories

Lids and Liners



3M™ PPS™ Lids

3M™ PPS™ Lids come in cases containing 25 lids, each with a welded-in filter to strain coating material while spraying, for use with the 3M™ PPS™ paint preparation system. Lid sizes are available for a range of jobs (fit with standard and large cups and liners).

UPC	Size	Filter	Case Qty/Units
0-00-51131-16200-6	Standard and Large	200 Micron	25 Each



3M™ PPS™ Liners

3M™ PPS™ Liners come in cases containing 100 liners each for use with the 3M™ PPS™ paint preparation system. Liners are available for a range of jobs large and small. PPS™ is an all-in-one system that allows painters to mix/measure, filter, spray and temporarily seal and protect coating materials.

UPC	Size	Case Qty/Units
0-00-51131-16351-5	Large	100 Each



3M™ PPS™ Lid and Liner Kit

3M™ PPS™ Lid and Liner Kits contain 25 disposable lids (Large size) or 50 disposable lids (all other sizes) with welded-in filters to strain paint material while spraying, along with corresponding liners and sealing plugs for use with the 3M™ PPS™ (Legacy) paint preparation system.

UPC	Size	Packaging	Filter	Case Qty/Units
0-00-51131-16028-6	Micro	50 lids and liners per kit	200 Micron	1 Kit
0-00-51131-16114-6	Mini	50 lids and liners per kit	200 Micron	1 Kit
0-00-51131-16000-2	Standard	50 lids and liners per kit	200 Micron	1 Kit
0-00-51131-16024-8	Large	25 lids and liners per kit	200 Micron	1 Kit
0-00-51131-16314-0	Mini	50 lids and liners per kit	125 Micron	1 Kit
0-00-51131-16301-0	Standard	25 lids and liners per kit	125 Micron	1 Kit



3M™ PPS™ 2.0 Lid and Liner Kit

3M™ PPS™ Series 2.0 Spray Cup System is 3M's next generation, highest performing disposable spray cup system for mixing/measuring, filtering, spraying in any direction (360° spray rotation) and protecting coatings not in use. Each lid and liner kit contains 50 disposable lids with integrated collars and full diameter filters, 50 disposable liners, 1 reusable hard cup and 32 sealing plugs.

UPC	Size	Filter	Case Qty/Units
0-00-51131-26114-3	Mini	200 Micron	1 Kit
0-00-51131-26112-9	Midi	200 Micron	1 Kit
0-00-51131-26000-9	Standard	200 Micron	1 Kit
0-00-51131-26024-5	Large	200 Micron	1 Kit
0-00-51131-26314-7	Mini	125 Micron	1 Kit
0-00-51131-26312-3	Midi	125 Micron	1 Kit
0-00-51131-26301-7	Standard	125 Micron	1 Kit
0-00-51131-26325-3	Large	125 Micron	1 Kit

Sprayer Parts and Accessories

Tips and Nozzles



3M™ Performance Pressure HVLP Atomizing Head Refill

3M™ Performance Pressure HVLP Atomizing Heads are designed to deliver excellent spray performance for coatings including stains, primers, base coats, clear coats and adhesives. Replaceable nozzles are built exclusively for pressure-feed applications using the 3M™ Performance Spray Gun, offering like-new spray performance with the change of each nozzle.

UPC	Size	Packaging	Color	Case Qty/Units
0-00-51131-26811-1	1.1 mm	10 nozzles per pack	Yellow	5 Packs
0-00-51131-26814-2	1.4 mm	10 nozzles per pack	Orange	5 Packs
0-00-51131-26818-0	1.8 mm	10 nozzles per pack	Clear	5 Packs
0-00-51131-26830-2	3 sizes (1.1, 1.4, 1.8 mm)	6 nozzles per kit	Variety Kit	5 Kits



3M™ Performance Gravity HVLP Atomizing Head Refill Kits

3M™ Performance Gravity HVLP Atomizing Heads are designed to deliver premium spray performance for coatings including paints, clear coats and topcoats. Replaceable nozzles are built exclusively for gravity feed applications with the 3M™ Performance Spray Gun System and 3M™ PPS™ Series 2.0 Spray Cup System, offering like-new spray performance with the change of each nozzle.

UPC	Size	Packaging	Color	Case Qty/Units
0-00-51131-26712-1	1.2 mm	5 nozzles per pack	Blue	5 Packs
0-00-51131-26713-8	1.3 mm	5 nozzles per pack	Green	5 Packs
0-00-51131-26714-5	1.4 mm	5 nozzles per pack	Orange	5 Packs
0-00-51131-26716-9	1.6 mm	5 nozzles per pack	Purple	5 Packs
0-00-51131-26718-3	1.8 mm	5 nozzles per pack	Clear	5 Packs
0-00-51131-26720-6	2.0 mm	5 nozzles per pack	Red	5 Packs
0-00-51131-26730-5	6 sizes (1.2, 1.3, 1.4, 1.6, 1.8, 2.0 mm)	6 nozzles per kit	Variety Kit	5 Kits



3M™ Accuspray™ Atomizing Head

3M™ Accuspray™ Atomizing Heads are designed specifically for use with 3M™ Accuspray™ ONE Spray Guns. This selection of replaceable heads makes for the incredibly fast, efficient application of low-, medium- and high-viscosity materials from one gun. Technicians simply remove and replace the head for the performance of a new spray gun on demand. See-through heads are easily cleaned and reused.

UPC	Size	Packaging	Color	Case Qty/Units
0-00-51131-16585-4	1.8mm	4 nozzles per pack	Clear	6 Packs
0-00-51131-16609-7	2.0mm	4 nozzles per pack	Red	6 Packs
0-00-51131-16611-0	1.8mm	4 nozzles per pack	Clear	6 Packs
0-00-51131-16612-7	1.4mm	4 nozzles per pack	Orange	6 Packs



3M™ Accuspray™ Atomizing Head Refill Pack for 3M™ PPS™ Series 2.0

3M™ Accuspray™ Atomizing Heads for 3M™ PPS™ Series 2.0 are designed specifically for use with the 3M™ Accuspray™ ONE and PPS™ Series 2.0 Spray Cup systems. A selection of replaceable heads makes for the incredibly fast, efficient application of low-, medium- and high-viscosity materials from one gun. Technicians simply remove and replace the head for the performance of a new spray gun on demand.

UPC	Size	Packaging	Color	Case Qty/Units
0-00-51131-26612-4	1.2mm	4 nozzles per pack	Blue	6 Packs
0-00-51131-26613-1	1.3mm	4 nozzles per pack	Green	6 Packs
0-00-51131-26614-8	1.4mm	4 nozzles per pack	Orange	6 Packs
0-00-51131-26618-6	1.8mm	4 nozzles per pack	Clear	6 Packs
0-00-51131-26620-9	2.0mm	4 nozzles per pack	Red	6 Packs

Wheel Masker and Surface Protection

Wheel Masker



3M™ Heavy Duty Canvas Wheel Masker

Heavy-Duty Canvas Wheel Masker is a high-density, tear-resistant, durable clear film formulated to provide excellent paint overspray adhesion. A wire reinforcement quickly locks these guards into place, helping protect tires and wheels from paints, primers, and overcoats.

UPC	Packaging	Size	Color	Case Qty/Units
0-00-51593-30137-1	4 per pack	20 in	Beige	4 Packs

Overspray Surface Protection



3M™ Booth Coating

3M™ Booth Coating is a water-based solution for protecting paint booth walls from paint overspray. Simply apply 1 to 2 medium wet coats with any 2.0 spray nozzle, such as the Accuspray™ 2.0 disposable spray nozzle. 3M™ Booth Coating dries to a clear film across fittings, walls and windows. The non-tacky formula won't discolor from dust or dirt, and removes cleanly with water.

UPC	Size	Color	Case Qty/Units
0-00-51131-06839-1	1 gal	Clear	4 Each
0-00-51131-06840-7	5 gal	Clear	1 Each



3M™ Overspray Masking Liquid-Dry

3M™ Overspray Masking Liquid-Dry (OML-D) is a water-based sprayable liquid that protects against automotive paint and primer overspray without added time for bulk tape masking. It dries to a clear, non-tacky film that bonds lightly, protecting vehicle surfaces and trapping dust and dirt under the film. It's safe to use on all thoroughly cured painted surfaces.

UPC	Size	Color	Case Qty/Units
0-00-51131-06847-6	1 gal	Red	4 Each
0-00-51131-06834-6	55 gal	Red	1 Each



3M™ Dirt Trap Protection Material

3M™ Dirt Trap Nonwoven Protection Material is a specially engineered covering material that protects and brightens paint booth walls and floors. Nonwoven construction traps dust and overspray and its bright white color creates better visibility for technicians and a more pleasant shop appearance for collision repair customers. Low tack adhesive backing keeps it secure, smooth and wrinkle-free.

UPC	Size	Color	Case Qty/Units
0-00-51131-36849-1	4 in x 300 ft	White	6 Rolls
0-00-51131-36850-7	6 in x 300 ft	White	4 Rolls
0-00-51131-36851-4	14 in x 300 ft	White	1 Roll
0-00-51131-36852-1	28 in x 300 ft	White	1 Roll
0-00-51131-36853-8	56 in x 300 ft	White	1 Roll
0-00-51131-37852-0	28 in x 300 ft	Gray	1 Roll
0-00-51131-37853-7	56 in x 300 ft	Gray	1 Roll
0-00-51131-36856-9	18 in x 100 ft	Clear	1 Roll

Wheel Masker and Surface Protection

Overspray Surface Protection (cont.)



3M™ Self-Stick Liquid Protection Fabric

3M™ Self-Stick Liquid Protection Fabric is ideal for a wide range of temporary surface protection in industrial settings. Its liquid-proof layer protects work surfaces from water, oils, solvents and more. Its nonwoven surface traps dirt, dust and debris and prevents them from spreading through the facility. Its adhesive backing keeps it securely in place and removes without residue.

UPC	Size	Color	Case Qty/Units
0-00-76308-51005-3	28 in x 100 ft	Blue	1 Roll
0-00-51131-36876-7	4 in x 300 ft	Blue	6 Rolls
0-00-51131-36877-4	6 in x 300 ft	Blue	4 Rolls
0-00-51131-36878-1	14 in x 300 ft	Blue	1 Roll
0-00-51131-36879-8	28 in x 300 ft	Blue	1 Roll
0-00-51131-36880-4	36 in x 300 ft	Blue	1 Roll
0-00-51131-36881-1	48 in x 300 ft	Blue	1 Roll
0-00-51131-36882-8	56 in x 300 ft	Blue	1 Roll

Surface Protection



3M™ Clean-View Pad 5850

3M™ Clean-View Pad 5850 is designed to protect surfaces, including paint booth windows and light fixtures, from dirt and other contaminants such as paint over-spray. When the top layer is contaminated with over-spray, the tabbed corner allows for easy removal, exposing the next layer for use.

UPC	Packaging	Size	Color	Case Qty/Units
0-00-21200-55470-4	20 sheets per pad	13 in x 51 in	Clear	6 Pads
0-00-21200-95759-8	20 sheets per pad	18 in x 46 in	Clear	6 Pads
0-00-21200-95758-1	20 sheets per pad	24 in x 36 in	Clear	6 Pads
0-00-21200-55042-3	20 sheets per pad	24 in x 50 in	Clear	6 Pads



3M™ Industrial Protective Film 7070UV and 7071UV

3M™ Industrial Protective Film 7070UV and 7071UV are adhesive-backed polyurethane films that protect surfaces from the elements, including ultraviolet light from the sun. The film is engineered to be durable both indoors and outdoors, and its acrylic adhesive system reliably maintains a secure anchor to most product surfaces. An easy release paper liner allows for easy application and converting. 7071UV is thicker and less conformable than 7070UV.

UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-76308-97952-2	7070UV	20 sheets per pad	6 in x 36 yd	8 mil	Clear	1 Roll
0-00-76308-97954-6	7070UV	20 sheets per pad	24 in x 36 yd	8 mil	Clear	1 Roll
0-00-76308-97958-4	7071UV	20 sheets per pad	6 in x 36 yd	14 mil	Clear	1 Roll
0-00-76308-97960-7	7071UV	20 sheets per pad	24 in x 36 yd	14 mil	Clear	1 Roll



Scotchgard™ Paint Protection Film Pro Series

Scotchgard™ Paint Protection Film Pro Series delivers superior protection to automotive surfaces against scratches, chips and weathering. The Pro Series film features a self-healing formula that enables minor scratches to disappear by themselves. 3M clearcoat technology provides exceptional stain, weather and abrasion resistance, helping to preserve the car's showroom quality finish for years.

UPC	Product ID	Size	Thickness	Color	Case Qty/Units
0-00-76308-96024-7	SGH6PRO	24 in x 100 ft	8 mil	Clear	1 Roll

Masking Films, Masking Paper and Handheld Applicators

Masking Films



3M™ Hand-Masker™ Advanced Masking Film

3M™ Hand-Masker™ Advanced Masking Film now with paint bond technology. 3M's most flake resistant film for multi-coat paint applications. Use for paint masking and overspray protection.

UPC	Size	Thickness	Color	Case Qty/Units
0-00-51141-95255-0	24 in x 180 ft	0.35 mil	Clear	12 Rolls
0-00-51141-90038-4	48 in x 180 ft	0.35 mil	Clear	12 Rolls
0-00-51141-90039-1	72 in x 90 ft	0.35 mil	Clear	12 Rolls
0-00-51141-90040-7	99 in x 90 ft	0.35 mil	Clear	12 Rolls



3M™ Hand-Masker™ Painter's Plastic Plus

3M™ Hand-Masker™ Painter's Plastic Plus is a specially treated film alternative to boxed plastic or film. This product offers several advantages over current boxed plastic or film. Flake-resistant: Paint anchorage to reduce flaking and cleanup time, static cling making the film easy to work with, and lacquer and solvent-resistant.


UPC	Product ID	Size	Thickness	Color	Case Qty/Units
0-00-51141-90366-8	MFB-9	9 ft x 400 ft	0.31 mil	Clear	1 Each
0-00-51141-90387-3	MFB-12	12 ft x 400 ft	0.31 mil	Clear	1 Each



3M™ High Temperature Paint Masking Film 7300

3M™ High Temperature Paint Masking Film 7300 is designed to protect in paint applications involving temps above 310°F or where bleed-through of solvents and paints may occur. This film is designed for soft flexing, provides good drape and conformability. It is excellent for two-tone, blackout and repair painting to match OEM finishes. An apron-taper best helps to dispense the film.

UPC	Size	Thickness	Color	Case Qty/Units
0-00-21200-22832-2	3 in x 1500 ft	3.4 mil	Transparent	6 Rolls
0-00-21200-72105-2	4 in x 1500 ft	3.4 mil	Transparent	6 Rolls
0-00-21200-55487-2	5 in x 1500 ft	3.4 mil	Transparent	6 Rolls
0-00-21200-22833-9	6 in x 1500 ft	3.4 mil	Transparent	6 Rolls
0-00-21200-22834-6	9 in x 1500 ft	3.4 mil	Transparent	4 Rolls
0-00-21200-22835-3	12 in x 1500 ft	3.4 mil	Transparent	3 Rolls
0-00-21200-22837-7	18 in x 1500 ft	3.4 mil	Transparent	2 Rolls
0-00-48011-58070-8	24 in x 1500 ft	3.4 mil	Transparent	1 Roll
0-00-21200-45321-2	28 in x 1500 ft	3.4 mil	Transparent	1 Roll
0-00-21200-22839-1	36 in x 1500 ft	3.4 mil	Transparent	1 Roll
0-00-48011-58071-5	48 in x 1500 ft	2 mil	Transparent	8 Rolls
0-00-51138-96494-8	62 in x 1500 ft	2 mil	Transparent	1 Roll



3M™ Moisture Resistant Protective Sheeting

3M™ Moisture Resistant Protective Sheeting is designed to reduce moisture staining in higher-temp drying applications. It provides fast single-person application for reduced overspray-related rework. Film can be used in IR dryers at temps up to 248°F/120°C, helping eliminate dampness. Translucent film is easy to apply, reposition and cut. A light static cling keeps it in place without adhesives.

UPC	Size	Thickness	Color	Case Qty/Units
0-00-51131-06725-7	16 ft x 250 ft	0.65 mil	Purple	1 Roll



3M™ Plastic Sheeting

Wide plastic sheeting engineered with static cling, 3M™ Plastic Sheeting enables one person to quickly and efficiently mask a vehicle. The clear, high-density film provides effective paint protection and is tear-resistant yet easy to cut around the work area. Specially treated for high paint adhesion, the sheeting effectively captures paint overspray to prevent contaminating the repair.

UPC	Size	Thickness	Color	Case Qty/Units
0-00-51131-06723-3	12 ft x 400 ft	0.3 mil	Transparent	1 Roll
0-00-51131-06724-0	16 ft x 400 ft	0.3 mil	Transparent	1 Roll

Masking Films, Masking Paper and Handheld Applicators

Masking Films (cont.)



3M™ High Temperature Protective Bags and Sheets 7260M

3M™ High Temperature Protective Bags and Sheets 7260M is designed for masking jobs in high-heat bake cycles, with temperatures reaching up to 315°F. Translucent masking sheets and bags provide excellent conformability with easy handling. Best for covering large surfaces, this film is available in bags, as well as perforated or non-perf sheets.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51115-32227-3	25 bags per roll	262 in x 89 in	1.8 mil	Translucent	20 Rolls
0-00-21200-96962-1	25 perf and seal bags per roll	262 in x 89 in	1.8 mil	Translucent	20 Rolls
0-00-21200-74293-4	Centerslit sheeting	89 in x 100 yd	1.8 mil	Translucent	25 Rolls



3M™ Overspray Protective Sheeting

3M™ Overspray Protective Sheeting is a paintable, high-density and tear-resistant translucent film for critical edge masking as well as for paint overspray. Overspray protective sheeting comes in a variety of sizes to protect various types of vehicles, including cars, vans, sport utility vehicles and trucks.

UPC	Size	Thickness	Color	Case Qty/Units
0-00-51131-06727-1	12 ft x 400 ft	0.4 mil	Transparent	1 Roll
0-00-51131-06728-8	16 ft x 400 ft	0.4 mil	Transparent	1 Roll
0-00-51131-06742-4	20 ft x 250 ft	0.4 mil	Transparent	1 Roll

Masking Paper



3M™ Hand-Masker™ General Purpose Masking Paper

3M™ Hand-Masker™ Masking Paper is available in two grades: general purpose or premium quality. Premium quality is designed to minimize bleed through and general purpose paper is ideal for water-based coatings. Use on the 3M™ Hand-Masker™ M3000 Dispenser.

UPC	Product ID	Size	Color	Case Qty/Units
0-00-51115-04138-9	MPG6	6 in x 60 yd	Brown	12 Rolls
0-00-51115-04139-6	MPG9	9 in x 60 yd	Brown	12 Rolls
0-00-51115-04140-2	MPG12	12 in x 60 yd	Brown	12 Rolls
0-00-51131-06658-8	MPG18	18 in x 60 yd	Brown	12 Rolls



3M™ Scotchblok™ Masking Paper

3M™ Scotchblok™ Masking Paper blocks solvents used in today's gelcoats and paints from soaking through and contaminating underlying surfaces. This tightly bonded, specially coated automotive masking paper offers excellent resistance to paint solvents, urethanes, base coats and clearcoats. This product was specifically made to meet the unique needs of automotive aftermarket applications.

UPC	Size	Thickness	Color	Case Qty/Units
0-00-51131-06732-5	12 in x 180 ft	2 mil	Gold	12 Rolls
0-00-51131-06738-7	18 in x 180 ft	2 mil	Gold	12 Rolls
0-00-51131-06706-6	6 in x 750 ft	2 mil	Gold	6 Rolls
0-00-51131-06712-7	12 in x 750 ft	2 mil	Gold	3 Rolls
0-00-51131-06718-9	18 in x 750 ft	2 mil	Gold	2 Rolls
0-00-51131-06736-3	36 in x 750 ft	2 mil	Gold	1 Roll



3M™ Welding and Spark Deflection Paper

3M™ Welding and Spark Deflection Paper helps protect vertical surfaces from damage caused by welding spatter and grinding sparks. This flame-retardant paper comes with adhesive backing for easy application to vertical surfaces. The adhesive backing allows for easy repositioning of the spark deflection paper as needs change at a worksite.

UPC	Description	Size	Color	Case Qty/Units
0-00-51131-05916-0	-	24 in x 150 ft	Brown	2 Rolls
0-00-51131-05912-2	Dispenser for 24 inch rolls	9.5 in x 27.3 in	Gray	1 Each

Masking Films, Masking Paper and Handheld Applicators

Masking Paper (cont.)



3M™ White Masking Paper

3M™ White Masking Paper is specially treated to resist heat from paint booths and penetration by paint solvents, urethanes, base coats and clearcoats — ideal for collision repair. It is tightly bonded, virtually eliminating lint or fiber contamination that can occur using paper masking. And its thin but conformable construction makes it easy to handle, boosting shop efficiency.

UPC	Size	Thickness	Color	Case Qty/Units
0-00-51131-06537-6	6 in x 750 ft	1.5 mil	White	6 Rolls
0-00-51131-06538-3	12 in x 750 ft	1.5 mil	White	3 Rolls
0-00-51131-06539-0	18 in x 750 ft	1.5 mil	White	2 Rolls
0-00-51131-06540-6	36 in x 750 ft	1.5 mil	White	1 Roll
0-00-51131-06531-4	60 in x 750 ft	1.5 mil	White	1 Roll



Scotch® Steel Gray Masking Paper

Scotch® Steel Gray Masking Paper is an ideal material for paint masking in collision repair. It is strong, flexible and pliable, and it's available in a variety of sizes to cover a range of surface shapes. The masking paper is also specially treated to resist penetration by solvents, lacquers and enamels and withstands bake cycles up to 400°F (204°C) for 1 hour.

UPC	Size	Thickness	Color	Case Qty/Units
0-00-21200-06506-4	6 in x 1,000 ft	2.8 mil	Gray	6 Rolls
0-00-21200-06512-5	12 in x 1,000 ft	2.8 mil	Gray	3 Rolls
0-00-21200-06518-7	18 in x 1,000 ft	2.8 mil	Gray	2 Rolls
0-00-21200-06524-8	24 in x 1,000 ft	2.8 mil	Gray	1 Roll
0-00-21200-06536-1	36 in x 1,000 ft	2.8 mil	Gray	1 Roll
0-00-21200-55491-9	48 in x 1,000 ft	2.8 mil	Gray	1 Roll

Handheld Applicators



3M™ Hand-Masker™ M3000 Dispenser

The 3M™ Hand-Masker™ M3000 Dispenser applies masking tape to masking film measuring up to 144" or to paper measuring up to 18" in one continuous application. Compact, lightweight, saves time. For professional heavy-duty use.

UPC	Product ID	Size	Description	Color	Case Qty/Units
0-00-51131-77385-1	M3000	-	3M™ Hand-Masker™ Dispenser	Multi Color	4 Each
0-00-51131-06802-5	FB12	12 in	3M™ Hand-Masker™ Film Blades	Multi Color	6 Each
0-00-51141-59803-1	FB12-SC	12 in	3M™ Hand-Masker™ Film Blades	Multi Color	6 Each
0-00-51131-06795-0	PB9	9 in	3M™ Hand-Masker™ Paper Blades	Multi Color	6 Each
0-00-51131-06796-7	PB12	12 in	3M™ Hand-Masker™ Paper Blades	Multi Color	6 Each



Scotch® Slimline Apron Taper

Scotch® Slimline Apron Taper is an upright, portable masking dispenser that dispenses paper and attaches tape. We built this taper with side hooks that are able to hold different tape widths for special application needs. This apron taper can be moved from job to job with one hand and there is no need for adjustment as it maintains the proper paper and tape alignment.

UPC	Description	Case Qty/Units
0-00-21200-06864-5	Dispenses three widths of masking paper up to 18 inches wide	1 Each

Hook and Loop Fasteners



3M™ Hook and Loop Fasteners SJ3526N/SJ3527N and TB3526N/TB3527N

3M™ Hook and Loop Fasteners SJ3526N/SJ3527N and TB3526N/TB3527N are two-part fastener solutions designed to provide great durability for thousands of closures. With their high performance rubber-based pressure sensitive adhesive backing, these fasteners allow for easy and convenient attachment to a variety of substrates, including plastics. For indoor use.

UPC	Product ID	Packaging	Type	Size	Color	Case Qty/Units
0-00-21200-86243-4	SJ3526N	Bulk	Hook	1 in x 50 yd	Black	3 Rolls
0-00-21200-86252-6	SJ3527N	Bulk	Loop	1 in x 50 yd	Black	3 Rolls
0-00-21200-86244-1	SJ3526N	Bulk	Hook	1 in x 50 yd	White	3 Rolls
0-00-21200-86253-3	SJ3527N	Bulk	Loop	1 in x 50 yd	White	3 Rolls
0-00-51111-97648-7	TB3526N/ TB3527N	Trial Bag	Hook/Loop	1 in x 10 ft	Black	8 Bags

Order hook and loop rolls separately.



3M™ Hook and Loop Fasteners SJ3572/SJ3571 and TB3571/TB3572

3M™ Hook and Loop Fasteners SJ3572/SJ3571 and TB3571/TB3572 are two-part fastener solutions designed to provide great durability for thousands of closures. With their high performance acrylic-based pressure sensitive adhesive backing, these fasteners allow for easy and convenient attachment to a variety of substrates including some high surface energy plastics such as polycarbonate, acrylic, ABS, polystyrene. For indoor/outdoor use.

UPC	Product ID	Packaging	Type	Size	Color	Case Qty/Units
0-00-21200-86285-4	SJ3571	Bulk	Loop	1 in x 50 yd	Black	3 Rolls
0-00-21200-86286-1	SJ3572	Bulk	Hook	1 in x 50 yd	Black	3 Rolls
0-00-21200-87277-8	SJ3571	Bulk	Loop	1 in x 50 yd	White	3 Rolls
0-00-21200-87292-1	SJ3572	Bulk	Hook	1 in x 50 yd	White	3 Rolls
0-00-21200-87297-6	SJ3571	Bulk	Loop	2 in x 50 yd	Black	2 Rolls
0-00-21200-86377-6	SJ3572	Bulk	Hook	2 in x 50 yd	Black	2 Rolls
0-00-51111-92004-6	TB3571/ TB3572	Trial Bag	Hook/Loop	1 in x 10 ft	Black	8 Bags

Order hook and loop rolls separately.

3M™ Hook and Loop Reclosable Fasteners

Hooks on one side, loops on the other for secure, repeated closures

- Up to 5,000 closures for the standard Hook and Loop
- Low profile options available, as much as 75% thinner than standard product



3M™ Dual Lock™ Reclosable Fasteners


Stem Density (per sq/in) Combinations

Strongest
250:400


Stronger
250:250 or
170:400

Strong
170:250

Not Recommended
170:170 or
400:400



Interchangeable Strength Combinations



3M™ Dual Lock™ Reclosable Fasteners



3M™ Dual Lock™ Reclosable Fastener SJ3540, TB3540

3M™ Dual Lock™ Reclosable Fastener SJ3540 and TB3540 is the easy alternative to traditional fastening methods, such as screws, nuts or bolts. It is designed to deliver a durable, reclosable fastening solution (which can be opened and closed multiple times) which bonds to a variety of substrates including many plastics and low surface energy materials. Made with rubber adhesive. For indoor use.

UPC	Product ID	Packaging	Size	Stem Density (per sq in)	Color	Case Qty/Units
0-00-21200-65812-9	SJ3540	Bulk	1 in x 50 yd	250	Black	2 Rolls
0-00-51111-97627-2	TB3540	Bag	1 in x 10 ft	250	Black	8 Bags



3M™ Dual Lock™ Reclosable Fastener SJ3550, TB3550, SJ3551

3M™ Dual Lock™ Reclosable Fastener SJ3550 is the convenient alternative to traditional fastening methods, such as screws, nuts or bolts. It is designed to deliver a durable, reclosable fastening solution (which can be opened and closed multiple times) which bonds to a variety of substrates including metals and plastics such as acrylics, polycarbonate and ABS. Made with white acrylic adhesive. For indoor/outdoor use.

UPC	Product ID	Packaging	Size	Stem Density (per sq in)	Color	Case Qty/Units
0-00-21200-74379-5	SJ3550	Bulk	1 in x 50 yd	250	Black	2 Rolls
0-00-21200-56365-2	SJ3550	Bulk	¾ in x 50 yd	250	Black	2 Rolls
0-00-51111-07802-0	TB3550	Trial Bag	1 in x 50 yd	250	Black	8 Bags
0-00-21200-86278-6	SJ3551	Bulk	1 in x 50 yd	400	Black	2 Rolls
0-00-21200-86357-8	SJ3551	Bulk	¾ in x 50 yd	400	Black	2 Rolls



3M™ Dual Lock™ Reclosable Fastener SJ3560, SJ3561, TB3560

3M™ Dual Lock™ Reclosable Fastener 3560 is the convenient alternative to traditional fastening methods, such as screws, nuts or bolts. It is designed to deliver a durable, reclosable fastening solution which bonds to a variety of substrates including metals, glass and plastics such as acrylics, polycarbonate and ABS. Made with clear acrylic adhesive. For indoor/outdoor use.

UPC	Product ID	Packaging	Size	Stem Density (per sq in)	Color	Case Qty/Units
0-00-21200-86282-3	SJ3560	Bulk	1 in x 50 yd	250	Clear	2 Rolls
0-00-21200-45027-3	SJ3561	Bulk	1 in x 50 yd	400	Clear	2 Rolls
0-00-51111-07804-4	TB3560	Trial Bag	1 in x 10 ft	250	Clear	8 Bags



3M™ Dual Lock™ Reclosable Fastener SJ3870, SJ3871, TB3870

3M™ Dual Lock™ Reclosable Fastener 3870 is the convenient alternative to traditional fastening methods, such as screws, nuts or bolts. It is designed to deliver a durable, reclosable fastening solution (which can be opened and closed multiple times) that bonds to a variety of substrates including metals, powder-coated paints and plastics such as acrylics, polycarbonate and ABS.

UPC	Product ID	Packaging	Size	Stem Density (per sq in)	Color	Case Qty/Units
0-00-51111-18794-4	SJ3870	Bulk	1 in x 45 yd	250	Black	2 Rolls
0-00-51111-18797-5	SJ3871	Bulk	1 in x 45 yd	250	Black	2 Rolls
0-00-51111-07806-8	TB3870	Trial Bag	1 in x 10 ft	250	Black	8 Bags

Eye, Head and Face Protection

Eye Protection



3M™ SecureFit™ 200 Series

Stylish, lightweight design weighs less than 1 oz. Features proprietary 3M™ Pressure Diffusion Temple Technology that helps diffuse pressure over the ear to enhance frame comfort while not compromising the security of fit across a diverse workforce.

UPC	Product ID	Lens	Coating	Frame	Case Qty/Units
0-00-78371-65717-8	SF201AF	Clear	Anti-Fog	Clear	20 Each



3M™ SecureFit™ Safety Glasses 400 Series

3M™ SecureFit™ Protective Eyewear, 400 Series features soft adjustable nose pads, dual injected temples, and proprietary 3M™ Pressure Diffusion Temple Technology that helps diffuse pressure over the ear to enhance frame comfort while not compromising the security of fit across a diverse workforce.

UPC	Product ID	Lens	Coating	Frame	Case Qty/Units
1-00-78371-66211-7	SF401AF	Clear	Anti-Fog	Clear	20 Each
5-00-51131-27475-9	SF401AF-FM*	Clear	Anti-Fog	Clear	20 Each
5-00-51131-27728-6	SF401SGAF-BLU	Clear	Scotchgard™ Anti-Fog	Blue/Gray	20 Each
5-00-51131-27731-6	SF401SGAF-BLU-F*	Clear	Scotchgard™ Anti-Fog	Blue/Gray	20 Each

*Foam gasket



3M™ Solus™ 1000-Series Safety Glasses

3M™ Solus™ 1000-Series protective eyewear features Scotchgard™ Anti-Fog lens coating which helps workers see clearly, longer — providing longer lasting fog resistance than traditional anti-fog coatings.** Removable temples enable the use of the optional strap. Optional foam gasket helps reduce eye exposure. Available in several frame colors and lens tints.

UPC	Product ID	Lens	Coating	Description	Frame	Case Qty/Units
5-00-51131-27186-4	S1101SGAF	Clear	Scotchgard™ Anti-Fog	-	Blue and Black	20 Each
5-00-51131-27189-5	S1101SGAF-KT	Clear	Scotchgard™ Anti-Fog	Foam gasket and strap	Blue and Black	20 Each
5-00-51131-27185-7	S1201SGAF-KT	Clear	Scotchgard™ Anti-Fog	Foam gasket and strap	Green and Black	20 Each

**Based on 3M internal testing per EN168 test method when compared with traditional anti-fog coatings.



3M™ Virtua™ CCS Protective Eyewear

Comfortable, lightweight frame features the Cord Control System (CCS) with optional foam gasket attachment.

UPC	Product ID	Lens	Coating	Description	Frame	Case Qty/Units
1-00-78371-11872-0	11872-00000-20	Clear	Anti-Fog	Foam gasket	Clear	20 Each



3M™ GoggleGear™ 2890 Series

The 3M™ GoggleGear™ 2890 Series safety goggles feature a modern design, Scotchgard™ Anti-Fog lens coating, and they are suitable for a number of different applications where a comfortable goggle is required.

UPC	Product ID	Lens	Coating	Frame	Case Qty/Units
5-00-51131-27437-7	GG2891-SGAF	Clear	Anti-Scratch and Scotchgard™ Anti-Fog	Gray	10 Each
5-00-51131-27438-4	GG2891S-SGAF	Clear	Anti-Scratch and Scotchgard™ Anti-Fog	Gray	10 Each

Products on this page meet the requirements of CSA Z94.3 and are Impact Rated to ANSI Z87.1-2015.

Eye, Head and Face Protection

Eye Protection (cont.)



3M™ GoggleGear™ 500 Series

3M™ GoggleGear™, 500 Series, Clear Scotchgard™ Anti-Fog Lens resists fogging longer than traditional anti-fog coatings,* helping to keep vision clearer for workers on the job.

UPC	Product ID	Lens	Coating	Frame	Case Qty/Units
5-00-51131-27455-1	GG501SGAF	Clear	Scotchgard™ Anti-Fog	Red and Black	10 Each
0-00-51131-27711-3	GG502SGAF	Gray	Scotchgard™ Anti-Fog	Red and Black	10 Each

*Based on 3M internal testing per EN168 test method when compared with traditional anti-fog coatings.

Head and Face Protection



3M™ Full Brim Hard Hat H-800 Series with UVicator™ Sensor

3M™ Full Brim Hard Hat H-800 Series with 4-Point Ratchet Suspension and UVicator™ Sensor is comfortable, tough and lightweight protective headgear that helps protect the top of the head due to the potential hazard of small falling objects or exposed fixed objects that may be bumped into. The UVicator™ sensor changes color as the hard hat is exposed to UV light. White.

UPC	Product ID	Description	Material	Case Qty/Units
1-00-78371-65797-7	H-801R-UV	Unvented	HDPE	20 Each
1-00-78371-65808-0	H-801V-UV	Vented	HDPE	20 Each



3M™ Hard Hat H-700 Series with UVicator™ Sensor

3M™ Hard Hat H-700 Series with 4-Point Ratchet Suspension and UVicator™ Sensor is comfortable, tough and lightweight protective headgear that helps protect the top of the head due to the potential hazard of small falling objects or exposed fixed objects that may be bumped into. The UVicator™ sensor changes color as the hard hat is exposed to UV light. White.

UPC	Product ID	Description	Material	Case Qty/Units
1-00-78371-65550-8	H-701R-UV	Unvented	HDPE	20 Each
1-00-78371-65555-3	H-701V-UV	Vented	HDPE	20 Each



3M™ Ratchet Headgear H8A, with 3M™ Clear Polycarbonate Faceshield WP96

3M™ Ratchet Headgear H8A, Head and Face Protection 82783-00000, provides impact protection for the eyes and face. This safety system includes ratchet headgear and a polycarbonate faceshield. An adjustable ratchet suspension and five position crown strap offers customized settings for individual users.

UPC	Product ID	Faceshield Material	Headgear Material	Color	Case Qty/Units
1-00-78371-82783-7	82783-00000	Clear Polycarbonate	Thermoplastic	Blue	5 Each
1-00-78371-82501-7	82501-00000	-	Thermoplastic	Blue	10 Each




3M™ Clear Polycarbonate Faceshield WP96

Standard size, molded general purpose polycarbonate faceshield offers face protection. Faceshield mounts quickly to any 3M™ Headgear without tools, snaps or cams. Requires protective eyewear, sold separately. Impact. Clear.

UPC	Product ID	Faceshield Material	Size	Case Qty/Units
1-00-78371-82701-1	WP96 82701-00000	Clear Polycarbonate	9 in x 14.5 in x 0.08 in	10 Each

Hearing Protection



3M™ E-A-R™ Flexible Fit Earplug HA

The 3M™ E-A-R™ Flexible HA Fit Earplug has a soft foam tip and a flexible fitting stem that allows easy insertion into the ear using one or two hands. The foam tip conforms to the unique shape of the ear canal to help block out noise. The Flexible Fit Earplugs are well suited for activities that require gloves or cause dirty hands or situations when only one hand is free to fit the earplugs.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
5-00-51131-27932-7	328-1000	Regular	Uncorded, Poly Bag	30 dB	Yellow	400 Pair
5-00-51131-27940-2	328-1001	Regular	Corded, Poly Bag	30 dB	Yellow/Blue	400 Pair



3M™ E-A-R™ EXPRESS™ Pod Plugs™ Earplugs

3M™ E-A-R™ EXPRESS™ Pod Plugs™ corded earplugs feature advanced “no-roll”, slow-recovery foam and assorted color grips. Paddle-style grips allow easy use and help keep earplug tips clean even when your hands are dirty.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
1-00-80529-11011-1	311-1115	Small	Corded, Pillow Pack	25 dB	Assorted Colors	400 Pair
1-00-80529-11052-4	311-1127	Small	Corded, Pillow Pack	25 dB	Yellow/Blue	400 Pair



3M™ E-A-R™ Push-Ins™ Earplugs

3M™ E-A-R™ Push-Ins™ earplugs provide all-day hearing comfort, convenience and protection. Constructed of 3M™ E-A-Rform™ foam, these earplugs feature a no roll-down design and a blue stem for a quick and easy insertion.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
1-00-80529-18000-8	318-1000	Regular	Uncorded, Poly Bag	28 dB	Yellow/Blue	400 Pair
1-00-80529-18001-5	318-1001	Regular	Corded, Poly Bag	28 dB	Yellow/Blue	400 Pair
1-00-80529-18003-9	318-1003	One Size Fits All	Corded, Poly Bag	28 dB	Yellow/Blue	2,000 Pair



3M™ E-A-R™ Skull Screws™ Earplugs

3M™ E-A-R™ Skull Screws™ push-to-fit foam earplugs sport the tough look of threaded metal, but feel of soft foam, while offering push-to-fit convenience and noise attenuation with attitude. Effective hearing protection and compliance with a clean, easy twist.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
1-00-93045-92951-8	P1300	Large	Uncorded, Poly Bag	32 dB	Silver	480 Pair
1-00-93045-92952-5	P1301	Large	Corded, Poly Bag	32 dB	Silver	480 Pair

*See important warning on fit testing and NRR derating on p. 115.

Hearing Protection



3M™ E-A-R™ UltraFit™ Earplugs

The 3M™ E-A-R™ UltraFit™ Earplugs are a proven triple-flange design made of pliable, pre-molded material. These durable, reusable earplugs are washable so they can be used many times to help reduce waste. They can be cleaned easily with soap and water. There is no need to roll them down before inserting.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
1-00-80529-40003-8	340-4004	Regular	Corded, Poly Bag, Reusable	25 dB	Yellow	400 Pair
1-00-80529-40053-3	340-4014	One Size Fits All	Corded, Poly Bag	25 dB	Yellow	2,000 Pair
1-00-80529-40004-5	340-4007	Regular	Corded, Poly Bag, Metal Detectable	25 dB	Blue	400 Pair



3M™ UltraFit™ Silicone Corded Earplugs

3M™ UltraFit™ Silicone Earplugs are comfortable, reusable hearing protectors. Made from durable, soft silicone material, this earplug can be washed and reused many times to help reduce waste. Three-flange design fits a wide range of ear canal sizes.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
5-00-51131-27515-2	340-3002	Regular	Red Cord, Carry Case	24 dB	Orange	320 Pair



3M™ Foam Earplugs

Soft, disposable foam earplugs feature a tapered design to fit comfortably in the ear canal. Smooth, dirt resistant surface.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
5-00-51138-29008-0	1100	Regular	Uncorded, Poly Bag	29 dB	Orange	1,000 Pair
5-00-51138-29009-7	1110	Regular	Corded, Poly Bag	29 dB	Orange	500 Pair



3M™ No-Touch™ Foam Earplugs

3M™ No-Touch™ push-to-fit foam earplugs create a hygienic, noise-reducing seal in the ear canal with soft foam, a smooth tapered shape and paddle stems. Push-to-fit design makes inserting earplugs easy.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
1-00-93045-98014-4	P2000	Small	Uncorded, Poly Bag	29 dB	Purple	400 Pair
1-00-93045-98015-1	P2001	Small	Corded, Poly Bag	29 dB	Purple	400 Pair



3M™ Tri-Flange™ Earplugs

3M™ Tri-Flange™ corded reusable earplugs feature a proven, triple-flange design and soft, pliable material to provide clean and comfortable hearing protection.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
1-00-93045-98016-8	P3000	Regular	Vinyl Cord, Poly Bag	26 dB	Clear/ Yellow	400 Pair
1-00-93045-98017-5	P3001	Regular	Cloth Cord, Poly Bag	26 dB	Clear/ Yellow	400 Pair

*See important warning on fit testing and NRR derating on p. 115.

Hearing Protection



3M™ E-A-R™ One Touch™ Pro Earplug Dispenser

3M™ E-A-R™ One Touch™ Pro Earplug Dispenser gives workers convenient access to hearing protection products. A “No Waste Funnel” accurately delivers earplugs with a slight turn. It typically dispenses a single earplug with each turn, giving the worker more control with less chance of spillage and waste of earplugs.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
1-00-78371-66803-4	391-0000	-	-	-	Blue	1 Each
1-00-80529-91004-9	391-1004	Regular	Uncorded, One Touch™ Dispenser Refill	33 dB	Yellow	2,000 Pair



3M™ E-A-Rsoft™ Yellow Neons™ Earplugs

3M™ E-A-Rsoft™ Yellow Neons™ Earplugs have a smooth texture for in-ear comfort, are made of an advanced foam for all-day wear and are available in two sizes. Brightly colored for hearing protection compliance sighting, these earplugs are an excellent choice for any hearing conservation program.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
1-00-80529-10065-5	310-1250	Regular	Uncorded, Pillow Pack	33 dB	Yellow	2,000 Pair
1-00-80529-12063-9	312-1250	Regular	Uncorded, Poly Bag	33 dB	Yellow	2,000 Pair
1-00-80529-11033-3	311-1250	Regular	Corded, Poly Bag	33 dB	Yellow	2,000 Pair
1-00-80529-11042-5	311-4106	Regular	Corded, Poly Bag	32 dB	Yellow	2,000 Pair



3M™ E-A-Rsoft™ FX™ Earplugs

3M™ E-A-Rsoft™ FX™ earplugs feature a bell shape and super soft, slow recovery foam to effectively seal the ear canal and provide reliable hearing protection.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
1-00-80529-12086-8	312-1261	One Size Fits All	Uncorded, Poly Bag	33 dB	Yellow	2,000 Pair



3M™ E-A-Rsoft™ SuperFit™ Earplugs

3M™ E-A-Rsoft™ corded foam earplugs seal the ear canal with soft, slow-recovery foam for excellent noise reduction and reliable hearing protection. Orange fitting ring provides a guideline for proper fitting and visual compliance check.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
1-00-80529-11059-3	311-1254	Regular	Corded, Poly Bag	33 dB	Yellow	2,000 Pair

*See important warning on fit testing and NRR derating on p. 115.

Hearing Protection



3M™ E-A-R™ Classic™ Earplugs

3M™ E-A-R™ Classic™ earplugs set the standard in hearing protection as the world's first disposable foam earplugs. Slow recovery, low pressure foam conforms to the unique shape of each ear for enhanced comfort and wearability.

UPC	Product ID	Size	Description	Noise Reduction Rating*	Color	Case Qty/Units
1-00-80529-10000-6	310-1001	Regular	Uncorded, Pillow Pack	29 dB	Yellow	2,000 Pair
1-00-80529-10052-5	310-1103	Small	Uncorded, Pillow Pack	29 dB	Yellow	2,000 Pair
1-00-80529-12002-8	312-1201	Regular	Uncorded, Poly Bag	29 dB	Yellow	2,000 Pair
1-00-80529-11006-7	311-1110	Regular	Corded, Paper Bag	29 dB	Yellow	600 Pair
1-00-80529-11001-2	311-1101	Regular	Corded, Poly Bag	29 dB	Yellow	2,000 Pair
1-00-80529-11024-1	311-1106	Small	Corded, Poly Bag	29 dB	Yellow	2,000 Pair



3M™ PELTOR™ Electronic Earplug, EEP-100

The 3M™ PELTOR™ EEP-100 Electronic Earplug helps protect your hearing when it's loud, while allowing you to hear normally when it's quiet. This kit includes a protective charging case and an assortment of eartips. Battery type: lithium ion rechargeable.

UPC	Product ID	Style	Battery Life	Noise Reduction Rating*	Color	Case Qty/Units
0-00-51131-27743-4	EEP-100	In-ear	16 Hours	23 dB, 27 dB, 30 dB	Green	1 Each



3M™ PELTOR™ X1 Earmuffs

The X1A is a lightweight, low-profile earmuff designed for protection against low-level industrial noise and other loud sounds. It features an electrically insulated wire headband, often referred to as "dielectric".

UPC	Product ID	Size	Noise Reduction Rating*	Color	Case Qty/Units
1-00-93045-93723-0	X1A	One Size Fits Most	22 dB	Black/ Green	10 Each



3M™ PELTOR™ X4 Earmuffs

The X4 combines high attenuation with a sleek, low-profile and lightweight design. The innovative foam earcup inserts and spacers help boost attenuation while adding little bulk or weight. This lightweight, lower-profile earmuff helps with compatibility with other personal protective equipment and is designed for protection against moderate-to-high level industrial noise and other loud sounds. It features an electrically insulated wire headband, often referred to as "dielectric".

UPC	Product ID	Size	Noise Reduction Rating*	Color	Case Qty/Units
1-00-93045-93726-1	X4A	One Size Fits Most	27 dB	Black/ Chartreuse	10 Each



3M™ PELTOR™ X5 Earmuffs

For very high noise situations, no earmuffs in the market today offer a higher Noise Reduction Rating (NRR) than X5. The high attenuation provided by these earmuffs is a result of the combination of specially-formulated foam in the earcups and cushions and the innovative spacer and cup design. They feature an electrically insulated wire headband, often referred to as "dielectric".

UPC	Product ID	Size	Noise Reduction Rating*	Color	Case Qty/Units
1-00-93045-93727-8	X5A	One Size Fits Most	31 dB	Black	10 Each

*See important warning on fit testing and NRR derating on p. 115.

Respiratory Protection

As the COVID-19 Pandemic has generated unprecedented demand for many respiratory protection products, product availability may be limited and lead times may be extended. 3M is committed to supplying personal protective equipment (PPE) to our heroic nurses, doctors, health care workers, and first responders, while also working to maintain product availability for industrial customers.

Disposable Respirators



3M™ Particulate Respirators 8210 and 8210V, N95

This classic disposable N95 particulate respirator is designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles.

UPC	Product ID	Description	Color	Case Qty/Units
5-00-51138-46457-3	8210	-	White	160 Each
5-00-51131-49711-0	8210V	3M™ Cool Flow™ Valve	White	80 Each



3M™ Particulate Respirator 8214, N95

This disposable N95 particulate welding respirator with carbon layer helps provide respiratory protection where metal fumes may be present including those with ozone* and nuisance level organic vapors.** Features foam face seal and 3M™ Cool Flow™ Valve.

UPC	Product ID	Color	Case Qty/Units
5-00-51138-66192-7	8214	White	80 Each

*3M recommended for ozone protection up to 10 times the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone.

**3M recommended for relief against nuisance level organic vapors. Nuisance level refers to concentrations not exceeding OSHA PEL or applicable occupational exposure limits, whichever is lower.



3M™ Particulate Respirator 8511, N95

This disposable N95 particulate respirator features 3M™ Cool Flow™ Valve to help provide comfortable, reliable worker respiratory protection. It is well-suited for hot/dusty work settings that require long periods of wear.

UPC	Product ID	Color	Case Qty/Units
5-00-51138-54343-8	8511	White	80 Each



3M™ Particulate Welding Respirator 8515, N95

An economical option for welders. Features unique flame-resistant filter media, adjustable M-Noseclip, and braided headbands to help provide a custom and secure seal. APF of 10.

UPC	Product ID	Color	Case Qty/Units
5-00-51131-07189-1	8515	White	80 Each



3M™ Particulate Respirator 8516, N95

This disposable N95 particulate respirator is designed for the aluminum industry and helps protect against certain non-oil based particles including those present with nuisance levels of acid gases.*** It features 3M™ Cool Flow™ Valve for added comfort.

UPC	Product ID	Color	Case Qty/Units
5-00-51138-66392-1	8516	White	80 Each

***3M recommended for relief against nuisance levels of acid gases. Nuisance level refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower.



3M™ Particulate Respirator 8576, P95

This disposable P95 particulate respirator helps provide reliable respiratory protection against certain oil and non-oil based particles. The respirator features a carbon layer to remove nuisance levels of acid gases.***

UPC	Product ID	Color	Case Qty/Units
5-00-51138-54370-4	8576	White	80 Each

***3M recommended for relief against nuisance level acid gases. Nuisance level refers to concentrations not exceeding OSHA PEL or applicable occupational exposure limits, whichever is lower.

Respiratory Protection

As the COVID-19 Pandemic has generated unprecedented demand for many respiratory protection products, product availability may be limited and lead times may be extended. 3M is committed to supplying personal protective equipment (PPE) to our heroic nurses, doctors, health care workers, and first responders, while also working to maintain product availability for industrial customers.

Disposable Respirators (cont.)



3M™ Particulate Respirator 8577, P95

This disposable P95 particulate respirator helps provide respiratory protection against certain oil and non-oil based particles. The respirator features a carbon layer to remove nuisance levels* of organic vapors. It features 3M™ Cool Flow™ Valve.

UPC	Product ID	Color	Case Qty/Units
5-00-51138-54371-1	8577	White	80 Each

*3M recommended for relief against nuisance level organic vapors. Nuisance level refers to concentrations not exceeding OSHA PEL or applicable occupational exposure limits, whichever is lower.



3M™ Aura™ Particulate Respirator 9211+, N95

The 3M™ Aura™ Particulate Respirator 9211+, N95 is a breakthrough in comfort and convenience. This three-panel disposable flat-fold respirator features soft inner material and a 3M™ Cool Flow™ Valve to help provide comfortable, reliable worker respiratory protection. Well-suited for hot/dusty work settings that require long periods of wear.

UPC	Product ID	Color	Case Qty/Units
5-88-87719-99716-9	9211+	White	120 Each



3M™ Particulate Respirator 8293, P100

The 3M™ Particulate Respirator 8293, P100 with Cool Flow™ Valve is a lightweight, disposable P100 particulate respirator and is well-suited for those who want NIOSH's highest rated filtration efficiency. It provides a minimum filter efficiency of 99.97% against oil and non-oil based particles. 3M uses a variety of innovative technologies and features to help you meet your respiratory protection and comfort needs.

UPC	Product ID	Color	Case Qty/Units
5-00-51138-54336-0	8293	White	20 Each



3M™ Half Facepiece Disposable Respirator Assembly 52P71

NIOSH approved against certain organic vapors and particulates. Use for a variety of applications including spray painting, pesticides, agriculture, construction and transportation.

UPC	Product ID	Size	Filter Color Code	Case Qty/Units
5-00-51138-66069-2	52P71	Medium	Black	12 Each
5-00-51138-66070-8	53P71	Large	Black	12 Each

Reusable Respirators



3M™ Full Facepiece Reusable Respirator 6000 Series

This full facepiece reusable respirator offers lightweight comfort and ease of use. Combine with appropriate 3M™ particulate filters or cartridges to help provide respiratory protection against particulates and/or a variety of gases and vapors.

UPC	Product ID	Size	Case Qty/Units
5-00-51138-54145-8	6700	Small	4 Each
5-00-51138-54146-5	6800	Medium	4 Each
5-00-51138-54159-5	6900	Large	4 Each



3M™ Faceshield Cover 6885

Use on 3M™ Full Facepieces 6000 Series to help protect the lens.

UPC	Product ID	Case Qty/Units
5-00-51131-07142-6	6885	100 Each

Reusable Respirators (cont.)



3M™ Ultimate FX Full Facepiece Reusable Respirator FF-400 Series

Engineered for maximum comfort, durability and visibility, the Ultimate FX FF-400 is the only respirator with Scotchgard™ Protector. This respirator features soft yet durable, silicone material and a large lens for superior peripheral vision.

UPC	Product ID	Size	Case Qty/Units
5-00-51135-89418-2	FF-401	Small	4 Each
5-00-51135-89421-2	FF-402	Medium	4 Each
5-00-51135-89424-3	FF-403	Large	4 Each



3M™ Half Facepiece Reusable Respirator 6000 Series

This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.

UPC	Product ID	Size	Case Qty/Units
5-00-51131-07024-5	6100	Small	24 Each
5-00-51131-07025-2	6200	Medium	24 Each
5-00-51131-07026-9	6300	Large	24 Each



3M™ Half Facepiece Reusable Respirator 7500 Series

This half facepiece reusable respirator 7500 Series uses advanced silicone material to help provide comfortable and durable respiratory protection. The 3M™ Cool Flow™ Valve helps make breathing easier.

UPC	Product ID	Size	Case Qty/Units
5-00-51131-37081-9	7501	Small	10 Each
5-00-51131-37082-6	7502	Medium	10 Each
5-00-51131-37083-3	7503	Large	10 Each



3M™ Rugged Comfort Half Facepiece Reusable Respirator 6500QL Series

This half facepiece combines comfort, durability, and stability. The quick latch design offers an easy, one-hand touch drop-down mechanism for putting the facepiece on and off while moving in and out of contaminated areas.

UPC	Product ID	Size	Case Qty/Units
5-00-51131-49488-1	6501QL	Small	10 Each
5-00-51131-49490-4	6502QL	Medium	10 Each
5-00-51131-49492-8	6503QL	Large	10 Each



3M™ Gas/Vapor Cartridge 6000 Series*

NIOSH approved against certain gases and vapors. Use with 3M™ Half and Full Facepieces 6000, 6500, 7500, FF-400, and 7800 Series with bayonet attachment style. NIOSH approved against certain organic vapors and/or acid gases.

UPC	Product ID	Description	Filter Color Code	Case Qty/Units
5-00-51138-21674-5	6001	Organic Vapor	Black	60 Each/30 Pair
5-00-51131-07047-4	6003	Organic Vapor/Acid Gas*	Yellow	60 Each/30 Pair
5-00-51138-54186-1	6006	Multi Gas/Vapor*	Olive	60 Each/30 Pair

OSHA requires that gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.

*These cartridges are approved for respiratory protection from certain contaminants up to 10 times the permissible exposure limit (PEL) with half facepiece respirators and full facepiece respirators when qualitatively fit tested, or up to 50 times the PEL with full facepiece respirators when quantitatively fit tested, or the concentration considered immediately dangerous to life or health (IDLH), or according to specific OSHA standards or applicable government regulations, whichever is lower.

Respiratory Protection

As the COVID-19 Pandemic has generated unprecedented demand for many respiratory protection products, product availability may be limited and lead times may be extended. 3M is committed to supplying personal protective equipment (PPE) to our heroic nurses, doctors, health care workers, and first responders, while also working to maintain product availability for industrial customers.

Reusable Respirators (cont.)



3M™ Combination Cartridges/P100 Particulate Filters 6000 Series*

NIOSH approved against certain gases, vapors and particulates. Use with 3M™ Half and Full Facepieces 6000, 6500, 7500, FF-400, and 7800 Series with bayonet attachment style.

UPC	Product ID	Description	Filter Color Code	Case Qty/Units
5-00-51138-46465-8	60921	Organic Vapor/P100	Magenta/Black	60 Each/30 Pair
5-00-51138-46467-2	60923	Organic Vapor/Acid Gas/P100*	Magenta/Yellow	60 Each/30 Pair
5-00-51138-54187-8	60926	Multi-Gas/Vapor/P100*	Magenta/Olive	60 Each/30 Pair


OSHA requires that gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.



3M™ Particulate Filter 2000 Series*

NIOSH approved for environments containing certain oil and non-oil based particles.

UPC	Product ID	Description	Filter Color Code	Case Qty/Units
5-00-51131-07000-9	2091	P100	Magenta	100 Each/50 Pair
5-00-51131-07184-6	2097	P100, with Nuisance Level Organic Vapor Relief**	Magenta	100 Each/50 Pair



3M™ Advanced Particulate Filter 2000 Series*

Designed to make breathing easier while lasting longer. NIOSH approved for environments containing certain oil and non-oil based particles.

UPC	Product ID	Description	Case Qty/Units
5-00-51131-17170-6	2291	P100	100 Each/50 Pair
5-00-51131-17172-0	2297	P100, with Nuisance Level Organic Vapor Relief**	100 Each/50 Pair



3M™ Particulate Filter 5N11 and 5P71*

Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000 Series or 3M™ Filter Adapter 603, and 3M™ Filter Retainer 501.

UPC	Product ID	Description	Packaging	Case Qty/Units
5-00-51138-46464-1	5N11	N95 Prefilter	10 Each/5 Pairs per box	100 Each/50 Pair
5-00-51131-07194-5	5P71	P95 Prefilter	10 Each/5 Pairs per box	100 Each/50 Pair



3M™ Filter Retainer 501

Used to hold 3M™ Particulate Filters 5N11 and 5P71/07194(AAD) in place on top of 3M™ Respirators 5000 Series and 3M™ Cartridges 6000 Series and 3M™ Filter Adapter 603.

UPC	Product ID	Packaging	Case Qty/Units
5-00-51138-17668-1	501	20 Each/10 Pairs per box	100 Each



3M™ Respirator Cleaning Wipe 504

Used to clean 3M™ Reusable Respirators. Individually packed 8 inch x 10 inch towelettes are alcohol free and will not damage the facepiece materials.

UPC	Product ID	Packaging	Case Qty/Units
5-00-51131-07065-8	504	100 per box	500 Each

*These cartridges are approved for respiratory protection from certain contaminants up to 10 times the permissible exposure limit (PEL) with half facepiece respirators and full facepiece respirators when qualitatively fit tested, or up to 50 times the PEL with full facepiece respirators when quantitatively fit tested, or the concentration considered immediately dangerous to life or health (IDLH), or according to specific OSHA standards or applicable government regulations, whichever is lower.

**3M recommended for relief against nuisance levels of organic vapors. Nuisance level organic vapor refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against acid gases or organic vapors.

Powered and Supplied Air Respirators Ready to Use Kits and Assemblies



3M™ Versaflo™ Heavy Industry PAPR Kit TR-600-HIK

The TR-600-HIK is a complete Powered Air Purifying Respirator and includes everything required to get started. This ready-to-use kit provides a simple way to purchase a complete PAPR system for use in rugged environments such as industrial, demolition, grinding, metal finishing and casting operations. 10.5–15 hours of battery life with a high capacity lithium ion – Rechargeable battery. All components of the kit can be ordered separately as placements or personalized systems.

UPC	Filter Color Code	Case Qty/Units
0-00-51131-37374-7	Magenta/Yellow	1 Kit



3M™ Versaflo™ PAPR Assembly Painters Kit TR-800-PSK

The TR-800-PSK is a complete Powered Air Purifying Respirator with an Intrinsically Safe motor/blower that includes everything required to get started for use in Paint Spray operations. NIOSH approved. The kit includes: M-206 Respiratory Faceshield Assembly, BT-20L Breathing Tube, TR-6510N (OV/HE) Cartridge, TR-641N Single Station Battery Charger, BT-922 Breathing Tube Cover, Intrinsically Safe TR-802N PAPR Unit, TR-830 Intrinsically Safe Battery, TR-838 Battery Attachment Tool, TR-627 Easy Clean Belt, TR-6500 Filter Cover, TR-971 Airflow Indicator, BT-922 Breathing Tube Cover and TR-653 Storage and Cleaning Kit.

UPC	Filter Color Code	Color	Case Qty/Units
0-00-76308-94248-9	Magenta/Black	Gray/Black	1 Kit



3M™ Versaflo™ Powered Air Purifying Respirator Heavy Industry Kit TR-800-HIK

The TR-800-HIK is a complete Powered Air Purifying Respirator and includes everything required to get started. This ready-to-use kit provides a simple way to purchase a complete PAPR system for use in rugged industrial environments. The TR-800 is a motor/blower certified by UL with an intrinsically safe (IS) rating of Division 1: IS Class I, II, III; Division 1 (includes Division 2) Groups C, D, E, F, G; T4, under the most current standard (UL 60079, 6th Edition, 2013). The kit includes: M-307 Respiratory Hard Hat Assembly with Premium Visor and Faceshield, Intrinsically Safe TR-802N PAPR Unit, TR-830 Intrinsically Safe Battery, TR-838 Battery Attachment Tool, BT-30 Length Adjusting Breathing Tube, TR-626 High Durability Belt, TR-6530N OV/AG/HE Cartridge, TR-6500 Filter Cover, TR-641N Single Station Battery Charger Kit, TR-971 Airflow Indicator, BT-926 High Temperature Breathing Tube Cover, TR-6600 Prefilter (x2), TR-662 Spark Arrestor (x2) and TR-653 Storage and Cleaning Kit. All components of the kit can be ordered separately as placements or personalized systems.

UPC	Color	Case Qty/Units
0-00-76308-94250-2	Gray/Black	1 Kit



3M™ Versaflo™ Powered Air Purifying Respirator Easy Clean Assembly TR-814N

The TR-814N Easy Clean PAPR Assembly includes Intrinsically Safe motor/blower (TR-802N), Intrinsically Safe Battery (TR-830N), battery attachment tool (TR-838), Airflow Indicator (TR-971), Easy Clean Belt (TR-627) and Length Adjusting Breathing Tube (BT-30).

UPC	Product ID	Battery Life	Battery Type	Case Qty/Units
0-00-76308-94247-2	TR-814N	6–10 hours	Standard Capacity Lithium Ion – Rechargeable	1 Each



3M™ Versaflo™ Powered Air Purifying Respirator PAPR Assembly TR-616N

The TR-616N assembly includes motor/blower (TR-602N), high capacity battery (TR-632), length adjusting breathing tube (BT-30), high durability belt (TR-626) and airflow indicator (TR-971). Headtops, filters, cartridges and battery charger sold separately.

UPC	Product ID	Color	Case Qty/Units
0-00-51131-37341-9	TR-616N	Black	1 Each

Powered and Supplied Air Respirators Head Top Options



3M™ Versaflo™ Painter's Hood Assembly with Inner Shroud and Premium Head Suspension

The 3M™ Versaflo™ S-757 Hood Assembly consists of an S-950 Premium Head Suspension and a S-707 Hood.

UPC	Product ID	Color	Case Qty/Units
0-00-51131-37301-3	S-757	White	1 Each



3M™ Versaflo™ Replacement Painter's Hood with Inner Shroud S-707-10

With an S-950 Premium Head Suspension installed inside, the S-707 hood is approved for use with certain 3M™ Powered Air Purifying and Supplied Air Respirator Systems.

UPC	Product ID	Color	Case Qty/Units
0-00-51131-37300-6	S-707-10	White	10 Each



3M™ Versaflo™ Respiratory Faceshield Assembly M-206

The M-206 is a lightweight, comfortable PAPR headtop that combines a respirator and faceshield, with the option of adding earmuffs for hearing protection. This headtop is popular in light industry where respirators and face protection are typically used. Combine the M-206 with 3M™ Versaflo™ PAPR or Supplied Air components to create a complete respiratory assembly.

UPC	Product ID	Description	Color	Case Qty/Units
0-00-51131-37299-3	M-206	Comfort Faceseal	Gray	1 Each



3M™ Versaflo™ Respiratory Hard Hat Assembly M-305

Used with an approved air source, M-300 Series hard hats provide respiratory (OSHA APF=25) and limited head (ANSI Z89.1 2003 Type 1 Class G) and eye (ANSI Z87.1 2010) protection. The M-305 assembly includes a standard visor and standard faceseal.

UPC	Product ID	Color	Case Qty/Units
0-00-51131-17316-3	M-305	Gray	1 Each



3M™ Versaflo™ Respiratory Hard Hat Assembly M-307

Used with an approved air source, M-300 Series hard hats provide respiratory (OSHA APF=25) and limited head (ANSI Z89.1 2003 Type 1 Class G) and eye (ANSI Z87.1 2010) protection. The M-307 assembly includes a premium visor and premium faceseal.

UPC	Product ID	Color	Case Qty/Units
0-00-51131-17317-0	M-307	Gray	1 Each



Powered and Supplied Air Respirators Batteries and Battery Chargers



3M™ Versaflo™ Single Station Battery Charger Kit

The TR-641N Battery Charger Kit is a complete single station battery charger for TR-600 Series PAPRs. It consists of a TR-640 Cradle and a TR-941 Power Supply. The TR-641N battery charger will charge a TR-630 standard capacity battery or TR-632 high capacity battery in less than 4 hours. The TR-641N charger will charge one battery at a time. Batteries may be stored on the charger, fully charged, ready for immediate use.

UPC	Product ID	Case Qty/Units
0-00-51131-37350-1	TR-641N	1 Each



3M™ Versaflo™ 4-Station Battery Charger Kit

The TR-644N Battery Charger Kit is a complete 4-station battery charger for TR-600 Series PAPRs. It consists of a TR-944 Power Supply and four TR-640 Cradles. The TR-644N battery charger will charge a TR-630 standard capacity battery or TR-632 high capacity battery in less than 4 hours. The TR-644N charger can charge up to 4 batteries at the same time.

UPC	Product ID	Case Qty/Units
0-00-51131-37351-8	TR-644N	1 Each



3M™ Versaflo™ Standard Battery

The TR-630 is a lightweight, standard capacity, lithium ion battery for use with 3M's TR-600 series Powered Air Purifying Respirators. When equipped with a new standard battery (TR-630) and new filter or cartridge, a TR-600 PAPR assembly has a run time of 4–12 hours at standard flow setting. PAPR runtime will vary based on battery age, filter loading, filter or cartridge selection, and user selected air flow setting. The TR-630 battery will charge in less than 4 hours.

UPC	Product ID	Case Qty/Units
0-00-51131-37347-1	TR-630	1 Each



3M™ Versaflo™ High Capacity Battery

When equipped with a new high capacity battery (TR-632) and new filter, the TR-600 PAPR assembly has a run time of 8–18 hours. PAPR runtime will vary based on battery age, filter loading, filter or cartridge selection, and user selected air flow setting. Under equivalent conditions, the TR-632 high capacity battery provides extended PAPR run time when compared to the TR-630 standard capacity battery. The TR-632 will charge in less than 4 hours.

UPC	Product ID	Case Qty/Units
0-00-51131-37348-8	TR-632	1 Each



3M™ Versaflo™ Battery

The TR-830 is a lithium ion battery pack for TR-800 series PAPRs. It charges quickly, features a charge level indicator and utilizes a mechanical attachment of the battery to the TR-802N PAPR blower motor as required by the most current UL standard (UL 60079, 6th Edition, 2013) for Intrinsically Safe PAPRs. Includes TR-838 Battery Attachment Tool. When equipped with a new Intrinsically Safe Battery (TR-830) and new filter, the TR-800 PAPR assembly has a run time of 6–10 hours depending on system configuration used. PAPR runtime will vary based on battery age, filter loading, filter or cartridge selection, and user selected air flow setting. The battery also can provide approximately 750 full-charge/discharge cycle equivalents while maintaining 80% of its original capacity.

UPC	Product ID	Case Qty/Units
0-00-76308-94243-4	TR-830	1 Each



3M™ Versaflo™ Battery Attachment Tool

The TR-838 Battery Attachment Tool is used to mechanically attach TR-830 batteries to the TR-802N Intrinsically Safe (IS) PAPR blower motor as required by the most current UL standard (8th edition UL 913) for Intrinsically Safe PAPRs.

UPC	Product ID	Case Qty/Units
0-00-76308-94244-1	TR-838	1 Each

Powered and Supplied Air Respirators Filters and Cartridges



3M™ Versaflo™ High Efficiency Filter

The TR-6710N and TR-6710N-5 are High Efficiency (HE) particulate filters for use with TR-600 Series PAPRs. These filters attach directly to the motor/blower. 3M recommends the use of the TR-6700FC filter cover to help protect the filter from physical damage.

UPC	Product ID	Description	Filter Color Code	Case Qty/Units
5-00-51131-37358-2	TR-6710N	HE Filter	Magenta	40 Each
5-00-51131-37357-5	TR-6710N-5	HE Filter	-	5 Each



3M™ Versaflo™ Organic Vapor/HEPA Cartridge TR-6510N/37361 (AAD)

The TR-6510N is a combination High Efficiency (HE) particulate filter and Organic Vapor (OV) cartridge for use with TR-600 series PAPRs. 3M recommends the use of the TR-6500FC filter cover to help protect the filter from physical damage.

UPC	Product ID	Description	Filter Color Code	Case Qty/Units
5-00-51131-37361-2	TR-6510N	Organic Vapor, Particulate	Magenta/Black	5 Each



3M™ Versaflo™ Organic Vapor/Acid Gas/HEPA Cartridge TR-6530N

The TR-6530N is a combination High Efficiency (HE) particulate filter and Organic Vapor/Acid Gas (OV/AG) cartridge for use with TR-600 series PAPRs. 3M recommends the use of the TR-6500FC filter cover to help protect the filter from physical damage.

UPC	Product ID	Color	Case Qty/Units
5-00-51131-37362-9	TR-6530N	Black	5 Each



3M™ Versaflo™ TR-6590N Multi-Gas/HE Cartridge

The TR-6590N is combination High Efficiency (HE) particulate filter and Multi-Gas cartridge (MG) for use with TR-600 series PAPRs.

UPC	Product ID	Color	Case Qty/Units
5-00-51131-37366-7	TR-6590N	Black	5 Each



3M™ Versaflo™ Prefilter

The TR-6600 prefilter can extend the service life of the particulate (HE) element of TR-600 series filters and cartridges by capturing large particles that may otherwise clog the HE filter. Frequent prefilter changeout may help optimize PAPR system performance.

UPC	Product ID	Description	Color	Case Qty/Units
5-00-51131-37354-4	TR-6600	Particulate	Black	50 Each



Powered and Supplied Air Respirators Accessories



3M™ Versaflo™ Filter Cover

The TR-6500FC is a filter cover for use with the TR-6510N, TR-6530N and TR-6590N cartridges. The TR-6700FC is a filter cover for use with the TR-6710N filter. 3M recommends the use of these filter covers to help protect cartridges from damage. These are used to hold the TR-6600 Prefilter or TR-662 Spark Arrestor in place.

UPC	Product ID	Case Qty/Units
0-00-51131-37381-5	TR-6500FC	1 Each
0-00-51131-37356-3	TR-6700FC	1 Each



3M™ Versaflo™ Breathing Tube Cover

The 3M™ Versaflo™ BT-922/W-3228-10 Breathing Tube Cover, which can be used to protect the tube and extend the life, is designed to cover the 3M™ Versaflo™ BT Series Breathing Tubes, hardcap assemblies, and GVP assemblies.

UPC	Product ID	Case Qty/Units
0-00-51131-37311-2	BT-922/W-3228-10	10 Each



3M™ Versaflo™ Length Adjusting Breathing Tube

The 3M™ Versaflo™ BT-30 Breathing Tube connects any Versaflo™ Headtop to any Versaflo™ air source.

UPC	Product ID	Case Qty/Units
0-00-51131-17379-8	BT-30	1 Each



3M™ Versaflo™ Heavy Duty Neoprene Rubber Breathing Tube

The 3M™ Versaflo™ BT-40 Breathing Tube connects any Versaflo™ Headtop to any Versaflo™ air source.

UPC	Product ID	Case Qty/Units
0-00-51131-17380-4	BT-40	1 Each



3M™ Versaflo™ High Durability Belt

The TR-626 High Durability Belt is a replacement part for TR-600 series PAPRs. It is part of the TR-613N and TR-616N assemblies, and TR-600-HIK Ready-to-Use Kit. The TR-626 may also be selected when ordering individual components to assemble a complete PAPR. The ergonomic design makes it comfortable to wear. The TR-600 series motor/blowers attach simply yet securely to the belt. Leather leads make it suitable for challenging work such as grinding. The belt will accommodate waist sizes up to 52 inches. The belt lead may be secured using the integrated belt keeper and trimmed to remove excess length.

UPC	Product ID	Case Qty/Units
0-00-51131-37343-3	TR-626	1 Each



3M™ Versaflo™ Easy Clean Belt

The TR-627 Easy Clean Belt is a replacement part for TR-600 series PAPRs. It is part of the TR-614N and TR-617N assemblies, and TR-600-ECK Ready-to-Use Kit. The ergonomic design makes it comfortable to wear. The belt has smooth surfaces and is submersible to enable easier cleaning. The TR-600 series motor/blowers attach simply yet securely to the belt. The belt will accommodate waist sizes up to 52 inches. The belt lead may be secured using the integrated belt keeper and trimmed to remove excess length.

UPC	Product ID	Case Qty/Units
0-00-51131-37345-7	TR-627	1 Each



3M™ Versaflo™ Waist Belt

Used with the 3M™ W Series and V Series Air Control Valves.

UPC	Product ID	Material	Case Qty/Units
0-00-51131-07045-5	W-2963	Cotton	1 Each

Powered and Supplied Air Respirators Accessories (cont.)



3M™ Versaflo™ Premium Holder

3M™ Versaflo™ Valve Pad V-112 may be used with cooling tube V-150 or heating tube V-250, and belts TR-325 (standard), TR-326 (high durability) or TR-327 (easy clean), to create a complete air regulating assembly. The 3M™ Versaflo™ Premium Holder V-112 is a replacement part for 3M™ Versaflo™ Supplied Air Respirator Vortex Cooling Assembly V-100 and V-100SR, and the 3M™ Versaflo™ Supplied Air Respirator Vortemp™ Heating Assembly V-200. The V-112 pad allows the assembly to be worn vertically or horizontally on the belt. The pad provides cushioning, and thermal insulation from the surfaces of the cooling or heating tubes.

UPC	Product ID	Case Qty/Units
0-00-51131-37415-7	V-112	1 Each



3M™ Vortex Holder Kit

To be used with the 3M™ Vortex Cooling Assembly W-2862SR.

UPC	Product ID	Case Qty/Units
0-00-51138-16412-6	W-3016	1 Each



3M™ Versaflo™ Cleaning and Storage Kit

The TR-653 kit is designed to assist with both product cleaning and storage. A plug and seal is provided for the inlet and outlet openings of the TR-600 series motor/blower. A cover is provided for the electrical connections of the TR-630 or TR-632 battery. Each kit contains: 1 inlet plug and 2 seals, 1 outlet plug and 2 seals, and 1 battery connector cover. The motor/blower plugs allow the motor/blower to be submerged, rinsed under running water, or machine washed as outlined in the User Instructions. The plugs may also help to keep the internal components of the motor/blower clean during storage. The plug seals should be replaced after 30 uses or whenever found to be damaged or worn.

UPC	Product ID	Case Qty/Units
0-00-51131-37373-0	TR-653	1 Each



3M™ Versaflo™ Standard Visor M-925

Made from polycarbonate, the M-925 Visor is an economical, easy-to-replace visor for all 3M™ Versaflo™ M Series products.

UPC	Product ID	Color	Case Qty/Units
0-00-51131-37323-5	M-925	Clear	5 Each



3M™ Versaflo™ Premium Visor

Made from coated polycarbonate, the M-927 Visor is a scratch-resistant, chemical-resistant visor for all 3M™ Versaflo™ M Series products.

UPC	Product ID	Color	Case Qty/Units
0-00-51131-37324-2	M-927	Clear	5 Each



3M™ Versaflo™ Peel-Off Visor Covers

Used with the 3M™ Versaflo™ M-927 Premium Visor. The M-928 Visor Cover fits over the premium visor and protects it from scratching or overspray of paint and chemicals. Up to five covers can be attached, one on top of the other.

UPC	Product ID	Case Qty/Units
5-00-51131-37452-7	M-928	40 Each

Respiratory Protection

As the COVID-19 Pandemic has generated unprecedented demand for many respiratory protection products, product availability may be limited and lead times may be extended. 3M is committed to supplying personal protective equipment (PPE) to our heroic nurses, doctors, health care workers, and first responders, while also working to maintain product availability for industrial customers.

Powered and Supplied Air Respirators Accessories (cont.)



3M™ Compressed Air Filter and Regulator Panel

This panel is designed to filter and regulate air being delivered to the supplied air respirator. It has a maximum capacity of 50 cfm at 105 psig. Note: This unit will NOT remove carbon monoxide (CO) from compressed air source.

UPC	Product ID	Description	Case Qty/Units
0-00-51131-07006-6	W-2806	3-5 outlets	1 Each



3M™ Supplied Air Respirator Hose

This hose has a 3/8 inch inner diameter. It is equipped with MPT fittings at both ends and accepts 1/4 inch FPT fittings. 3M™ Supplied Air System approvals allow for 100 foot lengths of this hose to be combined up to a maximum of 300 feet (3 sections).*

UPC	Product ID	Size	Inner Diameter	CFM Capacity per Minute	Color	Case Qty/Units
0-00-51131-07010-3	W-9435-25	25 ft	3/8	100 CFM, 50 CFM	Blue	1 Each
0-00-51131-07011-0	W-9435-50	50 ft	3/8	100 CFM, 50 CFM	Blue	1 Each
0-00-51131-07012-7	W-9435-100	100 ft	3/8	100 CFM, 50 CFM	Blue	1 Each

*You may not combine 25 or 50 foot lengths of the 3M™ Supplied Air Hose W-9435.



3M™ Supplied Air Respirator Vortex Cooling Assembly

This supplied air respirator assembly, when used with approved breathing tube and headgear, can help regulate the flow and temperature of a supplied air system. Cools the air up to 50°F (28°C). Includes the cooling tube, waist belt and holder.

UPC	Product ID	Case Qty/Units
0-00-51131-37018-0	V-100	1 Each



Welding Safety

Welding Helmets



3M™ Speedglas™ Welding Helmet 9002NC

The classic 3M™ Speedglas™ 9000 Welding Helmet is back — updated with advanced optics, less weight, more comfort and a great new look! Includes 2000 hours of battery life with a CR2032 battery.

UPC	Product ID	Description	ADF Viewing Area (H x W)	ADF Shade Range	Case Qty/Units
0-00-51131-27607-9	04-0100-20NC	Complete welding helmet assembly	2.13 in x 4.09 in	Variable 8–12	1 Each



3M™ Speedglas™ Welding Helmet 9100

The 3M™ Speedglas™ Welding Helmet 9100 Series with 9100XXi Auto Darkening Filter offers the same large viewing area as the 3M™ Speedglas™ ADF 9100XX. But thanks to improved optics, the 9100XXi ADF allows you to more readily recognize colors as compared to 3M's other models. Up to 1800 hours of battery life with a CR2032 battery.

UPC	Product ID	Description	ADF Viewing Area (H x W)	ADF Shade Range	Case Qty/Units
0-00-51141-56475-3	06-0100-30iSW	Complete welding helmet assembly	2.8 in x 4.2 in	Variable 5, 8–13	1 Each



3M™ Speedglas™ Heavy-Duty Welding Helmet G5-01

Complete G5-01 Helmet Assembly without welding filter. Can be used to upgrade existing 3M™ solution to the G5-01 welding helmet. Auto-darkening filter (ADF) options include G5-01 and G5-01VC (and are sold separately). 9100 Series ADF's are not approved for use with the G5-01 Helmet.

UPC	Product ID	Description	Case Qty/Units
0-00-76308-94486-5	46-0099-35	Helmet Assembly	1 Each

Respiratory Protection for Welding



3M™ Speedglas™ Heavy-Duty Welding Helmet G5-01 with 3M™ V-100 Vortex Cooling Valve Assembly

3M™ Speedglas™ Heavy Duty Welding Helmet G5-01 with welding filter G5-01VC and 3M™ V-100 Vortex Cooling Valve Assembly and carry bag.

UPC	Product ID	Description	ADF Viewing Area (H x W)	ADF Shade Range	Case Qty/Units
0-00-76308-94491-9	46-5702-30iVC	HE Filter	2.8 in x 4.3 in	Variable 5, 8–13	1 Each



3M™ Adflo™ PAPR with 3M™ Speedglas™ Welding Helmet 9100 FX-Air

High Efficiency particulate respiratory protection system for welders. Thanks to the improved optics, the 3M™ Speedglas™ ADF 9100XXi allows you to more readily recognize colors as compared to 3M's other models. The PAPR has up to 10 hours of run time with the 3M™ Adflo™ Li-ion battery; the ADF has 1800 hrs of run time with a CR2032 battery.

UPC	Product ID	Description	ADF Viewing Area (H x W)	ADF Shade Range	Case Qty/Units
0-00-76308-94382-0	36-1101-30iSW	HE Filter	2.8 in x 4.2 in	Variable 5, 8–13	1 Each

Respiratory Protection for Welding (cont.)



3M™ Adflo™ Powered Air Purifying Respirator HE System with 3M™ Speedglas™ Welding Helmet 9100 MP

High Efficiency particulate respiratory protection system for welders. Thanks to the improved optics, the 3M™ Speedglas™ ADF 9100XXi allows you to more readily recognize colors as compared to 3M's other models.

UPC	Product ID	Description	ADF Viewing Area (H x W)	ADF Shade Range	Case Qty/Units
0-00-76308-94383-7	37-1101-30iSW	HE Filter	2.8 in x 4.2 in	Variable 5, 8-13	1 Each



3M™ Speedglas™ Heavy-Duty Welding Helmet G5-01 with ADF G5-01VC and 3M™ Adflo™ High-Altitude PAPR Assembly

The 46-1101-30iVC is a complete Adflo™ Powered Air Purifying Respirator with Speedglas™ Heavy-Duty Welding Helmet G5-01 and auto-darkening filter G5-01VC incorporating 3M's Natural and Variable Color Technologies. The system provides High Efficiency particulate respiratory protection for welders in a lightweight, compact design with ergonomic, adjustable head suspension. Flip front welding shield allows for a clear, wide-view protective visor for grinding and setup. Kit contains lithium ion battery, charger, High Efficiency particulate filter, prefilter, spark arrestor, wide leather belt, and self-adjusting breathing tube. The 3M™ Adflo™ PAPR has a High Efficiency particulate filter that can be stacked onto an optional 3M™ Adflo™ Cartridge (not included) for additional protection against OV/SD/CL/HC vapors or a Nuisance Odor Pad Assembly. Audible and visual alarms signal low airflow and low battery charge. G5 Series storage/carry bag included.

UPC	Product ID	Description	ADF Viewing Area (H x W)	ADF Shade Range	Case Qty/Units
0-00-76308-94489-6	46-1101-30iVC	Helmet Assembly	2.8 in x 4.3 in	Variable 5, 8-14	1 Each

Replacement Parts and Accessories



3M™ Speedglas™ Welding Filter G5-01 Series

The 3M™ Speedglas™ auto-darkening filter for the G5-01 Heavy-Duty Welding Helmet features Natural Color Technology allowing you to more readily recognize colors as compared to 3M's other models. This may help you focus on your welding set-up, welding technique, precision grinding, and inspection of just completed welds. When used with a compatible 3M™ Speedglas™ Welding Helmet G5-01 Series, meets ANSI Z87.1-2015 high impact.

UPC	Product ID	ADF Viewing Area (H x W)	ADF Shade Range	Case Qty/Units
0-00-76308-94479-7	46-0000-30i	2.8 in x 4.3 in	Variable 5, 8-13	1 Each
0-00-76308-94480-3	46-0000-30iVC	2.8 in x 4.3 in	Variable 5, 8-14	1 Each



3M™ Speedglas™ Welding Face Seal 27-0099-28

This face seal is a replacement part for the 3M™ Speedglas™ Welding Helmet 9100 MP.

UPC	Product ID	Case Qty/Units
0-00-51141-55811-0	27-0099-28	1 Each

Replacement Parts and Accessories (cont.)



3M™ Adflo™ PAPR High Efficiency Particulate Filter

Replacement high efficiency particulate filter for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR).

UPC	Product ID	Description	Filter Color Code	Case Qty/Units
0-00-51131-37145-3	15-0299-99X02	HE Filter	Magenta	2 Each
5-00-51131-92600-9	15-0299-99X06	HE Filter	Magenta	6 Each
5-00-51131-92601-6	15-0299-99X36	HE Filter	Magenta	36 Each



3M™ Adflo™ Prefilter

Replacement particulate prefilter for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Installs into the 3M™ Adflo™ turbo filter cover, between the spark arrestor and the High Efficiency particulate filter.

UPC	Product ID	Description	Case Qty/Units
5-00-51131-92598-9	15-0099-99X12	Organic Vapor/Acid Gas	12 Each



3M™ Speedglas™ Self-Adjusting Breathing Tube

Replacement self-adjusting breathing tube for 3M™ Adflo™ and TR-300-SG PAPRs when used with 3M™ Speedglas™ Welding Helmets 9100 FX-Air or 9100-Air. Connects welding helmet to turbo unit.

UPC	Product ID	Case Qty/Units
0-00-51131-37268-9	SG-30W	1 Each



3M™ Adflo™ Battery Charging Stand 6-position

The 3M™ Adflo™ Battery Charging Stand 6-position for lithium ion and NiMh batteries is used to provide power to smart chargers while charging up to six 3M™ Adflo™ PAPR Batteries at the same time.

UPC	Product ID	Case Qty/Units
0-00-51141-56312-1	35-0099-08N6	1 Each



3M™ Adflo™ Powered Air Purifying Respirator Battery

Replacement lithium ion battery for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Lithium ion battery is approx. 50% lighter than the Adflo™ NiMh battery. It charges to 80% capacity in approx. 3 hours and to 100% capacity in approx. 6.5 hours. Up to 12 hours battery life with a lithium ion battery.

UPC	Product ID	Description	Case Qty/Units
0-00-51141-56082-3	35-1099-07	-	1 Each
0-00-51141-56081-6	35-0099-08	Smart charger for Adflo™ lithium ion battery only.	1 Each



3M™ Fresh-air II Breather Hose with Couplings

Air supply hose for 3M™ Speedglas™ Fresh-air II Supplied Air (SA) Systems 9000 Series and 3M™ Speedglas™ Fresh-air (FA) SA (APC style helmet). This breather hose with couplings for control air, cool air and temp air valves.

UPC	Product ID	Size	Color	Case Qty/Units
0-00-51131-92851-0	18-0099-40	25 ft	Black	1 Each
0-00-51131-92852-7	18-0099-41	50 ft	Black	1 Each

Safety Clothing



3M™ Disposable Protective Coverall 4520

3M™ Disposable Protective Coverall Safety Work Wear 4520 helps protect against certain light liquid splashes and hazardous dusts. This coverall offers a hooded option for protection of the head and neck. Advanced, breathable and lightweight materials help reduce heat build-up and promote comfortable wear.

UPC	Product ID	Size	Color	Case Qty/Units
0-40-46719-63263-3	4520-BLK-M	M	White	25 Each
0-40-46719-63264-0	4520-BLK-L	L	White	25 Each
0-40-46719-63266-4	4520-BLK-XL	XL	White	25 Each
0-40-46719-63267-1	4520-BLK-XXL	XXL	White	25 Each
0-40-46719-63268-8	4520-BLK-3XL	3XL	White	25 Each
0-40-46719-63274-9	4520-BLK-4XL	4XL	White	25 Each



3M™ Disposable Protective Coverall 4540+

3M™ Disposable Protective Coverall Safety Work Wear 4540+ helps protect against certain light liquid splashes and hazardous dusts, including nuclear particles. This coverall offers a hooded option for protection of the head and neck. Advanced, breathable and lightweight materials help reduce heat build-up and promote comfortable wear.

UPC	Product ID	Size	Color	Case Qty/Units
0-00-51131-49806-8	4540+BLK-M	M	White	25 Each
0-00-51131-49807-5	4540+BLK-L	L	White	25 Each
0-00-51131-49808-2	4540+BLK-XL	XL	White	25 Each
0-00-51131-49809-9	4540+BLK-XXL	XXL	White	25 Each
0-00-51131-49810-5	4540+BLK-3XL	3XL	White	25 Each
0-00-51131-49811-2	4540+BLK-4XL	4XL	White	25 Each



Chemical, Maintenance and Petroleum Sorbents

Chemical Sorbents



3M™ Chemical Sorbent Roll High Capacity

Chemical sorbent roll can be easily cut to cover small areas or fit tight corners. Rolls of sorbent material are used for large spill management or in areas where spills may occur. May be used to cover bench tops in prep for a spill or as a work surface. Yellow.

UPC	Product ID	Size	Description	Case Qty/Units
0-00-51138-29097-9	C-RL15150DD	15.25 in x 150 ft	Sorbs approx. 35.9 gal/case	1 Roll
0-00-51138-29098-6	C-RL38150DD	38 in x 150 ft	Sorbs approx. 89.4 gal/case	1 Roll



3M™ Chemical Sorbent Pad High Capacity

High capacity chemical sorbent pads have a scrim on one side to increase strength and eliminate linting. Pads allow the user to quickly spread sorbent on and in the path of a spill. May also be used on a work surface in anticipation of a spill or as a wipe. Yellow.

UPC	Product ID	Packaging	Size	Description	Case Qty/Units
5-00-51138-29096-7	C-PD914DD	25 pads per box	9.25 in x 14.5 in	Sorbs approx. 26.3 gal/case	6 Boxes
5-00-51138-17593-6	P-110	50 pads per box	11 in x 13 in	Sorbs approx. 18 gal/case	4 Boxes



3M™ Chemical Sorbent Folded High Capacity

Chemical folded sorbents are one of the most versatile environmental safety products available. Chemical sorbent applications range from maintenance to spill management. Perforations can customize the length. Sorbent can be unfolded into pads or pillows. Yellow.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51138-46496-2	C-FL550DD/ P-F2001	5 in x 50 ft	Sorbs approx. 14.9 gal/box	3 Boxes



3M™ Chemical Sorbent Mini-Boom

Chemical sorbent mini-booms are typically used to encircle spills and to contain leaks. A 3-inch diameter scrim on the outside of the boom identifies the application.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51138-17596-7	P-200	3 in x 4 ft	Sorbs approx. 15.5 gal/case	12 Booms
5-00-51138-21343-0	P-208	3 in x 8 ft	Sorbs approx. 15.5 gal/case	6 Booms
5-00-51138-21344-7	P-212	3 in x 12 ft	Sorbs approx. 15.5 gal/case	4 Booms



3M™ Chemical Sorbent Pillow

Ideal for placement at the source of a leak or they can be thrown into a contained spill. Pillows are designed with a scrim that encases particulate sorbent material. Pillows are used in areas where more capacity is desired than can easily be achieved using a sorbent pad.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51138-17597-4	P-300	7 in x 15 in	Sorbs approx. 11.8 gal/case	16 Pillows



3M™ Chemical Sorbent Particulate

This chemical sorbent particulate material may be sprinkled over a spill or broadcast over a large area. For use on most aggressive (hazardous) and non-aggressive liquids. Ideal for use in shipping applications where breakage of a container could cause a release of a hazardous liquid.

UPC	Product ID	Size	Description	Case Qty/Units
0-00-51138-17598-6	P-500	12 lb	Sorbs approx. 25.8 gal/case	1 Each

Chemical, Maintenance and Petroleum Sorbents

Chemical Sorbents (cont.)



3M™ Chemical Sorbent Folded Spill Kit

This spill kit combines the best of both worlds — chemical sorbent folded (which can be used as a boom, pillows or a roll) and high capacity chemical sorbent pads. This unique combination allows you to easily select the product to fit the response. Yellow.

UPC	Product ID	Packaging	Description	Case Qty/Units
0-00-51138-46287-1	C-SKFL31	20 gallon drum	Sorbs approx. 42.5 gal/case	1 Kit



3M™ Chemical Sorbent Folded Spill Kit

This spill kit can be used for containing and sorbing most hazardous chemical spills of up to 7.8 gallons. It is conformable, making it an excellent solution for storage where space is limited. Compact for easy storage, and ideal for rapid response. Kit includes one temporary disposal bag and tie.

UPC	Product ID	Packaging	Size	Description	Case Qty/Units
5-00-51131-07175-4	C-SKFL5	1 roll per kit	5 in x 26 ft	Sorbs approx. 7.8 gal/roll	3 Kits



3M™ Chemical Sorbent Spill Response Pack

The 3M™ Chemical Sorbent Spill Response Pack SRP-CHEM will sorb most aggressive chemicals. The pack is encased in a box which can be used as a warning sign and includes mini-booms, pads and disposal bag.

UPC	Product ID	Description	Case Qty/Units
5-00-51138-28910-7	SRP-CHEM	Sorbs approx. 4.8 gal/pack	3 Packs

Maintenance Sorbents



3M™ Maintenance Sorbent Rug

This maintenance sorbent rug is designed for use in industrial maintenance applications. It is designed to sorb liquids while enduring the punishment of being tread upon. Sorbent rugs are both durable and versatile. The M-RGC36100E has a vinyl coating to protect the surface below the rug.

UPC	Product ID	Size	Description	Case Qty/Units
0-00-51138-29002-3	M-RG36300E	36 in x 300 ft	Rug	1 Rug
0-00-51138-29003-0	M-RGC36100E	36 in x 100 ft	Rug with coating	1 Rug



3M™ Maintenance Sorbent Roll High Capacity

This maintenance sorbent pad has a scrim on one side to increase the strength and help eliminate linting. Available in convenient widths of 15", 33" and 38", perfect for lining drawers, covering workbenches, or masking larger areas from mist and overspray.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51131-07166-2	M-RL15150DD/M-B2001	15.5 in x 150 ft	Sorbs approx. 34.8 gal/case	1 Roll
5-00-51131-07167-9	M-RL38150DD/M-B2002	38 in x 150 ft	Sorbs approx. 85.3 gal/case	1 Roll



3M™ Maintenance Sorbent Pad High Capacity

This high capacity maintenance sorbent has a scrim on one side to increase strength and help eliminate linting. This conveniently sized pad allows the user to quickly spread sorbent on and in the path of a spill.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51131-07165-5	M-PD720GG	7.5 in x 20.5 in	Sorbs approx. 33.6 gal/case	100 Pads
5-00-51131-07164-8	M-PD1520DD/M-A2002	15.5 in x 20.5 in	Sorbs approx. 39.6 gal/case	100 Pads

Chemical, Maintenance and Petroleum Sorbents

Maintenance Sorbents (cont.)



3M™ Maintenance Sorbent Folded High Capacity

This high capacity perforated maintenance sorbent pad has a lofty design and scrim on one side to increase strength and help reduce linting. Folded sorbent pads are the most versatile format available. Handy dispenser box for easy, on-site use.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51131-07172-3	M-FL550DD/ M-F2001	5 in x 50 ft	Sorbs approx. 14.2 gal/box	3 Boxes



3M™ Maintenance Sorbent Mini-Boom

Maintenance sorbent mini-booms can be placed around the base of equipment to help contain fluids that may leak or spill, preventing spread to adjacent work areas, 1.3 gallon capacity per 4 foot Mini-Boom.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51138-21526-7	M-MB304	3 in x 4 ft	Sorbs approx. 1.3 gal/boom	12 Booms
5-00-51138-21527-4	M-MB308	3 in x 8 ft	Sorbs approx. 2.6 gal/boom	6 Booms
5-00-51138-21528-1	M-MB312	3 in x 12 ft	Sorbs approx. 3.9 gal/boom	4 Booms



3M™ Maintenance Sorbent Pillow

Maintenance sorbent pillows are designed with a scrim that encases particulate sorbent material. Used in areas where greater capacity than a sorbent pad is desired. Small and lightweight, pillows are tear-resistant.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51138-21531-1	M-PL715	7 in x 15 in	Sorbs approx. 12.6 gal/case	16 Pillows



3M™ Maintenance Sorbent Drum Cover

This maintenance sorbent drum cover has a scrim on one side to increase strength and help eliminate linting. Has cut-outs for dispensing bungs and a skirt which fits neatly around the base of the drum to catch any drips.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51131-07169-3	M-DC22DD	22 in Cover	Sorbs approx. 11.8 gal/case	25 Covers

Petroleum Sorbents



3M™ Petroleum Sorbent Roll High Capacity

High capacity petroleum sorbents have a scrim on one side to increase strength and help eliminate linting. Rolls of sorbent material are used to cover and sorb large spills or in areas where spills may occur.

UPC	Product ID	Size	Description	Case Qty/Units
0-00-51138-28990-4	HP-100	38 in x 144 ft	Sorbs approx. 78.6 gal/case	1 Roll



3M™ Petroleum Sorbent Static Resistant Roll

3M™ Petroleum Sorbent Static Resistant Rolls are specifically designed to be used for the safe cleanup of highly flammable petroleum-based liquids. Sorbs hydrocarbon-based liquids (oleophilic) and repels aqueous-based liquids (hydrophobic).

UPC	Product ID	Size	Description	Case Qty/Units
0-00-51138-29067-2	HP-500	38 in x 144 ft	Sorbs approx. 76.8 gal/case	1 Roll

Chemical, Maintenance and Petroleum Sorbents

Petroleum Sorbents (cont.)



3M™ Petroleum Sorbent Pad

This highly sorbent petroleum pad features a low-profile design, for easy placement in tight areas. Conveniently sized pads allow the user to quickly spread sorbent over and in the path of a spill.

UPC	Product ID	Size	Description	Case Qty/Units
0-00-21200-16049-3	T-151	17 in x 19 in	Sorbs approx. 38.7 gal/case	200 Pads



3M™ Petroleum Sorbent Pad High Capacity

High capacity petroleum sorbent pads have a scrim on one side to increase strength and help eliminate linting. Conveniently sized pads allow the user to quickly spread sorbent over and in the path of a spill.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51138-28992-3	HP-255	17 in x 19 in	Sorbs approx. 33.3 gal/case	50 Pads
5-00-51138-28991-6	HP-156	17 in x 19 in	Sorbs approx. 38.7 gal/case	100 Pads
0-00-51138-29116-7	HP-157	34 in x 38 in	Sorbs approx. 77.4 gal/case	50 Pads



3M™ Petroleum Sorbent Static Resistant Pad

3M™ Static Resistant Petroleum sorbents are specifically designed to be used for the safe cleanup of highly flammable petroleum-based liquids. Sorbs hydrocarbon-based liquids (oleophilic) and repels aqueous-based liquids (hydrophobic).

UPC	Product ID	Size	Description	Case Qty/Units
0-00-51138-29068-9	HP-556	17 in x 19 in	Sorbs. approx. 37.8 gal/case	100 Pads



3M™ Petroleum Sorbent Folded

Folded sorbents offer the versatility of four formats in one. It can be used as a boom, pillow, pad, or roll, which means fewer products need to be stocked to meet your sorbent needs. Perforations every 16 inches to avoid waste.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51131-07173-0	P-FL550DD	5 in x 50 ft	Sorbs approx. 13.7 gal/box	3 Boxes



3M™ Petroleum Sorbent Mini-Boom

Petroleum sorbent mini-booms are a selective sorbent which will sorb hydrocarbon-based liquids (oleophilic), repel aqueous-based liquids (hydrophobic). Mini-booms are typically used because of their tube-like shape to encircle spills and contain leaks.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51138-21354-6	T-4	3 in x 4 ft	Sorbs approx. 15.7 gal/case	12 Booms
5-00-51138-21355-3	T-8	3 in x 8 ft	Sorbs approx. 15.7 gal/case	6 Booms
5-00-51138-21356-0	T-12	3 in x 12 ft	Sorbs approx. 15.7 gal/case	4 Booms



3M™ Petroleum Sorbent Mini-Pillow

Petroleum sorbent pillows are designed with a scrim that encases particulate sorbent material. Pillows are used in areas where more capacity is desired than can easily be achieved using a sorbent pad.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51138-21545-8	T-30	7 in x 15 in	Sorbs approx. 12.7 gal/case	16 Pillows



3M™ Petroleum Sorbent Pillow

Petroleum sorbent pillows are designed with a scrim that encases particulate sorbent material. Pillows are used in areas where more capacity is desired than can be easily achieved by using a sorbent pad. Excellent for handling large quantities of light oil in confined spaces such as sumps, catch basins, bilges or settlement ponds.

UPC	Product ID	Size	Description	Case Qty/Units
0-00-21200-16053-0	T-240	5 in x 14 in x 25 in	Sorbs. approx. 55.3 gal/case	10 Each

Chemical, Maintenance and Petroleum Sorbents

Petroleum Sorbents (cont.)



3M™ Marine Oil and Fuel Absorbent Bilge Pillow

Holds up to two quarts of oil. Just toss the pillow in the bilge, and it soaks up oil and gasoline, but repels water. The bilge water can then be pumped overboard legally.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51138-29026-4	29026	7 in x 15 in	Sorbs approx. 12.1 gal/case	16 Pillows



3M™ Petroleum Sorbent Boom

This petroleum sorbent boom is 8 inches wide with scrim encased tubes of particulate sorbent material secured by a UV-resistant netting. Booms can be linked together by built-in-connectors to deploy over large areas. Designed for long-term use in ditches, streams, rivers, lakes, decks and piers.

UPC	Product ID	Size	Description	Case Qty/Units
0-00-21200-16054-7	T-270	8 in x 10 ft	Sorbs approx. 69.3 gal/case	4 Booms
0-00-21200-16085-1	T-280	(2) 4 in x 10 ft	Sorbs approx. 36.8 gal/case	4 Booms



3M™ Petroleum Sorbent Drum Cover

This petroleum sorbent drum cover is designed for a 55 gallon drum to catch drips and spills that occur during dispensing of all types of hydrocarbon materials used in daily operations. Will sorb hydrocarbon based liquids, repel aqueous-based liquids.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51138-29234-3	P-DC22DD	22 in Cover	Sorbs approx. 11.4 gal/case	25 Covers



3M™ Petroleum Sorbent Particulate

This petroleum sorbent particulate material may be sprinkled over a spill or broadcast over a large area.

UPC	Product ID	Size	Description	Case Qty/Units
0-00-21200-16052-3	T-210	25 lb	Sorbs. approx. 58.1 gal/case	1 Each



3M™ Petroleum Sorbent Spill Kit

This petroleum sorbent spill kit combines the best of both worlds — petroleum folded sorbent (which can be used as booms, pillows or rolls) and high capacity pads. This unique combination allows you to easily select the product to fit the response. Kit includes 20 gallon drum with lid and closure ring and 3 disposal bags and ties.

UPC	Product ID	Description	Case Qty/Units
0-00-51138-46286-4	P-SKFL31	Sorbs approx. 38.9 gal/case	1 Kit



3M™ Petroleum Sorbent Spill Kit

This petroleum sorbent spill kit can be used for containing and sorbing petroleum-based liquids of up to 7.7 gallons. It is conformable, making it an excellent solution for storage where space is limited. Compact for easy storage, ideal for rapid response. Each kit includes one petroleum sorbent folded roll and one temporary disposal bag and tie.

UPC	Product ID	Size	Description	Case Qty/Units
5-00-51138-46289-0	P-SKFL5	5 in x 26 ft	Sorbs approx. 7.7 gal/roll	3 Kits



3M™ Petroleum Sorbent Spill Response Pack

This petroleum sorbent spill response pack is designed to sorb and contain small petroleum spills and leaks fast. The 3M™ Petroleum Sorbent Spill Response Pack SRP-Petro will sorb hydrocarbon-based liquids and repel aqueous-based liquids. Compact size is convenient for trucks, shipping departments and for areas of oil transfer. Each spill response pack contains 3 mini-booms and 5 highly absorbent pads to clean up small spills. Includes poly bag for temporary storage of used sorbents. Use instructions included on inside of carrying case. Outside of carrying case functions as a warning sign.

UPC	Product ID	Description	Case Qty/Units
5-00-51138-28950-3	SRP-PETRO	Sorbs approx. 17.4 gal/case	3 Packs

Adhesive Transfer Tapes



Scotch® ATG Adhesive Transfer Tape 926

Scotch® ATG Adhesive Transfer Tape 926 is ideal for applications requiring high bond strength, high shear strength and high temperature performance. It offers chemical, moisture and UV resistance. Reverse wound on a unique 1-inch diameter core designed for use with a Scotch® ATG Applicator.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-67669-7	12 Rolls per Inner, 6 Inners per Box	½ in x 18 yd	5.0 mil	Clear	72 Rolls
0-00-21200-63102-3	12 Rolls per Inner, 6 Inners per Box	½ in x 18 yd	5.0 mil	Clear	72 Rolls
0-00-21200-63101-6	12 Rolls per Inner, 4 Inners per Box	¾ in x 18 yd	5.0 mil	Clear	48 Rolls
0-00-21200-62735-4	12 Rolls per Inner, 6 Inners per Box	½ in x 36 yd	5.0 mil	Clear	72 Rolls
0-00-21200-62736-1	12 Rolls per Inner, 4 Inners per Box	¾ in x 36 yd	5.0 mil	Clear	48 Rolls



Scotch® ATG Adhesive Transfer Tape 969

Scotch® ATG Adhesive Transfer Tape 969 features very high initial adhesion and good shear holding power for bonding most plastics and glossy coated materials. Reverse wound on 1-inch diameter core for use in Scotch® ATG Applicators.


UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-05671-0	12 Rolls per Inner, 6 Inners per Box	½ in x 18 yd	5.0 mil	Clear	72 Rolls
0-00-21200-31493-3	12 Rolls per Inner, 2 Inners per Box	½ in x 18 yd	5.0 mil	Clear	24 Rolls
0-00-21200-05672-7	12 Rolls per Inner, 4 Inners per Box	¾ in x 18 yd	5.0 mil	Clear	48 Rolls
0-00-21200-15682-3	12 Rolls per Inner, 6 Inners per Box	½ in x 36 yd	5.0 mil	Clear	72 Rolls
0-00-21200-15683-0	12 Rolls per Inner, 4 Inners per Box	¾ in x 36 yd	5.0 mil	Clear	48 Rolls



3M™ Adhesive Transfer Tape 950

3M™ Adhesive Transfer Tape 950 is a 300 high strength acrylic adhesive on a 3.5 mil, 60 lb glassine paper liner.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-04849-4	Bulk	½ in x 60 yd	5.0 mil	Clear	72 Rolls
0-00-21200-04553-0	Bulk	¾ in x 60 yd	5.0 mil	Clear	48 Rolls
0-00-21200-04850-0	Bulk	1 in x 60 yd	5.0 mil	Clear	36 Rolls
0-00-21200-04851-7	Bulk	2 in x 60 yd	5.0 mil	Clear	24 Rolls



3M™ VHB™ Adhesive Transfer Tape F9473PC

3M™ VHB™ Adhesive Transfer Tape F9473PC is a thin, double-sided tape capable of conforming to a wide variety of applications. Designed with 10 mil 3M™ High Performance Acrylic Adhesive 100MP, VHB™ Adhesive Transfer Tape F9473PC establishes exceptional holding power and long-lasting adhesion for fast, strong results.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-13973-4	Bulk	¾ in x 60 yd	10.0 mil	Clear	12 Rolls



3M™ Adhesive Transfer Tape 9485PC

3M™ Adhesive Transfer Tape 9485PC leverages the power of 3M™ High Performance Acrylic Adhesive 350 and is mounted on a tan, 58 lb PCK (polycoated kraft) paper liner for moisture resistance. This transfer tape is an excellent solution for bonding high and low surface energy materials. It can also be used for joining materials that have rougher surfaces.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-63476-5	Bulk	½ in x 60 yd	5.0 mil	Clear	72 Rolls
0-00-21200-67233-0	Bulk	¾ in x 60 yd	5.0 mil	Clear	48 Rolls
0-00-21200-63477-2	Bulk	1 in x 60 yd	5.0 mil	Clear	36 Rolls
0-00-21200-67413-6	Bulk	2 in x 60 yd	5.0 mil	Clear	24 Rolls

Bonding, Duct and Foam Tapes

Bonding Tapes



3M™ Venture Tape™ Double Coated PET Tape 514CW

3M™ Venture Tape™ Double Coated PET Tape 514CW is a high performance tape with a polyester backing and acrylic adhesive. This tape bonds to a wide variety of metals, high surface energy plastics and composite materials. We engineered this tape for demanding bonding applications and designed it to feature excellent UV and temperature resistance.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51128-96192-6	Bulk	1½ in x 360 yd	0.5 mil	White	8 Rolls

Duct Tapes



3M™ All Purpose Duct Tape DT8

Constructed of polyethylene film laminated to cloth with a synthetic rubber adhesive, this aggressive tape resists curling and tears off the roll cleanly even when used in challenging jobs. 3M™ All Purpose Duct Tape DT8 is designed to provide a versatile, conformable, quick stick solution for demanding applications.

UPC	Packaging	Size	Thickness	Tensile Strength	Color	Case Qty/Units
0-06-89330-17225-2	Ind. Wrapped	48 mm x 54.8 m	8.0 mil	24 lb/in	Silver	24 Rolls
0-06-89330-17809-4	Ind. Wrapped	48 mm x 54.8 m	8.0 mil	24 lb/in	Black	24 Rolls



3M™ Heavy Duty Duct Tape DT11

Constructed of polyethylene film laminated to cloth with a synthetic rubber adhesive, this tough tape resists curling and tears off the roll cleanly for a variety of applications. 3M™ Heavy Duty Duct Tape DT11 is designed to provide a formidable, reliable solution for everyday challenges and adheres to numerous substrates, including plastic.

UPC	Packaging	Size	Thickness	Tensile Strength	Color	Case Qty/Units
0-06-89330-17228-3	Ind. Wrapped	48 mm x 54.8 m	11.0 mil	35 lb/in	Black	24 Rolls
0-06-89330-17227-6	Ind. Wrapped	48 mm x 54.8 m	11.0 mil	35 lb/in	Silver	24 Rolls



3M™ Performance Plus Duct Tape 8979

Constructed of polyethylene film laminated to cloth with a rubber adhesive, this tape resists curling and tears off the roll cleanly for easy application on rough surfaces. 3M™ Performance Plus Duct Tape 8979 has a unique construction that allows for applications indoors and outdoors. It is removable with little or no adhesive residue up to six months after application.

UPC	Packaging	Size	Thickness	Tensile Strength	Color	Case Qty/Units
0-00-48011-53918-8	Ind. Wrapped	48 mm x 54.8 m	12.1 mil	36 lb/in	Black	24 Rolls
0-00-51115-25912-8	Ind. Wrapped	72 mm x 54.8 m	12.1 mil	36 lb/in	Black	12 Rolls
0-00-51131-17819-9	Ind. Wrapped	48 mm x 54.8 m	12.1 mil	36 lb/in	Olive	24 Rolls
0-00-51111-92532-4	Ind. Wrapped	1.88 in x 10 yd	12.1 mil	36 lb/in	Blue	60 Rolls
0-00-51138-94928-0	Ind. Wrapped	7 in x 60 yd	12.1 mil	36 lb/in	Blue	6 Rolls
0-00-48011-53920-1	Ind. Wrapped	12 in x 60 yd	12.1 mil	36 lb/in	Blue	2 Rolls
0-00-48011-53922-5	Ind. Wrapped	24 mm x 54.8 m	12.1 mil	36 lb/in	Blue	48 Rolls
0-00-48011-53851-8	Ind. Wrapped	48 mm x 22.8 m	12.1 mil	36 lb/in	Blue	12 Rolls
0-00-76308-86240-4	Ind. Wrapped	48 mm x 54.8 m	12.1 mil	36 lb/in	Blue	24 Rolls
0-00-21200-56468-0	Ind. Wrapped	48 mm x 54.8 m	12.1 mil	36 lb/in	Blue	24 Rolls
0-00-21200-56469-7	Bulk	72 mm x 54.8 m	12.1 mil	36 lb/in	Blue	12 Rolls
0-00-21200-56470-3	Ind. Wrapped	96 mm x 54.8 m	12.1 mil	36 lb/in	Blue	12 Rolls
0-00-48011-58183-5	Ind. Wrapped	144 mm x 54.8 m	12.1 mil	36 lb/in	Blue	6 Rolls
0-00-48011-58325-9	Ind. Wrapped	96 mm x 54.8 m	12.1 mil	36 lb/in	Blue	12 Rolls
0-00-48011-58185-9	Ind. Wrapped	144 mm x 54.8 m	12.1 mil	36 lb/in	Blue	6 Rolls

Bonding, Duct and Foam Tapes

Duct Tapes (cont.)



3M™ Super Duty Duct Tape DT17

Constructed of polyethylene film laminated to cloth with a synthetic rubber adhesive, this very thick and strong tape resists curling and tears off the roll cleanly even when used in the most demanding jobs. 3M™ Super Duty Duct Tape DT17 is designed to provide a maximum-strength, long-lasting solution for the ultimate applications.

UPC	Tensile Strength	Packaging	Size	Thickness	Color	Case Qty/Units
0-06-89330-17229-0	41 lb/in	Ind. Wrapped	48 mm x 32 m	17.0 mil	Black	24 Rolls

Foam Tapes

3M™ VHB™ Tape LSE Series

The 3M™ VHB™ Tape LSE Series masters the challenge of low surface energy (LSE) bonding and delivers durable results where other bonding solutions need additional support on special surface treatment. It offers a superior bonding performance without primer on difficult to bond substrates such as PP, TPO, TPE, and composite materials. By eliminating the need for priming in your production, the LSE Series increases productivity and reduces the use of harmful chemicals in your facilities. Excellent durability including its wide temperature resistance ensure ultimate performance strength and reliability for in- and outdoor applications. The fast and easy to use permanent bonding method provides high strength and offers design flexibility with its viscoelasticity, making it an ideal fit for multi-material bonding due to its properties on thermal expansion.



3M™ VHB™ Tape LSE-060WF

UPC	Size	Thickness	Case Qty/Units
0-06-38060-40547-5	1 in x 36 yd	25 mil	9 Rolls
0-06-38060-40544-4	½ in x 36 yd	25 mil	18 Rolls
0-06-38060-40546-8	¾ in x 36 yd	25 mil	12 Rolls



3M™ VHB™ Tape LSE-110WF

UPC	Size	Thickness	Case Qty/Units
0-06-38060-40558-1	1 in x 36 yd	45 mil	9 Rolls
0-06-38060-40556-7	½ in x 36 yd	45 mil	18 Rolls
0-06-38060-40557-4	¾ in x 36 yd	45 mil	12 Rolls



3M™ VHB™ Tape LSE-160WF

UPC	Size	Thickness	Case Qty/Units
0-06-38060-40563-5	1 in x 36 yd	62 mil	9 Rolls
0-06-38060-40559-8	½ in x 36 yd	62 mil	18 Rolls
0-06-38060-40560-4	¾ in x 36 yd	62 mil	12 Rolls

Bonding, Duct and Foam Tapes

Foam Tapes (cont.)



3M™ Double Coated Urethane Foam Tape 4008

3M™ Double Coated Urethane Foam Tape 4008 is an off-white, 0.125 inch (3.2 mm) thick, double coated, open cell urethane foam tape that offers high shear strength. It is ideal for applications such as mounting interior signage and nameplates and areas where ½ inch thick foam is needed for gap filling applications.

UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-06452-4	4008	Bulk	1 in x 36 yd	125 mil	Off-white	9 Rolls



3M™ Double Coated Polyethylene Foam Tape 4462

3M™ Double Coated Polyethylene Foam Tape 4462 is a white, closed-cell, polyethylene foam carrier. It is formulated for more hard to bond surfaces. The unique rubber adhesive system provides quick stick and conforms to irregular and low surface energy (LSE) materials.

UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-24312-7	4462	Bulk	¾ in x 72 yd	31 mil	White	12 Rolls



3M™ Double Coated Polyethylene Foam Tape 4492B

3M™ Double Coated Polyethylene Foam Tape 4492B is a black, closed-cell, polyethylene foam carrier. It is formulated for more demanding indoor and outdoor mounting and bonding applications. A noted feature of Foam Tape 4492 is its ability to conform and bond to irregular surfaces. It offers good temperature resistance and long-term durability.

UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-30422-4	4492B	Bulk	½ in x 72 yd	31 mil	Black	18 Rolls
0-00-21200-30421-7	4492B	Bulk	¾ in x 72 yd	31 mil	Black	12 Rolls
0-00-21200-30420-0	4492B	Bulk	1 in x 72 yd	31 mil	Black	9 Rolls



3M™ Double Coated Urethane Foam Tape 4026

3M™ Double Coated Urethane Foam Tape 4026 is a 0.0625 inch (1.6 mm) thick, double coated, open cell urethane foam tape that offers high shear strength. It is ideal for applications such as mounting interior signage and nameplates along with soap dispensers and air fresheners.

UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51128-98844-2	4026W	Ind. Labeled	½ in x 5 yd	62.5 mil	Off-white	12 Rolls
0-00-51128-98845-9	4026W	Ind. Labeled	¾ in x 5 yd	62.5 mil	Off-white	12 Rolls
0-00-21200-17056-0	4026	Bulk	¾ in x 36 yd	62 mil	Off-white	12 Rolls
0-00-21200-17057-7	4026	Bulk	1 in x 36 yd	62 mil	Off-white	9 Rolls



3M™ VHB™ Commercial Vehicle Tape CV45F and CV62F

Dream, Design, Deliver with 3M™ VHB™ Commercial Vehicle Tape CV45F. It is a gray, multi-purpose acrylic adhesive with a conformable, foam core and film liner. It is used for commercial vehicle panel to panel attachment. The fast and easy to use permanent bonding method provides high strength and long-term durability.

UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-97354-3	CV45F	Bulk	¾ in x 36 yd	45 mil	Gray	12 Rolls
0-00-21200-97355-0	CV45F	Bulk	1 in x 36 yd	45 mil	Gray	9 Rolls
0-00-21200-97361-1	CV62F	Bulk	½ in x 36 yd	62 mil	Gray	18 Rolls
0-00-21200-97362-8	CV62F	Bulk	¾ in x 36 yd	62 mil	Gray	12 Rolls
0-00-21200-97363-5	CV62F	Bulk	1 in x 36 yd	62 mil	Gray	9 Rolls



3M™ VHB™ Tape 4611

Dream, Design, Deliver with 3M™ VHB™ Tape 4611. It is a dark gray, general purpose adhesive with firm foam that has the added feature of high temperature resistance. The fast and easy to use permanent bonding method provides high strength and long-term durability. It offers design flexibility with its viscoelasticity and powerful ability to bond to a variety of surfaces.

UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-56002-6	4611	Bulk	¾ in x 36 yd	45 mil	Dark Gray	12 Rolls
0-00-21200-56375-1	4611	Bulk	½ in x 36 yd	45 mil	Dark Gray	18 Rolls
0-00-21200-56146-7	4611	Bulk	1 in x 36 yd	45 mil	Dark Gray	9 Rolls

Bonding, Duct and Foam Tapes


Foam Tapes (cont.)



3M™ VHB™ Tape 4936F

Dream, Design, Deliver with 3M™ VHB™ Tape 4936F. It is a gray, 0.025 in (0.6 mm), multi-purpose acrylic adhesive with a conformable, foam core. It can replace rivets, welds and screws. The fast and easy to use permanent bonding method provides high strength and long-term durability. It offers design flexibility with its viscoelasticity and powerful ability to bond to a variety of surfaces.


UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-24382-0	4936F	Bulk	1 in x 72 yd	25 mil	Gray	9 Rolls



3M™ VHB™ Tape 4941 Series

Dream, Design, Deliver with 3M™ VHB™ Tape 4941. It is a gray, 0.045 in (1.1 mm), multi-purpose acrylic adhesive with a conformable, foam core. It can replace rivets, welds and screws. The fast and easy to use permanent bonding method provides high strength and long-term durability. It offers design flexibility with its viscoelasticity and powerful ability to bond to a variety of surfaces.


UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-64888-5	4941	Bulk	1 in x 36 yd	45 mil	Gray	9 Rolls
0-00-21200-56076-7	4941F	Bulk	1 ½ in x 36 yd	45 mil	Gray	6 Rolls



3M™ VHB™ Tape 4950 Series

Dream, Design, Deliver with 3M™ VHB™ Tape 4950 Series. It is a 0.045 in (1.1 mm), general purpose acrylic adhesive with a firm foam core. It can replace rivets, welds and screws. The fast and easy to use permanent bonding method provides high strength and long-term durability. It offers design flexibility with its viscoelasticity and powerful ability to bond to a variety of surfaces.


UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-67490-7	4949	Bulk	½ in x 36 yd	45 mil	Black	18 Rolls
0-00-21200-43003-9	4949	Bulk	2 in x 36 yd	45 mil	Black	6 Rolls
0-00-21200-18091-0	4950	Bulk	¾ in x 36 yd	45 mil	White	12 Rolls
0-00-21200-18092-7	4950	Bulk	1 in x 36 yd	45 mil	White	9 Rolls
0-00-21200-39392-1	4950	Bulk	1 ½ in x 36 yd	45 mil	White	6 Rolls
0-00-21200-63383-6	4950	Bulk	2 in x 36 yd	45 mil	White	6 Rolls



3M™ VHB™ Tape 5952

Dream, Design, Deliver with 3M™ VHB™ Tape 5952. It is a black, 0.045 inch (1.1 mm) modified acrylic adhesive with a very conformable, foam core. It can replace rivets, welds and screws. The fast and easy to use permanent bonding method provides high strength and long-term durability. It offers design flexibility with its viscoelasticity and powerful ability to bond a variety of surfaces.

UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-97056-6	5962	Bulk	¾ in x 36 yd	45 mil	Black	12 Rolls
0-00-21200-56229-7	5962	Bulk	1 in x 36 yd	45 mil	Black	9 Rolls
0-00-51115-25522-9	5962	Clamshell	¾ in x 15 yd	45 mil	Black	12 Rolls
0-00-21200-74165-4	5962	Bulk	1 in x 36 yd	62 mil	Black	9 Rolls



3M™ VHB™ Flame Retardant Tape 5958FR

Dream, Design, Deliver with 3M™ VHB™ Flame Retardant Tape 5958FR. It is a black, 0.040 in (1.0 mil) modified acrylic adhesive with a very conformable, foam core. The fast and easy to use permanent bonding method provides high strength, long-term durability and is flame retardant. It offers design flexibility with its viscoelasticity and powerful ability to bond to a variety of surfaces.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51115-24957-0	Bulk	½ in x 36 yd	40 mil	Black	18 Rolls
0-00-51115-23648-8	Bulk	1 in x 36 yd	40 mil	Black	9 Rolls
0-00-51115-31343-1	Bulk	47 in x 36 yd	40 mil	Black	1 Roll

Foil, High Strength and Masking Tapes

Foil Tapes



3M™ Aluminum Foil Tape 425

3M™ Aluminum Foil Tape 425 is the go-to foil tape for numerous applications across a broad range of industries. Comprised of a dead soft aluminum foil backing and coated with a highly engineered pressure sensitive acrylic adhesive, it is ideal for heat shielding, heat reflecting, chemical masking, light enhancement, chemical milling, seaming, sealing and de-paint operations.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51125-85388-0	Bulk	1 in x 60 yd	4.6 mil	Silver	36 Rolls
0-00-51125-85311-8	Bulk	2 in x 60 yd	4.6 mil	Silver	24 Rolls
0-00-51125-85312-5	Bulk	3 in x 60 yd	4.6 mil	Silver	12 Rolls



3M™ High Temperature Aluminum Foil/Glass Cloth Tape 363

3M™ High Temperature Aluminum Foil/Glass Cloth Tape 363 consists of an aluminum foil, glass cloth backing combined with a pressure sensitive silicone adhesive. Ideal for use as a protective wrap for heat sensitive cables and other instruments exposed to movement and vibration. Commonly used in aerospace, automotive and general industrial applications.


UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-49527-4	Bulk	½ in x 36 yd	7.3 mil	Silver	72 Rolls
0-00-21200-42850-0	Bulk	¾ in x 36 yd	7.3 mil	Silver	48 Rolls
0-00-21200-17294-6	Bulk	1 in x 36 yd	7.3 mil	Silver	36 Rolls
0-00-21200-17295-3	Bulk	2 in x 36 yd	7.3 mil	Silver	24 Rolls



3M™ Damping Foil Tape 2552

3M™ Damping Foil Tape 2552 is constructed of a dead soft aluminum foil constraining layer and coated with a pressure sensitive, viscoelastic acrylic polymer adhesive. This unique construction provides the ability to control resonant vibrations in a variety of applications and across a broad spectrum of temperatures.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-38395-3	Bulk	2 in x 36 yd	10 mil	Silver	5 Rolls



3M™ Venture Tape™ Aluminum Foil Tape 1521CW

3M™ Venture Tape™ Aluminum Foil Tape 1521CW is a high-strength, 1.4 mil dead soft aluminum foil coated with a cold weather pressure sensitive acrylic adhesive. This tape excels in demanding temperature and humidity applications and is designed for vapor sealing applications on ductwork and exterior insulation materials.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
5-00-51128-95561-6	Bulk	48 mm x 45.7 m	2.8 mil	Silver	24 Rolls
5-00-51128-95560-9	Bulk	72 mm x 45.7 m	2.8 mil	Silver	16 Rolls



3M™ Venture Tape™ Aluminum Foil Tape 1520CW

3M™ Venture Tape™ Aluminum Foil Tape 1520CW features a nominal 1.8 mil aluminum foil coated with pressure sensitive, cold weather acrylic adhesive. This tape combines flexible foil for irregularly-shaped applications and excellent low temperature performance. It conforms to fibrous ductboard and sheet metal ducts and works well in general-purpose heat shielding and light reflecting applications.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-07-50351-15202-5	Bulk	48 mm x 45.7 m	3.2 mil	Silver	24 Rolls
0-07-50351-15203-2	Bulk	72 mm x 45.7 m	3.2 mil	Silver	16 Rolls



3M™ Aluminum Foil Tape 3380

3M™ Aluminum Foil Tape 3380 features a nominal 1.8 mil aluminum foil coated with a pressure sensitive, cold weather acrylic adhesive. This tape combines flexible foil for irregularly shaped applications and excellent low temperature performance. It conforms to fibrous ductboard and sheet metal ducts and works well in general purpose heat shielding and light reflecting applications.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51111-97419-3	Bulk	48 mm x 45.7 m	3.25 mil	Silver	24 Rolls
0-00-51111-97421-6	Bulk	72 mm x 45.7 m	3.25 mil	Silver	16 Rolls

Foil, High Strength and Masking Tapes

Foil Tapes (cont.)



3M™ VentureClad™ Insulation Jacketing Tape 1577CW

3M™ VentureClad™ Insulation Jacketing Tape 1577CW is an all-weather option for various jacketing applications. It offers superior resistance to weathering, mold, UV and extreme environmental conditions. This silver aluminum or white multi-layered laminate tape is available as smooth or embossed texture and is designed to provide zero permeability and act as a vapor barrier for insulation cladding and jacketing applications.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51128-95779-0	Bulk	35 ½ in x 50 yd	6 mil	Silver Smooth	1 Roll
0-00-51128-95781-3	Bulk	35 ½ in x 50 yd	7 mil	White Smooth	1 Roll
0-00-51128-95757-8	Bulk	35 ½ in x 50 yd	9 mil	Silver Embossed	1 Roll
0-00-51128-96530-6	Bulk	35 ½ in x 50 yd	9 mil	White Embossed	1 Roll

High Strength Tapes



Scotch® Clean Removal Strapping Tape 8899HP

Scotch® Clean Removal Strapping Tape 8899HP is a high performance tape formulated for use in many industries, including appliance and metalworking. The tensilized polypropylene film backing features a pressure-sensitive natural rubber adhesive that provides high initial adhesion holding power and clean removal on a variety of metal, vinyl, plastic, fiberboard, powder coat and glass surfaces.

UPC	Packaging	Size	Thickness	Tensile Strength	Color	Case Qty/Units
0-00-76308-98892-0	Bulk	18 mm x 55 m	4.8 mil	160 lb/in	Blue	48 Rolls
0-00-76308-98893-7	Bulk	24 mm x 55 m	4.8 mil	160 lb/in	Blue	36 Rolls
0-00-76308-86417-0	Bulk	24 mm x 55 m	4.8 mil	160 lb/in	White	36 Rolls
0-00-76308-98895-1	Bulk	48 mm x 55 m	4.8 mil	160 lb/in	Blue	24 Rolls
0-00-76308-86418-7	Bulk	48 mm x 55 m	4.8 mil	160 lb/in	White	24 Rolls

Masking Tapes



3M™ Value Masking Tape 101+

3M™ Value Masking Tape 101+ is a cost-effective crepe paper tape that holds, bundles, seals and performs other non-critical taping jobs where a pressure-sensitive tape is needed. This tape offers controlled unwind to prevent shredding or splintering and tears easily from the roll by hand.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51115-68706-8	Bulk	12 mm x 55 m	5.1 mil	Tan	72 Rolls
0-00-51115-68707-5	Bulk	18 mm x 55 m	5.1 mil	Tan	48 Rolls
0-00-51115-68708-2	Bulk	24 mm x 55 m	5.1 mil	Tan	36 Rolls
0-00-51115-68709-9	Bulk	36 mm x 55 m	5.1 mil	Tan	24 Rolls
0-00-51115-68710-5	Bulk	48 mm x 55 m	5.1 mil	Tan	24 Rolls
0-00-51115-68711-2	Bulk	72 mm x 55 m	5.1 mil	Tan	12 Rolls
0-00-51115-68712-9	Bulk	96 mm x 55 m	5.1 mil	Tan	8 Rolls

Foil, High Strength and Masking Tapes

Masking Tapes (cont.)



3M™ General Use Masking Tape 201+

3M™ General Use Masking Tape 201+ is the go-to tape that holds strongly in settings where surface temperatures can reach up to 200°F/93°C. This light tan crepe paper tape has a low unwind and sticks to many surfaces, making it an ideal everyday use tape.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51115-64738-3	Bulk	12 mm x 55 m	4.4 mil	Tan	72 Rolls
0-00-51115-64739-0	Bulk	18 mm x 55 m	4.4 mil	Tan	48 Rolls
0-00-51115-64740-6	Bulk	24 mm x 55 m	4.4 mil	Tan	36 Rolls
0-00-51115-64741-3	Bulk	36 mm x 55 m	4.4 mil	Tan	24 Rolls
0-00-51115-64742-0	Bulk	48 mm x 55 m	4.4 mil	Tan	24 Rolls
0-00-51115-64743-7	Bulk	72 mm x 55 m	4.4 mil	Tan	12 Rolls
0-00-51115-64744-4	Bulk	96 mm x 55 m	4.4 mil	Tan	8 Rolls
0-00-51115-81435-8	Bulk	144 mm x 55 m	4.4 mil	Tan	8 Rolls



3M™ Performance Yellow Masking Tape 301+

3M™ Performance Yellow Masking Tape 301+ is designed to deliver good paint lines where surface temperatures can reach up to 225°F/107°C. This yellow crepe paper tape is ideal for paint masking applications in specialty vehicle, aerospace, automotive and industrial markets where strong holding performance is required.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51115-64749-9	Bulk	12 mm x 55 m	6.3 mil	Yellow	72 Rolls
0-00-51115-64750-5	Bulk	18 mm x 55 m	6.3 mil	Yellow	48 Rolls
0-00-51115-64751-2	Bulk	24 mm x 55 m	6.3 mil	Yellow	36 Rolls
0-00-51115-64752-9	Bulk	36 mm x 55 m	6.3 mil	Yellow	24 Rolls
0-00-51115-64753-6	Bulk	48 mm x 55 m	6.3 mil	Yellow	24 Rolls
0-00-51115-64754-3	Bulk	72 mm x 55 m	6.3 mil	Yellow	12 Rolls
0-00-51115-64755-0	Bulk	96 mm x 55 m	6.3 mil	Yellow	8 Rolls



3M™ High Performance Green Masking Tape 401+

3M™ High Performance Green Masking Tape 401+ delivers sharp paint lines where surface temperatures can reach up to 250°F/121°C for 30 minutes. This green crepe paper tape is ideal for critical paint masking applications in automotive, specialty vehicle, and industrial markets, where strong holding and high temp performance is required.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51115-69109-6	Bulk	6 mm x 55 m	6.7 mil	Green	96 Rolls
0-00-51115-64759-8	Bulk	12 mm x 55 m	6.7 mil	Green	48 Rolls
0-00-51115-64760-4	Bulk	18 mm x 55 m	6.7 mil	Green	48 Rolls
0-00-51115-64761-1	Bulk	24 mm x 55 m	6.7 mil	Green	24 Rolls
0-00-51115-64762-8	Bulk	36 mm x 55 m	6.7 mil	Green	16 Rolls
0-00-51115-64763-5	Bulk	48 mm x 55 m	6.7 mil	Green	12 Rolls
0-00-51115-64764-2	Bulk	72 mm x 55 m	6.7 mil	Green	8 Rolls
0-00-51115-64765-9	Bulk	96 mm x 55 m	6.7 mil	Green	8 Rolls
0-00-76308-98229-4	Bulk	144 mm x 55 m	6.7 mil	Green	8 Rolls




3M™ Specialty High Temperature Masking Tape 501+

3M™ High Temperature Masking Tape 501+ was designed to deliver clean paint lines where surface temperatures can reach up to 300°F/150°C degrees. This crepe paper tape is ideal for critical paint masking applications in specialty vehicle, automotive and industrial markets where strong holding and high temperature performance is required.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-40-54596-11630-6	Bulk	18 mm x 55 m	7.3 mil	Purple	48 Rolls
0-40-54596-11635-1	Bulk	24 mm x 55 m	7.3 mil	Purple	36 Rolls
0-40-54596-11637-5	Bulk	36 mm x 55 m	7.3 mil	Purple	24 Rolls
0-40-54596-11639-9	Bulk	48 mm x 55 m	7.3 mil	Purple	24 Rolls
0-40-54596-11645-0	Bulk	72 mm x 55 m	7.3 mil	Purple	12 Rolls
0-40-54596-11647-4	Bulk	96 mm x 55 m	7.3 mil	Purple	8 Rolls
0-00-76308-86675-4	Bulk	144 mm x 55 m	7.3 mil	Purple	8 Rolls

Foil, High Strength and Masking Tapes

Masking Tapes (cont.)



Scotch® Masking Tape 2800

Scotch® Masking Tape 2800 is a conformable tape with an acrylic adhesive system used to achieve sharp paint lines and color separation for curves and straight lines. It has proven successful in high-temperature painting applications requiring a conformable tape.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-45-49395-89487-1	Bulk	12 mm x 50 m	4.1 mil	Blue	100 Rolls
0-45-49395-89488-8	Bulk	19 mm x 50 m	4.1 mil	Blue	64 Rolls
0-45-49395-89489-5	Bulk	25 mm x 50 m	4.1 mil	Blue	48 Rolls
0-45-49395-89490-1	Bulk	50 mm x 50 m	4.1 mil	Blue	24 Rolls



3M™ Performance Masking Tape 2380

3M™ Performance Masking Tape 2380 was designed for industrial use where the best possible paint line is desired and drying conditions range from air dry to oven bake. This smooth, strong, mini-crepe paper masking tape holds fast, removes easily and will give you great performance for most paint masking applications.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-44585-9	Bulk	12 mm x 55 m	7.2 mil	Tan	72 Rolls
0-00-21200-44584-2	Bulk	18 mm x 55 m	7.2 mil	Tan	48 Rolls
0-00-21200-44583-5	Bulk	24 mm x 55 m	7.2 mil	Tan	36 Rolls
0-00-21200-44582-8	Bulk	36 mm x 55 m	7.2 mil	Tan	24 Rolls
0-00-21200-44581-1	Bulk	48 mm x 55 m	7.2 mil	Tan	24 Rolls
0-00-21200-44580-4	Bulk	72 mm x 55 m	7.2 mil	Tan	12 Rolls
0-00-21200-44579-8	Bulk	100 mm x 55 m	7.2 mil	Tan	8 Rolls



3M™ High Performance Masking Tape 2693

3M™ High Performance Masking Tape 2693 performs very well in large scale paint masking applications, offering some of the best holding power and heat resistance while proving to be among the easiest to unwind. It provides easy, clean removal, whether warm or cold, from most surfaces without adhesive transfer. 3M™ High Performance Masking Tape 2693 has been laboratory tested on painted steel panels and found to remove cleanly at bake temperatures up to 325°F/ 163°C for 30 minutes.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-42974-3	Bulk	18 mm x 55 m	7.9 mil	Tan	48 Rolls
0-00-21200-37629-0	Bulk	24 mm x 55 m	7.9 mil	Tan	36 Rolls
0-00-21200-41121-2	Bulk	36 mm x 55 m	7.9 mil	Tan	24 Rolls
0-00-21200-37630-6	Bulk	48 mm x 55 m	7.9 mil	Tan	24 Rolls
0-00-21200-42979-8	Bulk	72 mm x 55 m	7.9 mil	Tan	12 Rolls
0-00-21200-44556-9	Bulk	100 mm x 55 m	7.9 mil	Tan	8 Rolls



Scotch® Fine Line Masking Tape 218

Scotch® Fine Line Masking Tape 218 is a high-performance polypropylene plastic tape that has both a low profile and high adhesion for use in painting long straight lines and sweeping curves where a crisp, sharp paint line is desired. It is often used as a layout tape for high value multi-color and custom painted graphics.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-16028-8	Bulk	¼ in x 60 yd	5.0 mil	Green	144 Rolls
0-00-21200-04698-8	Bulk	½ in x 60 yd	5.0 mil	Green	72 Rolls
0-00-21200-04699-5	Bulk	¾ in x 60 yd	5.0 mil	Green	48 Rolls
0-00-21200-04700-8	Bulk	1 in x 60 yd	5.0 mil	Green	36 Rolls
0-00-51138-94710-1	Bulk	2 in x 60 yd	5.0 mil	Green	24 Rolls

Additional sizes available

Foil, High Strength and Masking Tapes

Masking Tapes (cont.)



Scotch® High Temperature Fine Line Tape 4737

Scotch® High Temperature Fine Line Tape 4737 is a conformable tape used to achieve sharp paint lines and color separation for curves and straight lines. It has proven successful in high temperature painting applications requiring a conformable tape.

UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-72215-8	4737S	Bulk	½ in x 36 yd	5.4 mil	Blue	72 Rolls
0-00-21200-72216-5	4737S	Bulk	¾ in x 36 yd	5.4 mil	Blue	48 Rolls
0-00-21200-71353-8	4737T	Bulk	½ in x 36 yd	5.4 mil	Translucent Blue	72 Rolls
0-00-21200-71355-2	4737T	Bulk	1 in x 36 yd	5.4 mil	Translucent Blue	36 Rolls

Additional sizes available



ScotchBlue™ Original Painter's Tape 2090

ScotchBlue™ Original Painter's Tape is a multi-surface tape that can stay on surfaces for up to 14 days and then removes easily without leaving any sticky residue behind.

UPC	Size	Color	Case Qty/Units
0-00-51115-03680-4	0.70 in x 60 yd	Blue	24 Rolls
0-00-51115-03681-1	0.94 in x 60 yd	Blue	36 Rolls
0-00-51115-09171-1	0.94 in x 60 yd	Blue	9 Rolls
0-00-51115-03682-8	1.41 in x 60 yd	Blue	24 Rolls
0-00-51115-09221-3	1.41 in x 60 yd	Blue	6 Rolls
0-00-51115-03683-5	1.88 in x 60 yd	Blue	24 Rolls
0-00-51115-09168-1	1.88 in x 60 yd	Blue	6 Rolls
0-00-21200-98031-2	2.83 in x 60 yd	Blue	12 Rolls



3M™ Soft Edge Foam Masking Tape

3M™ Soft Edge Foam Masking Tape protects door jambs, hoods or any area of a vehicle that needs to be sealed while being painted. This foam tape provides a soft edge to prevent hard paint lines. The polyurethane foam structure tape is completely flexible so that it conforms to unique contours and is easily workable. This tape is available in multiple sizes to meet specific needs.

UPC	Size	Thickness	Color	Case Qty/Units
0-00-51131-06297-9	13 mm x 50 m	12 mm	White	1 Roll
0-00-51131-06298-6	19 mm x 49 m	19 mm	White	1 Roll
0-00-51131-06293-1	21 mm x 49 m	21 mm	Blue	1 Roll



Sealing Tapes



3M™ Extreme Sealing Tape 4412

3M™ Extreme Sealing Tape 4412 is a gray, black or translucent, highly conformable, single-sided, pressure-sensitive acrylic adhesive tape with a high performance ionomer backing. It is an ideal solution for creating a water tight seal. It conforms over fasteners, seams, joints, holes and gaps to ensure a long-lasting seal on a variety of substrates.

UPC	Product ID	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51115-63196-2	4411B	Bulk	2 in x 36 yd	40 mil	Black	6 Rolls
0-00-51115-63195-5	4411G	Bulk	2 in x 36 yd	40 mil	Gray	6 Rolls
0-00-51115-63197-9	4412G	Bulk	2 in x 18 yd	80 mil	Gray	6 Rolls
0-00-51111-92277-4	4412N	Bulk	1 in x 18 yd	80 mil	Translucent	9 Rolls
0-00-51111-92278-1	4412N	Bulk	2 in x 18 yd	80 mil	Translucent	6 Rolls
0-00-51111-92279-8	4412N	Bulk	2 ½ in x 18 yd	80 mil	Translucent	3 Rolls
0-00-51111-92280-4	4412N	Bulk	3 in x 18 yd	80 mil	Translucent	3 Rolls
0-00-51111-92281-1	4412N	Bulk	4 in x 18 yd	80 mil	Translucent	2 Rolls



3M™ Preservation Sealing Tape 4811

3M™ Preservation Sealing Tape 4811 is a white, polyethylene tape with a unique rubber adhesive. With excellent stain resistance and weatherability, this tape helps preserve, seal and protect equipment for long-term storage applications in a variety of weather conditions.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-62334-9	Bulk	2 in x 36 yd	9.5 mil	White	24 Rolls
0-00-21200-62335-6	Bulk	3 in x 36 yd	9.5 mil	White	12 Rolls



3M™ Sealing Tape 8777

3M™ Sealing Tape 8777 is a translucent tape with a proprietary film backing and high-tack acrylic adhesive available on a split liner. We designed this self-adhered tape for difficult to stick surfaces, including damp surfaces. This sealing tape has an adhesive that withstands heat and will not melt or stain in high temperatures.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51111-92872-1	Bulk	2 in x 75 ft	9.9 mil	Beige	24 Rolls
0-00-51115-69017-4	Bulk	3 in x 75 ft	9.9 mil	Beige	12 Rolls



3M™ Seam Sealer Tape 08475

3M™ Seam Sealer Tape is for auto body professionals to easily duplicate the factory look and function of sealers typical in automotive door jambs and trunk gutters. This rubber-backed, 2.0 mil thick tape is very durable and doesn't require shaping or drying time like liquid sealers. Just apply and paint — the adhesive is activated by solvent in the paint system for a permanent bond.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51135-08475-5	1 roll per box	¾ in x 30 ft	2.0 mil	Black	12 Boxes



3M™ Strip-Calk, 08578

3M™ Strip-Calk is a soft butyl rubber caulking material that quickly and permanently fills all types of seams, joints and openings — long-lasting auto body maintenance and repair in much less time. Simply thumb one-foot lengths into place without spraying or tools, and smooth it with a finger. Strip-Calk is paintable immediately and never hardens, shrinks or becomes brittle, eliminating rework.

UPC	Packaging	Size	Color	Case Qty/Units
0-00-51135-08578-3	60 strips per box	1 ft	Black	12 Boxes

Specialty Tapes



3M™ UHMW Film Tape 5425

Used to protect surfaces from abrasion, 3M™ UHMW PE Film Tape 5425 is a thin caliper general purpose polyethylene tape that creates a “slip plane” effect to allow contact without wear. This tape features outstanding chemical resistance and a unique combination of properties that make it ideal for many tough impact wear or sliding applications.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-61331-9	Bulk	1 in x 36 yd	5.1 mil	Transparent	9 Rolls



3M™ Conformable Sound Management Film Tape 9343

3M™ Conformable Sound Management Film Tape 9343 is designed with a black, non-woven backing and acrylic adhesive on a polyester liner. The non-woven, microfiber backing is unique in that it provides conformability, elasticity, compressibility and durability. This tape is engineered to help reduce noise, vibration, squeaks and rattles in automotive interior applications.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-41407-7	Bulk	1 in x 36 yd	19.5 mil	Black	1 Roll



3M™ Weather Resistant Film Tape 838

3M™ Weather Resistant Film Tape 838 is comprised of a strong, thin Tedlar® PVCF Film backing with a high shear strength and a solvent-resistant acrylic adhesive. This tape is ideal for many long-term weather resistant and protection applications.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-05684-0	Bulk	1 in x 72 yd	3.4 mil	White	36 Rolls
0-00-21200-04413-7	Bulk	2 in x 72 yd	3.4 mil	White	24 Rolls



3M™ PTFE Film Tape 5490

3M™ PTFE Film Tape 5490 uses an extruded polytetrafluoroethylene (PTFE) film backing. This tape offers an extremely low coefficient of friction which, in combination with a pressure-sensitive silicone adhesive, creates a smooth, non-stick surface over a variety of substrates to assist in the movement of materials in many types of lay flat applications.


UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-07281-9	Bulk	1 in x 36 yd	3.7 mil	Brown	9 Rolls



3M™ Double Coated Tape 9832

3M™ Double Coated Tape 9832 provides high initial adhesion and good holding power on a variety of substrates. The thin, polyester film carrier provides dimensional stability and improved handling during slitting and die cutting. It is commonly used on particle board, melamine, HPL, wood, plywood, plastics and foam.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-21200-74026-8	Bulk	1 in x 60 yd	4.8 mil	Clear	36 Rolls



Marking Tapes



3M™ Vinyl Tape 471

Solve a variety of challenges, including floor and safety marking, color coding and industrial applications with the durable 3M™ Vinyl Tape 471. Designed to resist wear, scrapes and moisture, this long-lasting tape is available in an array of vivid colors.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51115-68866-9	Ind. Labeled	2 in x 36 yd	5.2 mil	Red	24 Rolls
0-00-21200-03106-9	Bulk	¾ in x 36 yd	5.2 mil	Red	48 Rolls
0-00-21200-03107-6	Bulk	1 in x 36 yd	5.2 mil	Red	36 Rolls
0-00-21200-04305-5	Bulk	2 in x 36 yd	5.2 mil	Red	24 Rolls
0-00-21200-06469-2	Bulk	3 in x 36 yd	5.2 mil	Red	12 Rolls
0-00-51115-68843-0	Ind. Labeled	¾ in x 36 yd	5.2 mil	Blue	48 Rolls
0-00-21200-03119-9	Bulk	½ in x 36 yd	5.2 mil	Blue	72 Rolls
0-00-21200-03121-2	Ind. Labeled	1 in x 36 yd	5.2 mil	Blue	36 Rolls
0-00-51115-68863-8	Ind. Labeled	2 in x 36 yd	5.2 mil	Blue	24 Rolls
0-00-21200-03120-5	Bulk	¾ in x 36 yd	5.2 mil	Blue	48 Rolls
0-00-21200-04308-6	Bulk	2 in x 36 yd	5.2 mil	Blue	24 Rolls
0-00-21200-03122-9	Bulk	3 in x 36 yd	5.2 mil	Blue	12 Rolls
0-00-51115-68864-5	Ind. Labeled	¾ in x 36 yd	5.2 mil	White	48 Rolls
0-00-21200-03135-9	Bulk	¾ in x 36 yd	5.2 mil	White	48 Rolls
0-00-21200-03136-6	Bulk	1 in x 36 yd	5.2 mil	White	36 Rolls
0-00-21200-04311-6	Bulk	2 in x 36 yd	5.2 mil	White	24 Rolls
0-00-21200-06466-1	Bulk	3 in x 36 yd	5.2 mil	White	12 Rolls
0-00-51115-68852-2	Ind. Labeled	¾ in x 36 yd	5.2 mil	Yellow	48 Rolls
0-00-51115-68856-0	Ind. Labeled	2 in x 36 yd	5.2 mil	Yellow	24 Rolls
0-00-21200-03127-4	Bulk	¾ in x 36 yd	5.2 mil	Yellow	48 Rolls
0-00-21200-03128-1	Bulk	1 in x 36 yd	5.2 mil	Yellow	36 Rolls
0-00-21200-04310-9	Bulk	2 in x 36 yd	5.2 mil	Yellow	24 Rolls
0-00-21200-06470-8	Bulk	3 in x 36 yd	5.2 mil	Yellow	12 Rolls
0-00-21200-03131-1	Bulk	4 in x 36 yd	5.2 mil	Yellow	8 Rolls
0-00-21200-03114-4	Bulk	¾ in x 36 yd	5.2 mil	Black	48 Rolls
0-00-21200-03115-1	Bulk	1 in x 36 yd	5.2 mil	Black	36 Rolls
0-00-21200-04306-2	Bulk	2 in x 36 yd	5.2 mil	Black	24 Rolls
0-00-21200-06467-8	Bulk	3 in x 36 yd	5.2 mil	Black	12 Rolls
0-00-21200-04309-3	Bulk	2 in x 36 yd	5.2 mil	Brown	24 Rolls
0-00-21200-48424-7	Bulk	2 in x 36 yd	5.2 mil	Purple	24 Rolls
0-00-21200-04312-3	Bulk	2 in x 36 yd	5.2 mil	Orange	24 Rolls
0-00-21200-03145-8	Ind. Labeled	1 in x 36 yd	5.2 mil	Green	36 Rolls
0-00-51115-68822-5	Ind. Labeled	2 in x 36 yd	5.2 mil	Green	24 Rolls
0-00-21200-04313-0	Bulk	2 in x 36 yd	5.2 mil	Green	24 Rolls



3M™ Vinyl Tape 471+

Designed for fine line and critical paint masking, 3M™ Vinyl Tape 471+ is a conformable tape with a semi-translucent backing. This durable tape is flexible and removes cleanly even after bake cycles, without adhesive build-up or ghosting. Use it on flat, curved, or compound surfaces to ensure exceptional paint lines in a variety of painting applications across a broad spectrum of industries.

UPC	Packaging	Size	Thickness	Color	Case Qty/Units
0-00-51131-06404-1	Bulk	⅝ in x 36 yd	5.3 mil	Indigo	144 Rolls
0-00-21200-06405-0	Bulk	¾ in x 36 yd	5.3 mil	Indigo	144 Rolls
0-00-51131-06408-9	Bulk	½ in x 36 yd	5.3 mil	Indigo	72 Rolls

Photoluminescent Films



3M™ Photoluminescent Film 6900

High performance photoluminescent film for safety and emergency exit signage. Rechargeable “glow in the dark” film, glossy appearance, light yellow green color with permanent pressure sensitive adhesive.

UPC	Size	Color	Case Qty/Units
0-00-51135-23241-5	1 in x 50 yd	Photoluminescent	1 Roll
0-00-51135-23242-2	2 in x 50 yd	Photoluminescent	1 Roll
0-00-51135-27706-5	3 in x 50 yd	Photoluminescent	1 Roll
0-00-51135-28031-7	48 in x 10 yd	Photoluminescent	1 Roll
0-00-51135-27729-4	48 in x 50 yd	Photoluminescent	1 Roll



Conspicuity Markings



3M™ Diamond Grade™ Conspicuity Tapes 983 Series for Trucks and Trailers

Trucks, trailers and other large vehicles stand out day or night, rain or shine with Series 983 conspicuity markings. They feature high reflectivity and wide angularity to ensure brightness and help increase safety. Tough DOT regulations have met their match. Series 983 meets or exceeds all FMVSS 108 requirements and includes the DOT-C2 Certification Mark. It's time to take your vehicles from obscure to obvious with Series 983 markings.

UPC	Product ID	Size	Description	Case Qty/Units
0-00-51138-67635-3	983-32	2 in x 18 in	11 inch red x 7 inch white	100 Each
0-00-51138-67533-2	983-32	2 in x 50 yd	11 inch red x 7 inch white	1 Roll
0-00-51138-67828-9	983-32	3 in x 50 yd	11 inch red x 7 inch white	1 Roll
0-00-51138-67825-8	983-32	4 in x 50 yd	11 inch red x 7 inch white	1 Roll
0-00-51135-30916-2	983-32	6 in x 150 yd	11 inch red x 7 inch white	1 Roll
0-00-51138-67636-0	983-32	2 in x 50 yd	11 inch red x 7 inch white, kiss-cut every 18 in	1 Roll
0-00-51135-31012-0	983-32	2 in x 50 yd	11 inch red x 7 inch white, kiss-cut every 18 in	6 Rolls
0-00-51135-30862-2	983-32	2 in x 150 ft	11 inch red x 7 inch white	1 Roll
0-00-51138-29876-0	983	2 in x 50 yd	Red and White	1 Each
0-00-51135-28511-4	983-326	2 in x 12 in	6 inch red x 6 inch white	100 Each
0-00-51135-30891-2	983-326	2 in x 18 in	6 inch red x 6 inch white	100 Each
0-00-51135-30958-2	983-326	2 in x 24 in	6 inch red x 6 inch white	1 Each
0-00-51138-67535-6	983-326	2 in x 50 yd	6 inch red x 6 inch white	1 Roll
0-00-51135-30864-6	983-326	2 in x 50 yd	6 inch red x 6 inch white	1 Roll
0-00-51135-31031-1	983-326	2 in x 50 yd	6 inch red x 6 inch white, kiss-cut every 12 in	1 Roll
0-00-51131-80265-0	983-326	2 in x 50 yd	6 inch red x 6 inch white, kiss-cut every 14 in and 10 in	1 Roll
0-00-51115-70199-3	983-326	2 in x 50 yd	6 inch red x 6 inch white, kiss-cut every 24 in	1 Roll
0-00-51135-31019-9	983-326	2 in x 12 in	6 inch red x 6 inch white	6 Packs, 100 per pack
0-00-51135-31016-8	983-326	2 in x 24 in	6 inch red x 6 inch white	6 Packs, 100 per pack
0-00-51135-31014-4	983-326	2 in x 50 yd	6 inch red x 6 inch white, kiss-cut every 12 in	6 Rolls
0-00-51135-31032-8	983-326	2 in x 50 yd	6 inch red x 6 inch white	1 Roll
0-00-51135-31015-1	983-326	2 in x 50 yd	6 inch red x 6 inch white, kiss-cut every 24 in	6 Rolls
0-00-51138-67537-0	983-10	2 in x 50 yd	White	1 Roll
0-00-51138-67827-2	983-10	3 in x 50 yd	White	1 Roll
0-00-51138-67826-5	983-10	4 in x 50 yd	White	1 Roll
0-00-51135-31013-7	983-10	2 in x 50 yd	White, kiss-cut every 12 in	6 Rolls
0-00-51135-31020-5	983-10	2 in x 4 in	White	12 Packs, 100 per pack
5-00-51138-67638-9	983-10	2 in x 12 in	White	100 Each
0-00-51135-31018-2	983-10	2 in x 12 in	White	6 Packs, 100 per pack
0-00-51135-30883-7	983-10	2 in x 18 in	White	100 Each
0-00-51138-67639-1	983-10	2 in x 50 yd	White, kiss-cut every 12 in	1 Roll
0-00-51115-69813-2	983-10	2 in x 50 yd	White, kiss-cut every 2 in and 4 in	1 Roll

Conspicuity Markings



3M™ Diamond Grade™ Conspicuity Tapes 983 Series for Trucks and Trailers (cont.)

UPC	Product ID	Size	Description	Case Qty/Units
0-00-76308-91683-1	983-72	2 in x 4 in	Red	12 Packs, 100 per pack
0-00-51135-30878-3	983-72	2 in x 12 in	Red	100 Each
0-00-51138-67816-6	983-72	2 in x 50 yd	Red	1 Roll
0-00-51138-67823-4	983-72	3 in x 50 yd	Red	1 Roll
0-00-51138-67824-1	983-72	4 in x 50 yd	Red	1 Roll
0-00-51115-69809-5	983-72	2 in x 50 yd	Kiss-cut every 4.5 in, Red	1 Roll
0-00-51135-30896-7	983-72	2 in x 6 in	Red	100 Each
0-00-51135-31033-5	983-72	2 in x 50 yd	Kiss-cut every 9 in, Red	1 Roll
0-00-51138-29970-5	983-K2		For marking one vehicle up to 53 feet: 36 strips 2 in x 18 in 983-32 red/white marking, 4 strips 2 in x 12 in 983-10 white marking, 1 strip 2 in x 90 in 983-32 red/white, 1 strip 1½ in x 90 in 983-32 red/white, squeegee and instructions.	1 Kit
0-00-51138-29971-2	983-K3		For marking one vehicle up to 48 feet: 32 strips 2 in x 18 in 983-32 red/white marking, 4 strips 2 in x 12 in 983-10 white marking, 1 strip 2 in x 90 in 983-32 red/white, 1 strip 1½ in x 90 in 983-32 red/white, squeegee and instructions.	1 Kit



3M™ Diamond Grade™ Conspicuity Markings 983-21 Fluorescent Yellow, IN-LNE

For application to sides and rear of large trucks, trailers and other vehicles to increase their visibility, especially when the vehicle is turning or crossing roadways. 3M™ Diamond Grade™ Emergency Vehicle Markings Series 983 is a highly reflective microprismatic lens sheeting with pressure-sensitive adhesive for application to emergency vehicles.

UPC	Product ID	Size	Color	Case Qty/Units
0-00-51115-77168-2	983-21	1 in x 50 yd	Fluorescent Yellow	1 Roll
0-00-51115-77169-9	983-21	2 in x 50 yd	Fluorescent Yellow	1 Roll
0-00-51135-34296-1	983-21	6 in x 50 yd	Fluorescent Yellow	1 Roll



3M™ Diamond Grade™ Emergency Vehicle Markings

3M™ Diamond Grade™ Fluorescent Yellow-Green Conspicuity Markings 983-23 are designed to mark the emergency exits, side and rear perimeter of vehicles and rail cars.

UPC	Product ID	Size	Color	Case Qty/Units
0-00-51115-70271-6	983-23	2 in x 12 in	Fluorescent Yellow Green	150 Each
0-00-51115-70272-3	983-23	4 in x 12 in	Fluorescent Yellow Green	150 Each
0-00-51141-22339-1	983-23	2 in x 50 yd	Fluorescent Yellow Green	1 Roll
0-00-51141-22340-7	983-23	4 in x 50 yd	Fluorescent Yellow Green	1 Roll
0-00-51141-22375-9	983-23	6 in x 50 yd	Fluorescent Yellow Green	1 Roll



Conspicuity Markings



3M™ Diamond Grade™ School Bus Markings

Make school transportation safer by enhancing school bus visibility, especially during early morning and evening hours.

UPC	Product ID	Size	Description	Color	Case Qty/Units
0-00-51135-34293-0	983-21	1 in x 50 yd	-	Fluorescent Yellow	1 Roll
0-00-51135-34294-7	983-21	2 in x 50 yd	-	Fluorescent Yellow	1 Roll
0-00-51135-31078-6	983-21	4 in x 50 yd	-	Fluorescent Yellow	1 Roll
0-00-51141-22549-4	983-21	8.75 in x 36 in	School Bus Sign	Fluorescent Yellow and Black	1 Sign
0-00-51135-31004-5	983-71	2 in x 12 in	-	Yellow	100 Each
0-00-51138-67885-2	983-71	2 in x 50 yd	-	Yellow	1 Roll
0-00-51135-16997-1	983-71	2 in x 50 yd	-	Yellow	1 Roll
0-00-51135-30866-0	983-71	3 in x 50 yd	-	Yellow	1 Roll
0-00-76308-91587-2	983-71	2 in x 50 yd	Kiss-cut every 4.5 in	Yellow	1 Roll
0-00-51141-56961-1	983-71	2 in x 50 yd	Kiss-cut every 9 in	Yellow	1 Roll
0-00-51135-30937-7	983-71	2 in x 50 yd	Kiss-cut every 12 in	Yellow	1 Roll
0-00-51135-31117-2	981-71	8.75 in x 36 in	School Bus Sign	Yellow and Black	1 Sign



3M™ Diamond Grade™ Reflectors

3M™ Diamond Grade™ Reflectors Series 989 for improved vehicle visibility.


UPC	Product ID	Size	Description	Color	Case Qty/Units
0-00-51141-22580-7	989-72	2 in x 50 yd	Kiss-cut every 3.5 in	Red	500 Each
0-00-51141-22581-4	989-74	2 in x 50 yd	Kiss-cut every 3.5 in	Amber	500 Each



3M™ Flexible Prismatic Conspicuity Markings

This flexible reflective marking has an aggressive adhesion package and can be applied at as low as 35° F while meeting and exceeding NHTSA conspicuity regulations.

UPC	Product ID	Size	Description	Certification Mark	Color	Case Qty/Units
0-00-51128-87736-4	913-10	2 in x 50 yd	-	DOT	White	1 Roll
0-00-51128-87740-1	913-326	2 in x 50 yd	-	DOT	Red and White	1 Roll
0-00-51141-22495-4	963-32	2 in x 50 yd	Kiss-cut every 18 in	DOT	Red and White	1 Roll



3M™ Plus Flexible Reflective Film Front Bumper Stripe

Durable, flexible, enclosed lens reflective film.

UPC	Product ID	Size	Description	Color	Case Qty/Units
0-00-51138-39813-2	680-85	2 in x 104 in	SBPAG-50	Black	1 Roll
0-00-51138-31314-2	680-850	2 in x 104 in	SBPAG-70	Black	1 Roll
0-00-51138-31313-5	680-91	2 in x 104 in	SBPAG-60	Yellow	1 Roll
0-00-51138-31315-9	680-91	2 in x 104 in	SBPAG-80	Yellow	1 Roll

Additional Information

⚠ WARNING!

These products meet the requirements of certain industrial eyewear standards and with some models certain industrial head protection standards. They do not provide complete head, eye and face protection from severe impact and penetration and are not a substitute for good safety practices and engineering controls. **Misuse may result in serious injury or death.** For proper use, see supervisor and User Instructions, or call 3M PSD Technical Service.

⚠ WARNING!

3M™ Hard Hat H-700 Series and 3M™ Hard Hat H-800 Series provide limited protection only. Misuse or failure to follow warnings and User Instructions may result in serious personal injury or death. For proper use see supervisor and User Instructions, or call 3M Personal Safety Division (PSD) Technical Service at 800-243-4630 (USA) or 800-267-4414 (Canada).

⚠ WARNING!

3M hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor and User Instructions, or call 3M PSD Technical Service in USA at 1-800-243-4630. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury.

U.S. EPA specifies the NRR as the measure of hearing protector noise reduction. However, 3M makes no warranties as to the suitability of the NRR for this purpose. 3M strongly recommends personal fit testing of hearing protectors. Research suggests that users may receive less noise reduction than indicated by the attenuation label value(s) on the packaging due to variation in fit, fitting skill, and motivation of the user. Refer to applicable regulations for guidance on how to adjust attenuation label values. It is recommended that the NRR be reduced by 50% to better estimate typical protection.

NOTE! When worn according to the User Instructions, 3M hearing protectors help reduce exposure to both continuous noises, such as industrial noises and noises from vehicles and aircraft, as well as very loud impulse noises, such as gunfire. It is difficult to predict the required and/or actual hearing protection obtained during exposure to impulse noises. For gunfire, the weapon type, number of rounds fired, proper selection, fit and use of hearing protection, proper care of hearing protection, and other variables will impact performance. If your hearing seems dulled or you hear a ringing or buzzing during or after any noise exposure (including gunfire), or for any other reason you suspect a hearing problem, your hearing may be at risk. To learn more about hearing protection for impulse noise, please visit www.3M.com/hearing.

⚠ WARNING!



These respirators help reduce exposures to certain airborne particulates. Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in injury, illness or death.** For correct use, consult supervisor and User Instructions, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

⚠ WARNING!



These respirators help protect against certain airborne contaminants. **Misuse may result in sickness or death.** For proper use, the wearer must read and understand User Instructions provided as part of the product packaging, see supervisor, or call 3M PSD Technical Service at 1-800-243-4630. Time use limitations may apply.

Important – Before using these respirators, you must determine the following:

1. The type of contaminant(s) for which the respirator is being selected.
2. The concentration level of contaminant(s).
3. Whether the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use.

Before use of these respirators, a written respiratory protection program must be implemented, meeting all the requirements of OSHA 29 CFR 1910.134, including training and fit testing.

⚠ WARNING!

This product is designed to help protect the wearer's eyes and face from harmful radiation including visible light, ultra-violet radiation (UV), infra-red radiation (IR), sparks and spatter resulting from welding processes. These products must be used only by qualified persons who are properly trained in their use and maintenance. **Misuse may result in permanent eye injury and vision loss.** Always wear ANSI Z87.1 compliant safety spectacles in addition to any welding helmet. For correct use, see supervisor and User Instructions, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

⚠ WARNING!

SORBENT PRODUCTS WARNING

Failure to properly handle and dispose of sorbents contaminated by hazardous materials could result in serious physical injury or death. For proper handling, consult the Safety Data Sheet for the material absorbed, applicable safety and health standards, contact your supervisor, or call 3M CSD Technical Service in the USA at 1-800-626-8578.

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

3M, Accuspray, Adflo, Aura, Body Schutz, Classic, Cool Flow, Cubitron, Diamond Grade, Drip-Check, Dual Lock, Dura-Hold, Dyna-Pro, Dynatron, E-A-R, E-A-Rform, E-A-Rsoft, EPX, EXPRESS, Fast 'N Firm, Fastbond, Finesse-it, FX, GoggleGear, Hand-Masker, Hookit, No-Touch, One Touch, Paint Buster, PELTOR, Perfect-It, Platinum, Pod Plugs, Post-it, PPS, Production, Push-Ins, Roloc, Safety-Walk, Scotch, Scotch-Brite, Scotch-Weld, Scotchblok, ScotchBlue, Scotchgard, SecureFit, Skull Screws, Solus, Speedglas, Stikit, SUN GUN, Super 77, SuperFit, Tedlar, Tri-Flange, Trizact, UltraFit, Ultrapro, UVicator, Venture Tape, VentureClad, Versaflo, VHB, Virtua, Vortemp, Wetordry, Windo-Weld, and Yellow Neons are all trademarks of 3M. All other trademarks are the property of their respective owners.

Products represented in this catalog are for industrial/occupational use only.
Not for consumer sale or use.



Safety and Industrial Business Group
3M Center, Building 223-03-S-33
St. Paul, MN 55144 USA
Customer Service: 1-888-364-3577
www.3M.com/specialtyvehicles

Please recycle. Printed in USA. © 3M 2020.
All rights reserved. 78-6901-2406-6

